



AN ISO 9001:2015 COMPANY



**Growing Green Fields and
a green environment...**

Irrigation Products

Total Solution of Water Supply

+91 70465 57987 www.irrigationsystemindia.com welldripirrigation@gmail.com

Plot No. 2, Survey No. 1104, Opp. BC Swaminarayan School, Kubalthal Village,
Dist. Daskroi, Ahmedabad-382415, Gujarat-INDIA

Mini Sprinkler-1/2"



Features & Specification

- ➔ 1/2" Male threaded intel connection.
- ➔ Option Sand protection cover to protect the spring from sand.
- ➔ Sainless steel retraction spring maintain uniform rotation speed.
- ➔ Low friction coefficient Engineering plastic pivot pin for smooth rotating of arm.
- ➔ 1.20 Mtr of long PVC pipe.
- ➔ Use in UV stabilizer.
- ➔ Full Circle.
- ➔ Low operating pressure.

Application

- ➔ Use in Potato, Onion, Groundnut, Cabbage, Pulses, Tea, Strawberry etc.

Performance data

Nozzal size(mm)	Pressure (kg/cm ²)	Watted Diameter (mtr)	Discharge (ltr/min)
2.5 X 1.8	1.0	17.0	7.5
	2.0	18.5	8.0
	2.5	19.0	8.5
	3.0	20.0	9.5



Female Connector



Male Connector



End Stop



Spanner



Female Connector



Male Connector



End Stop



Strong Ribbed Adopter



8mm Punch & Pusher



Male Connector



Female Connector



End Stop

"The Best Sprinkler Equipment For Your Farm"

Sprinkler (Nozzle)



New



New

Color : White / Black
Suitable For : Watering Equipment
Width : 14.5 cm
Length : 19 cm
Weight : 0.15 kg

Features

- Watering Coverage : 40 feet (20 feet radius)
- Connection Threading : 3/4" (25mm) Male Thread
- Additional Nozzle Provided : yes
- Sprinkler won't work with top water pressure
- Pressurized water (water pump) is recommended.

Butterfly Sprinkler



Micro Sprinkler

Compressive Fittings



Mini Sprinkler

Features & Specification

- Fast and easy leak proof connection
- High impact resistance to pulsed pressure.
- Available in 32mm



Joiner



Double Side Cap Elbow



MTA



End Cap



Heavy Tee



Service Saddle



Top Entry Ball Valve




3 Side & 2 side Cap Tee



Hex Nipple



Inner side Thread Hex Nipple



Thread Cap



Mini Airvalve

Solid Seal Ball Valve (Long Handle)



Size : 1/2" to 4"
Brand : Welldrip

Single Union Valve

New



Size : 32 mm
Brand : Welldrip

Sprinkler Fittings



PP Air Valve

Size : 32mm
Material : PP



Pressure Gauge

Dial : 2.5"
Glycerine Filled
Threaded Size : 1/4" BSP Male



Venturi Injector

Size : 2"
Material : PP & Nylon-6
Venturi
Saolid Valve
Hax Nipple
Foot Valve



Flange

63, 75, 110 mm
Product : PP Flange, PP Telfish,
PP Thread Flange



Orange

Black

Flush Valve

20, 63 & 75 mm
Material : PP, & ABS



PP Butterfly Valve

63, 75, 90 mm
Material : PP

Fogger Nozzle



Mini Sprinkler



New

Spiner Sprinkler



New


3 3/4" Sprinkler Set with Riser Pipe
and Foot Batum



New

Brass/SS Insert
Service Saddle

Pipes



Brand : "WELLD RIP"

HDPE Pipes are manufactured as per IS 4984: 1995, 32 to 110 mm in all pressure class manufacturing from material grade PE 63, PE80. Also, planning to get another standards as per requirement. Available in ISI & Non ISI



Irrigation Lateral

16, 20 & 32 mm

Standard : ISI / Non ISI


Application : Drip, Micro Sprinkler & Mini Sprinkler



16 mm dia with spacing of 30 cm to 150 cm with discharge of 2LPH to 4LPH

Standard : ISI / Non ISI

Application : to irrigate close spacing crops



Drip Fittings



Joiner & Takeoff

12,16 & 20 mm
 Material : PP & Polyacetal
 Ring Lock Joiner
 Pepsi Joiner
 Simple Joiner
 Ring T



Rubber Gromet

12,16 & 20 mm
 Material : EPDM & Nitrile



Tee & Elbow

12,16 & 20 mm
 Material : PP & Polyacetal



Online Dripper

8 & 14 LPH (Non ISI)
 Material : PP, LD & Eva
 Dripper Punch
 Dripper Plug
 Mnicro Connector
 Micro T



End Cap

12,16 & 20 mm
 Material : PP & LD



Lateral Cock

12,16 & 20 mm
 Material : PP & LD
 pepsi Lateral Cock
 Simple Lateral Cock



Adjustable Driper

Rain Pipe Fittings




1" x 32mm Rain pipe cock



4-Way Adaptor

Complete Header Assembly with Hydro cyclone Filter, Screen Filter, And Venturi Injector

Head Unit



HydroCyclone (2", 2.5", 3")



Flanged Valve (2", 2.5", 3")




PP Flanged Elbow (2", 2.5", 3")



PP Flanged Tee (2", 2.5", 3")



Filter (2", 2.5", 3")



PP Header (2", 2.5", 3")

WellDrip [®] Irrigation Industries

Mfg of : All Type of Irrigation Products.

📍 Plot No. 2, Survey No. 1104, Opp. BC Swaminarayan School, Kubalthal Village, Dist. Daskroi, Ahmedabad-382415, Gujarat-INDIA

✉ welldripirrigation@gmail.com

🌐 www.welldrippolyplast.com | www.Irrigationssystemindia.com

☎ +91 98791 14661 | +91 70465 57987



📘 @welldrip.polyplast