



Process control instruments

Highly accurate and easy to use. J, K, R, Pt 100. Longer working life. Various functions Using in Plastic, Pharma, Packaging, Textile, Casting, Foundry Industries.

ULTRACON ENIGMECH PVT. LTD.

Mfg. : Process Control Instruments - Temperature, Timer, Counter, Pressure

15-Shyam-II Industrial Hub, Opp. Nova Petro, Nr. HOF, Moraiya (Changodar), Ahmedabad-382213.

Cell : 99259 78000, 94263 29814, Email : ultraconengimech@gmail.com

www.ultraconengimech.com



Gravity Feed Metal Detector

Wide range of standard pipe size available to suit all applications (50, 65, 75, 90, 110, 130 mm pipe diameter), Metal Detectors are suitable for intercepting magnetic and non magnetic metal fragments of small to medium dimensions in food, Plastic, Pharma, Chemical, Seeds, pulses, cereals, rice, grains etc.



ULTRACON



Conveyor Metal Detector

Industrial approved design. rust free body and trouble free Performance. Conveyor metal Detector used to inspect packaged food material, frozen, bread, biscuits, chocolates, foot ball, wood, garment, shoe, papad plant etc.

Tablet Metal Detector

It separate foreign contamination (fe, non fe and stainless steel) from tablet/capsule. Adjustable height with caster wheel provide easy movement.



ULTRACON ENGI MECH PVT. LTD.

Mfg. : Food & Plastic Processing Machineries, Electro Mechanical Systems

15-Shyam-II Industrial Hub, Opp. Nova Petro, Nr. HOF, Moraiya (Changodar), Ahmedabad-382213.

Cell : 99259 78000, 94263 29814, Email : ultraconengimech@gmail.com

www.ultraconengimech.com



PET Bottle Conveyor Metal Detector

Highly sensitive with high speed ejector.

Sturdy construction.

To separate foreign contaminated Fe, Non Fe particle from the PET-Plastic bottles and similar materials

Metal Detector Head

Ultra high sensitivity to all magnetic and non magnetic metals including stainless steel. Control panel for the sensitivity settings




Magnetic Roller, Plate, Grill

Rugged design, Low / Medium / High intensity magnets are available. It is used for protection of processing equipments like conveyors, screen, belts, rollers, pulverizes, crushers from ferrous contamination



ULTRACON




Gravity feed metal Detector

Most suitable for online inspection with high sensitivity. We offer high speed food grade-antistatic pipe and ejector valve integrated system with ejection valve for granular and powder product. most suitable for food, plastic, pharma, chemical, seeds, pulses, cereals, rices, grains etc.

Box Metal Detector

Reliable performance, specific design, No maintenance, Complete box inspection, Check the ferrous, nonferrous foreign particles from bagging of final product or raw materials.



Pipeline Metal Detector

Pipe line metal detector is for beverage, juice, catch up, paste etc.,

Hi-sensitivity with fast acting reject device.

Easy to clean and Inspect



Thermocouple & RTD Sensors

Highly accurate measurement, Long life, Heavy duty, Rust protected body. J,K,R, Pt-100. Plastic, pharma, rubber, chemical, food processing industries.

ULTRACON ENGINEMECH PVT. LTD.

Mfg. : All Type Thermocouples, Pt-100 Sensors and Cables

15-Shyam-II Industrial Hub, Opp. Nova Petro, Nr. HOF, Moraiya (Changodar), Ahmedabad-382213.

Cell : 99259 78000, 94263 29814, Email : ultraconengimech@gmail.com

www.ultraconengimech.com



Z - Elevator

Z-Elevator used for transferring free flow material (from low level to high level) like granules, powder, seeds, pulses, cereals, bulk solids, chemicals, rice, feed, foods, grains, etc. Rigid Construction. Chain locking & over load protection. Vertical conveying system reduces space problem.



ULTRACON



Gravity Feed Metal Detector

Wide range of standard pipe size available to suit all applications (50, 65, 75, 90, 110, 130 mm pipe diameter), Metal Detectors are suitable for intercepting magnetic and non magnetic metal fragments of small to medium dimensions in food, Plastic, Pharma, Chemical, Seeds, pulses, cereals, rice, grains etc.

Electromagnetic Vibrator Feeder

Exceptional performance, Saves lots of time, Long functional life. The Speed can be adjusted by the potentiometer adjuster. Foundry, Iron, steel, paper, metal, ceramic, glass, chemical, food, pharma, PET-Plastic etc., It is used to control the flow of materials to feed next process



ULTRACON ENGINECH PVT. LTD.

Mfg. : Food & Plastic Processing Machineries, Electro Mechanical Systems

15-Shyam-II Industrial Hub, Opp. Nova Petro, Nr. HOF, Moraiya (Changodar), Ahmedabad-382213.

Cell : 99259 78000, 94263 29814, Email : ultraconengimech@gmail.com

www.ultraconengimech.com



Flakes Lable Separator

Cyclone separation technology. Adjustable speed control. Label / Film separation from PET flake and similar products. Neck separation from PET flake. It can also separate the light ingredients from the mixed material

PET-Plastic Bottle Incline Elevator

All System is mechanically heavy made from chain, sprocket and conveying attachment (no use of belts), It is most suitable to lifting big size, light weight material like plastic bottle, wooden scrap, rubber pieces, scrap material like shoe, toys, electronic, computer scrap etc.



Auto Weighing Scale

Highly accurate measurement, Exact control of weighing processes, Linear vibrating feeding, High quality auto weighing machine is useful to bagging open mouth bags. Accurate, reliable and fast device reduces the labor cost. System weights free flowing materials like foods (grains, pulses, seeds, salt, tea powder, coconut powder, nuts, dried fruits, onion flakes), plastic granules, PET flakes, chemical etc.



ULTRACON



Sorting Conveyor

Smooth side walls. Adjustable speed. Less power consumption. For Manually sorting foreign material from final product.

Incline Conveyor

Non stop materials handling capacity to transfer material from low to high level. Variable speed, fix speed, food grade belt, structure MS or SS. Designed as per customer's requirement.



Screw Elevator

There are many variables involved including product particle size and shape, moisture content etc. Most suitable to convey free flow material like powdered food, plastic granuals, seeds etc. conveying capacity is 100 kg to 1000 kg per hour. High quality raw material provides corrosion resistance, durability and sturdy construction.