




Tap master

(Tapping Easy with Tap Master)



FLEXIBLE ARM ELECTRIC & AIR TAPPING MACHINE

(A Dhanda Exporters Company)

DMT-16



Model		DMT-16
For Tap		M3-16
Speed (rpm)		0 ~ 200
Work Range	Rmax (mm)	800
	Rmin (mm)	150
Voltage		200 V Single-PHASE
Electric Motor		0.4 kw
Weight (kg)		20
Code		

DMT-24



Model		DMT-24
For Tap		M5-24
Speed (rpm)		0 ~ 150
Work Range	Rmax (mm)	1100
	Rmin (mm)	200
Voltage		200 V Single-PHASE
Electric Motor		0.75 kw
Weight (kg)		30
Code		

DMT-36



Model		DMT-36
For Tap		M6-36
Speed (rpm)		0 ~ 150
Work Range	Rmax (mm)	1600
	Rmin (mm)	200
Voltage		200 V Single-PHASE
Electric Motor		1.5 kw
Weight (kg)		35
Code		



Model		DMT-8P	DMT-12P	DMT-16P	DMT-20P
For Tap		M3-8	M3-12	M3-16	M3-20
Speed (rpm)		0 ~ 1800	0 ~ 350	0 ~ 400/150	0 ~ 400/150
Work Range	Rmax (mm)	950	950	1100	1100
	Rmin (mm)	100	100	200	200
Weight (kg)		8	10	20	25
Note		DMT - 8P Model Only For Sheet Metal & Retapping Use			


STANDARD ACCESSORIES

- Electric tapping spindle
- parallel arm
- Table mounting column
- Choose any six safety clutch tapping adapters
- Electric - Controlled device

OPTIONAL ACCESSORY :

- Depth. Control Device.
- 90° And Various Degree Tapping Device
- Permanent Magnetic mounting bases with 1000kgs, 2000kgs magnetic force.

Multi Spindle Drilling & Tapping Head



Permanent Magnetic Lifter





Model	Drill Capacity	Tapping Capacity	Power	HP	R.P.M	Max Depth.	Body Stroke	Transverse all move	Turning Degree	Electro Magnetic Force	Height	Tension Collet	Drill Sleeve	Machine Weight
DMT-30	6-32 mm	10-30 mm	415 V 3 Phase	2	756 456 303 186 127 51	100	150	20	330	2500 kg	580	7	2	70
DMT-16M	3-20 mm	5-16 mm	415 V 3 Phase	1	705 405 100 58	100	100	15	180	900 kg	450	5	2	28

OFFICE : Sco. 28, Sector-31, Opposite Havells, Faridabad - 121003, Haryana, India

Ph : +91 92121-12012, 98133-63001

Website : www.tapmaster.in

E-mail : tapmaster.in@gmail.com

BRANCHES

- Ahmedabad
- Chandigarh
- Faridabad (Delhi NCR)
- Pune
- Rajkot