# SOND BAKERY MACHINES An ISO 9001:2015 Certified Company





Trust Only SOND Pizza Sheeter, Dough Sheeter Machine, Bakery Equipment For Faster & Better Food Production.





Mr. Kuldeep Singh Sond (Proprietor)



09871515065



www.sondbakerymachines.com

# **About Us**

Production of good food in a hygienic manner and in a bulk quantity requires advanced machines. Knowing the same, we at **Sond Bakery Machines** started introducing advanced array of bakery machines and equipment. Our **2013** formed company as a **manufacturer** is designing and developing **Dough Moulder, Dough Rounder, Flour Sifter with Elevator, S.S. Bowls, Dough Sheeter, Pizza Sheeter, Bread Rack Trolley, Table Top Model Dough Sheeter Machine, Flour Sifter with <b>Dual Screw Elevator, Dough Moulder Machine,** etc., for commercial purpose. Aforesaid equipment are demanded by small to large scale bakery products production companies due to their longer service life, high performance, cost-effectiveness, user-friendliness and reliable operation.

Shining amongst other bakery machines manufacturers, we, Sond Bakery Machines have strengthened our position in the bakery industry by introducing advanced bakery machines under SOND brand name. Our Dough Moulder, Dough Rounder, Flour Sifter with Elevator, S.S. Bowls, Dough Sheeter, Pizza Sheeter, etc. and other offerings are designed to ease the task of food items baking and keeping. In our robust and modern production plant, located in Delhi, India, we produce aforesaid variety of equipment in a large quantity. Keeping a good stock of our offerings help us well-satisfy urgent buying demands of our clientele. We are glad to have dynamic and smart employees to handle business operations in a timely and smooth manner.

# **Key Facts**

Nature of Business: Manufacturer & Supplier

**Year of Establishment: 2013** 

No. of Employees: 10

Warehousing Facility: Yes

GST No.: 07CYDPS2232K1ZA





### **Belt Conveyors**

The Belt Conveyors are used transfer the divided dough, rounded dough, dough loaves, bread loaves in the bakery industry. Belt Conveyors supplied by us is available in different specifications from which the customer can choose the one as per their requirement.

### **Standard Features**

O Noiseless O Easy to Use

#### **Accessories:**

VFD Operated



### **Dough Moulder**

The Dough Moulder Machine offered by our company is specially designed to give shape to dough into and is highly used in the bakery industry. This machine is ideal for moulding dough to make rolls, toasts, buns, loaves, baguettes, etc. From procuring components to designing and manufacturing, we have special teams for the special task who work together to meet company goals. Dough Moulder Machine supplied by us is available in different specifications

### **Standard Features:**

- O Centrally adjustable dough infeed hopper.
- Adjustable nylon scrappers to clean the rollers.
- VFD operated motorised pressure board.
- Easy adjustable roller clearance and pressure board height.
- F.F. Cotton canvas conveyor belt.
- Caster Wheels.
- Collection trav.
- O Door safety feature.

### **Accessories:**

- O Double pressure board.
- Side guide on the transport band.
- Flour dusting system.
- Collection conveyor system.
- Triangle mold on pressure board.

Model	Electric	Energy	Max.	Machine	Capacity	Weight
	Power	Consuption	Dough	Dimensions	(Loaves/hour)	
	(HP)	(A)	Length	(L*W*H)		
LDM-	2 hp	3 A	420mm	2800*1030*1100	2500	260 kg
304						
LDM-	2.5 hp	3.8 A	480mm			300 kg
304M						
LDM-	2 hp	3 A	420mm	2900*1030*1450	3000	290 kg
306						
LDM-	2.5 hp	3.8 A	480mm			340 kg
306M						



### **Dough Bowl Lift**

The Dough Bowl Lift offered by our company is specially designed to lift and tilt bowls of various sizes thus, makes the process hygienic.

#### **Standard Features**

- Easy Maintainance.
- O Lifting and Discharging makes it easy to operate.



### Flour Sifter With Elevator

To begin with the Production process. The flour is to be handled and sieved automaticaly with hygiene and ease. So, keeping in mind these requirements flour from bags is dumped into the hopper where it is conveyed or elevated to the removable perforated stainless steel shifting head and then delivered to the bowl directly. A lid is provided on top of the sieving head for cleaning where residue flour gets collected. from which the customer can choose the one as per their requirement.

Flour Sifter Machine supplied by us is available in different specifications from which the customer can choose the one as per their requirement.

### **Standard Features:**

- O Powerful Vibration Mechanism.
- Large elevator unit with Double Screw mechanism, that can feed two bags of 90 kg at a time.
- Noiseless Operation.

Model	Electric	Electric	Energy	Capacity	Machine	Weight
	Power	Connection	Consuption		Dimensions	
	(HP)		(A)		(L*W*H)	
FS-60M	2.5 hp	400V/50- 60Hz/3Phase	3.8 A	600 Kg/hr	1180*2830*2010	270 kg
FS-60S		ounz/sriiase		Kg/III		
FS-10M	3.5 hp	400V/50- 60Hz/3Phase	5.3 A	1 Ton/hr	1180*3130*2010	340kg
FS-10S						



### **Pizza Sheeter**

The Pizza Sheeter offered by our company is specially designed to make dough base and is highly used in the bakery industry. Pizza Sheeter supplied by us is available in different specifications from which the customer can choose the one as per their requirement.

### **Standard Features**

- 4 Teflon rollers.
- Adjustable nylon scrappers to clean the rollers.
- Easy adjustable roller clearance.
- O Caster Wheels.
- O Collection tray.

#### **Accessories:**

• Flour dusting system.

### **Specifications:**

Model	Electric	Energy	Base	Machine	Adjustable	Weight
	Power	Consuption	Size	Dimensions	Thickness	
	(HP)	(A)	25.0	(L*W*H)		
PS-20	1 hp	1.5 A	6-10	950*1030*1050	1~35mm	140 kg
PS-40			inches	1450*780*1050		210 kg



### **Collection Table**

The Collection Table offered by our company is specially designed to transfer bread loaves. Collection Table supplied by us is available in different specifications from which the customer can choose the one as per their requirement.

### **Standard Features**

- Noiseless Operation.
- Longer life

### **Accessories:**

VFD Operated.

Model	Electric Power (HP)	Electric Connection	Energy Consumption (A)	Machine Dimensions (L*W*H)	Weight
CT-6	1 hp	400V/50-	1.5 A	1830*1830*750	160 kg
CT-8		60Hz/3Phase		2450*2450*750	190 kg



### **Conical Rounder**

The Conical Rounder offered by our company is specially designed to make dough balls, divided dough from dough divider is fed into dough rounder and then conveyed to the dough moulder. Conical Rounder improves the dough texture thus, hereby enchance the quality of

#### **Standard Features**

- Fixed Rounding Aluminium Channels.
- O Cast Iron Cone.
- O Bronze Gear for longer life of machine.

#### **Accessories:**

O Discharge Guide Conveyor.

### **Specifications:**

Model	Electric	Electric	Energy	Weight	Machine	Capacit	Weight
	Power	Connection	Consumption	Range	Dimensions	У	
	(HP)		(A)		(L*W*H)	(pcs/h)	
CR-300	1 hp	400V/50-	1.5 A	60-	1100*1400*1000	3000	790 kg
		60Hz/3Phase		100gm			
				300-			
				400gm			5



### **Dough Sheeter**

The Dough Sheeter offered by our company is specially designed to make sheet of dough and is highly used in the bakery industry. This machine is ideal to make rolls, pizza base, etc. Dough Sheeter supplied by us is available in different specifications from which the customer can

### **Standard Features**

- 2 Stainless steel rollers F.F. Cotton canvas belt.
- O Caster Wheels. O Collection tray. O Door safety feature.
- Adjustable nylon scrappers to clean the rollers.
- Easy adjustable roller clearance.

#### **Accessories:**

Mould Roller.Flour dusting system.

Model	Electric	Energy	Max.	Machine	Adjustable	Conveyor	Weight
	Power	Consuption	Dough	Dimensions	Thickness	Belt	
	(HP)	(A)		(L*W*H)			
DS-40	1 hp	1.5 A	4kg	1690*780*590	1~35mm	400*1600mm	110 kg
DS-50	1.5 hp	2.3 A	6kg	1890*780*950		550*1800mm	190 kg



# **Mixing Bowls**

The Mixing Bowls offered by our company plays essential part in the bakery industry. Mixing Bowls are used for dough mixing or to transfer the flour/dough. Mixing Bowls supplied by us is available in different specifications from which the customer can choose the one as pertheir requirement, the final product.

### **Specifications:**

Model	Machine Dimensions (L*W*H)	Capacity	Weight
MB-20	540*540*545	20 kg	35 kg
MB-30	610*610*615	30 kg	40 kg
MB-40	660*660*670	40 kg	50 kg
MB-50	730*730*740	50 kg	55 kg




### **Trolley**

The Trolley are used to transfer goods from one place to another. Trolleys supplied by us are available in different specifications from which the customer can choose the one as per their requirement.

# **Certificates**





MSME 1 MSME 2



ISO





# **Contact Us**







info@sondbakerymachines.com