




Marck

T e c h n o

Your Plastic Needs To Be Welded




MT 08 SPIN WELDING MACHINE

MODEL NO.	MT 08 VFD	MT 08 SERVO
MOTOR	1.5 KW VFD (AUTOMOTIVE)	3 KW SERVO (SCHNEIDER)
INPUT VOLTAGE	3PH AC	3PH AC
POWER	1500W	3000W
WELDING AREA	10-300 MM	10-300 MM
USAGE	THERMOPLASTIC WELDING	THERMOPLASTIC WELDING
OSCILLATION TIME	0-99 ROTATION	0-99 ROTATION
WEIGHT	160 KG	160 KG
DIMENSIONS (MM)	650*650*1960 (L*W*H)	650*650*1960 (L*W*H)
MAXIMUM WELDING STROKE	80MM	80MM
WELDING HEAD ADJUSTMENT	300 MM	300 MM
PRODUCTION SPEED	2-8 PCS/MINUTE	2-8 PCS/MINUTE

FEATURES:

- Automatic clamping for article
- The accuracy of a servo motor is ± 0.1 degree
- Rotation direction counter-clockwise and anticlockwise
- Most suitable for welding thermoplastics with low heat conductivity
- Can be configured to manual, semi-automated or fully-automated
- Cost-effective and secure, energy-efficient



WATCH VIDEO



+91 9033811731




marcktechno@gmail.com



www.marcktechno.com

MT 09 INLINE TESTING MACHINE

MODEL NO	MT 09
INPUT POWER	220V, 1P
WEIGHT	130 KG
DIMENSIONS (MM)	1180*650*900 (L*W*H)
PRODUCTION SPEED	12-18 PCS/MINUTE
COMPRESSOR REQUIRED	2HP



WATCH VIDEO

FEATURES:

- Pneumatic working
- Air and water leakage testing
- 6 cavities testing at one time
- Easy working with single button operation
- Required less manpower



MT 10 FILTER WINDING MACHINE

MODEL NO	MT 10
INPUT POWER	220V, 1P
WEIGHT	275 KG
DIMENSIONS (MM)	1070*700*760 (L*W*H)
PRODUCTION SPEED	3-7 PCS/MINUTE
MOTOR	1-HP, VFD MOTOR

FEATURES:

- Sediment filter winding with carbon filling
- Fast working with less manpower
- Change the winding speed simply by a spin button

WATCH VIDEO



+91 9033811731



marcktechno@gmail.com



www.marcktechno.com

MT 11 ROTARY TYPE SPIN WINDING MACHINE

MODEL NO	MT 11 VFD	MT 11 SERVO
INPUT VOLTAGE	3- PH, AC	3- PH, AC
POWER	1500W+2000W	3000W+2000W
MOTOR	VFD + 2KW SERVO	3KW SERVO + 2 KW SERVO
WEIGHT	550 KG	560 KG
DIMENSIONS (MM)	1500*700*2200 (L*W*H)	1500*700*2200 (L*W*H)
PRODUCTION SPEED	4-7 PCS/MINUTE	4-8 PCS/MINUTE
USAGE	THERMOPLASTIC WELDING	THERMOPLASTIC WELDING

FEATURES:

- A mechanical brake indicating device is arranged outside the actuator
- The human-computer interface is a 6-inch color touch screen
- Automatically jali fitting
- Accurate filling of carbon automatically
- Automatic spin welding
- Accurate quality of working



WATCH VIDEO



+91 9033811731



marcktechno@gmail.com



www.marcktechno.com

MT 12 CARBON FILLING MACHINE

FEATURES:

- Accurate carbon filling
- Less time production with easy working
- The Filling range is wide and adjustable
- Easy to install, disassemble, and clean

MODEL NO	MT 12
PRODUCTION SPEED	8-12 PCS / MINUTE
RANGE	20 -1000 GRAM
POWER	220V, 1P
WEIGHT	275 KG
DIMENSIONS (MM)	700*500*1800 (L*W*H)
COMPRESSOR REQUIRED	1-2 HP

WATCH VIDEO

MT 13 PU FOAM CUTTING MACHINE

MODEL NO	MT 13
PRODUCTION SPEED	64-512 PCS/MINUTE
DIE SIZE	64 CAVITIES / 256 CAVITIES
INPUT POWER	3 PH, AC
WEIGHT	110 KG
DIMENSIONS (MM)	915*1070*1130 (L*W*H)
MOTOR	1-HP, VFD MOTOR



WATCH VIDEO

FEATURES:

- Accurate cutting of foam
- Fast production with low maintenance
- Machine needs die to cut the foam in any shape

WATCH VIDEO

MT 14 FOAM PRESS MACHINE

MODEL NO	MT 14
PRODUCTION SPEED	8-15 PCS/MINUTE
WEIGHT	70 KG
DIMENSIONS (MM)	700*500*1800 (L*W*H)

FEATURES:

- Easy working with mass production
- Pneumatic working



+91 9033811731



marcktechno@gmail.com



www.marcktechno.com



Marck

T e c h n o

Your Plastic Needs To Be Welded



Marck Techno

50,98,101, Pushkar-2 Industrial Estate
opp. national rifle company, Phase I, GIDC Vatwa,
Ahmedabad, Gujarat 382445



+91 9033811731 / +91 9824011724



marcktechno@gmail.com



www.marcktechno.com

