



# SURROUNDED BY THE LIVING ART




8' x 6' & 9' x 6' 09 mm / 12 mm / 18 mm / 25 mm



# TIMELESS MODERN CHARM OF WOOD

To inspire a thought of tranquil and graceful environment in interior room has a luxury of its own.

A fine blend of natural beauty and robust embodiment into the quality



## WELCOME TO WOODPULP



Woodpulp, an initiative by Team of experience engineers to serve wood workers with world class product putting every sense of technicality into manufacturing. With a vision to promote eco-friendly life style Woodpulp brings you range of particle board which adheres to international quality standards of Board and lamination.

### WHY WOODPULP?

- → Dense & Dust Free Core Layer Leads to Better Screw Holding Capacity.
- → Smooth Zero Bubble Face Layer Leads to Beautiful Lamination.
- → NO Mixing of Hard Wood Leads to Higher Tool Life.
- → Best In class "IN HOUSE" Resin Preparation System Ensures Product Consistency.
- → NO Mixing of Urea Leads to Moisture, Scratch & Crack Resistance Lamination.
- → Wood Design Collection and HPL Like Surface Finish Will Give You Premium Feel.






-Woodiest natural colour range that creates an elegant, essential style. Colour harmony, the original depth of wood shades, with detailed grains and inclusions.



### ISO 9001 CERTIFIED COMPANY







CL 002 Antique Lt



CL 003 Antique Dk



CL 004 Asia Wood Dk



CL 005 Asia Wood Lt



CL 006 Sandy Cross Line Dk



CL 007 Sandy Cross Line Lt



CL 008 Indian Oak Dk



Cl 009 Indian Oak Lt











CL 0011 Coach Wood Dk



CL 0012 Coach Wood Lt



CL 013 Coach Wood Tk



CL 014 Sonoma Oak Dk



CL 015 Sonama Oak Lt




CL 016 Original Walnut



CL 017 New Country Lt



CL 018 New Country Dk



Towards Greener Tomorrow







CL 020 Classic Walnut



CL 021 Bavarian Beech



# EXPERIENCE THE IMPRESSION, THAT EXTRACTS FROM NATURE HERSELF

Charm of natural wood with precision of fine veining effect, the realistic nuances of colour, the intense harmony of the shades



### ISO 9001 CERTIFIED COMPANY







CL 023 Highland Pine



CL 024 Straight Wenge Dk



CL 025 Flowery Wenge Dk



CL 026 Acacia Lt



CL 027 Acacia Dk



CL 028 Rolex Dk



CL 029 Rolex Lt




CL 030 Saw Cut Dk



### ISO 9001 CERTIFIED COMPANY

Zed Black



Slate Grey

CL 039

Cl 037

Ivory

CL 038

Technical Data Sheet			
	Technical Specification	MFC	MFC
Sr. No.	Properties	IS 12823	Woodpulp Interior
Board	Properties		
1	Density Density Kg/m <sup>3</sup>	500-900	630-700
2	Variation From Mean Density %	±10	±3
3	Moisture Content %	515	6.8
4	Water Absorption % Max		
	After 2hrs Soaking	15	8.5
	After 24hrs Soaking	30	16
5	Thickness Swelling % Max		
	2 hrs	8	6
	24 hrs	NA	NA
6	Modulus Of Rupture N/mm²		
	Average	11	13
	Minimum	10	11
7	Modulus Of Elasticity N/mm²		
	Average	2500	2580
	Minimum	2200	2250
8	Internal Bond		
	Up to 20mm	0.3	0.5
	Above 20mm		
9	Screw Withdrawal Strength N		
	Face	1250	2000
	Edge	750	1000
Surfac	e Properties		
10	Abrasion Resistance Test Rev.	450	>450
11	Resistance To steam	No Effect	Pass
12	Resistance To Cracking	No Effect	Pass
13	Resistance To Stain	No Effect	Pass
14	Resistance To Cigarette Burn	No Effect	Pass

### **APPLICATIONS**







HOTEL FURNITURE



RETAIL & MALL FURNITURE



SCHOOL FURNITURE



HOSPITAL & LABORATORY FURNITURE



EXHIBITION STALL



PREFAB SHELTERS

### **FEATURES**



UNIFORM THICKNESS IN ALL DIRECTION



DIMENSION STABILITY



BETTER SCREW HOLDING CAPACITY



STANDARD QUALITY DESIGN





RESISTANCE TO STEAM, STAIN & CIGARETTE



EASY TO MAINTAIN



ECO FRIENDLY

### WOODPULP PANEL LLP.

Survey No. 133/3, Pipaliya Mahendragadh Road, Near Pipaliya Cross Road, At. Pipaliya - 363 660. Dist. Morbi,(Guj.) INDIA.

+91 93 75 770 770 info@woodpulp.co.in

