



the complete range of solution




DM
DEV Machinery

Amrendra Singh
9726630636


Bakrol Branch : Plot No.20, Suvarnabhumi Industrial Park, B/h. Shiv Hospital,
Kujad Bakrol Road, Ahmedabad-382210 M.: +91 95861 56836, 83209 33832.
E-mail : devmachinery4558@gmail.com, Website : devhydraulicmachinery.com

Model	Cutting Length in mm	Shearing Capacity (mm)				Nominal Rake Angle in Degree	Rake Angle Range in Degree	Rake Angle Stroke per min.		No. of Hold downs	Holding Force	Power	Packing Dimension (L x W x H) in mm	Weight
		M.S.		S.S.				Min.	Max.					
		Nominal Rake Angle	Max. Rake Angle	Nominal Rake Angle	Max. Rake Angle									
HFR 215	1500	2	2	0.6	0.6	1°12'	1°	30	30	-	-	3	2000x1000x1250	1300
HFR 220	2000	2	2	0.6	0.6	1°12'	1°	25	25	-	-	3	2500x1250x1200	1700
HFR 225	2500	2	2	0.6	0.6	1°12'	1°	20	20	-	-	3	3000x1250x1330	2500
HVR 315	1500	3.15	4	2	3.15	1°30'	0.5-2°	25	15	9	1800	3	2200x1250x1920	1500
HVR 320	2000	3.15	4	2	3.15	1°30'	0.5-2°	20	11	11	2000	3	2700x1250x1950	2000
HVR 325	2500	3.15	4	2	3.15	1°30'	0.5-2°	25	13	11	2300	5	3200x1250x2000	3700
HVR 330	3000	3.15	4	2	3.15	1°30'	0.5-2°	21	9	13	2600	5	3700x1400x2100	4250
HVR 340	4000	3.15	4	2	3.15	1°30'	0.5-2°	12	6	20	3200	7.5	4700x1500x2250	3000
HVR 415	1500	4	6	3	4	1°37'	0.5-3°	25	13	9	4500	7.5	2250x1250x2050	3200
HVR 420	2000	4	6	3	4	1°37'	0.5-3°	23	11	11	6200	7.5	2750x1250x2100	3700
HVR 425	2500	4	6	3	4	1°37'	0.5-3°	21	8	11	8000	7.5	3300x1400x2250	4200
HVR 430	3000	4	6	3	4	1°37'	0.5-3°	21	10	13	10000	7.5	3700x1500x2400	5250
HVR 440	4000	4	6	3	4	1°37'	0.5-3°	15	6	20	12000	10	4700x1650x2600	7200
HVR 615	1500	6	8	4	6	1°45'	0.5-3°	22	8	9	6500	10	2250x1300x2150	3250
HVR 620	2000	6	8	4	6	1°45'	0.5-3°	20	7	11	6500	10	2750x1350x2150	4250
HVR 625	2500	6	8	4	6	1°45'	0.5-3°	24	8	11	8500	15	3300x1500x2300	4600
HVR 630	3000	6	8	4	6	1°45'	0.5-3°	22	6	13	10800	15	3800x1650x2500	5770
HVR 640	4000	6	8	4	6	1°45'	0.5-3°	22	6	20	13600	20	4800x1700x2750	8250
HVR 650	5000	6	8	4	6	1°45'	0.5-3°	18	4	24	16500	20	5700x1800x2850	11500
HVR 660	6000	6	8	4	6	1°45'	0.5-3°	14	3	28	19500	20	6700x1900x2950	14500
HVR 815	1500	8	10	6	8	2°	0.5-3°	15	8	9	10500	10	2250x1350x2100	4750
HVR 820	2000	8	10	6	8	2°	0.5-3°	18	8	11	12000	15	2750x1450x2150	5700
HVR 825	2500	8	10	6	8	2°	0.5-3°	20	8	11	16500	20	3300x1650x2300	6500
HVR 830	3000	8	10	6	8	2°	0.5-3°	18	6	13	18500	20	3800x1800x2500	7000
HVR 840	4000	8	10	6	8	2°	0.5-3°	16	4	20	23000	20	4800x1850x2750	9500
HVR 850	5000	8	10	6	8	2°	0.5-3°	12	3	24	27000	25	5750x1950x2850	12250
HVR 860	6000	8	10	6	8	2°	0.5-3°	8	2	30	31000	25	6750x2100x2950	17000
HVR 1015	1500	10	13	8	10	2°	0.5-3°	14	6	9	10500	10	2250x1350x2100	5000
HVR 1020	2000	10	13	8	10	2°	0.5-3°	18	8	11	13000	15	2750x1500x2250	6000
HVR 1025	2500	10	13	8	10	2°	0.5-3°	15	8	11	17500	20	3300x1650x2450	6750
HVR 1030	3000	10	13	8	10	2°	0.5-3°	12	6	13	20000	20	3800x1850x2600	9000
HVR 1040	4000	10	13	8	10	2°	0.5-3°	13	6	20	25000	25	4800x1950x2800	12000
HVR 1050	5000	10	13	8	10	2°	0.5-3°	10	5	24	30000	30	5750x2050x2900	15000
HVR 1060	6000	10	13	8	10	2°	0.5-3°	8	3	25	35000	30	6750x2200x3100	23000
HVR 1320	2000	13	16	10	13	2°	1-3°	15	8	11	15000	25	2750x1800x2200	9000
HVR 1325	2500	13	16	10	13	2°	1-3°	13	6	11	20000	25	3350x1900x2300	10000
HVR 1330	3000	13	16	10	13	2°	1-3°	11	6	13	25000	25	3800x1950x2500	11500
HVR 1340	4000	13	16	10	13	2°	1-3°	9	4	20	30000	30	4800x2000x2750	16000
HVR 1350	5000	13	16	10	13	2°	1-3°	9	4	24	35000	40	5750x2150x2850	21000
HVR 1360	6000	13	16	13	13	2°	1-3°	7	3	28	40000	40	6750x2300x3000	28000
HVR 1620	2000	13	20	13	16	2°	1-3°	18	6	11	20000	30	3000x1900x3300	10500
HVR 1625	2500	16	20	13	16	2°	1-3°	15	5	11	25000	30	3500x2000x2600	12250
HVR 1630	3000	16	20	13	16	2°	1-3°	12	5	13	28000	30	4000x2000x2750	14500
HVR 1640	4000	16	20	13	16	2°	1-3°	7	3	20	33000	30	4800x2050x2850	19000
HVR 1650	5000	16	20	13	16	2°	1-3°	7	3	24	38000	40	5750x2250x2950	25000
HVR 1660	6000	16	20	16	16	2°	1-3°	5	2	28	43000	40	6750x2350x3150	31500
HVR 2025	2500	16	25	16	20	2°	1-3°	12	5	11	28000	40	3300x2000x3500	16000
HVR 2030	3000	20	25	16	20	2°	1-3°	11	5	13	35000	40	4000x2100x2800	19500
HVR 2040	4000	20	25	16	20	2°	1-3°	9	4	20	40000	50	4800x2200x2900	23500
HVR 2050	5000	20	25	16	20	2°	1-3°	8	3	24	45000	60	5700x2350x3000	30000
HVR 2060	6000	20	25	20	20	2°	1-3°	5	2	28	50000	60	6800x2450x3100	36000
HVR 2525	2500	20	30	20	24	2°	1-3°	10	4	11	36000	60	3400x2250x3300	22000
HVR 2530	3000	25	30	20	24	2°	1-3°	8	4	13	45000	60	4000x2300x3700	25500
HVR 2540	4000	25	30	20	24	2°	1-3°	7	4	20	50000	75	5000x2300x3500	31000
HVR 2550	5000	25	30	20	24	2°	1-3°	5	2	24	55000	75	6000x2450x3700	36000
HVR 2560	6000	25	30	20	24	2°	1-3°	3	1	28	60000	75	7000x2600x4300	42000



Model	Tonnage	Table length	Bending Capacity		Table Width	Clear Pass	Ram Stroke	Open Height	Throat Depth	Approach Pressing Return	Power	Packing Dimensions	Weight
	in MT	in mm	in mm	in mm	in mm	in mm	in mm	in mm	in mm	speed	HP	(LxWxH)	
PBR 315	30	1500	2X1500	3x1250	125	1050	100	250	200	37-5-35	3	1700x1150x1900	1500
PBR 320	30	2000	2X2000	3x1250	125	1550	100	250	200	37-5-35	3	2200x1150x1900	1750
PBR 325	30	2500	1.5X2500	2x2000	125	2050	100	250	200	37-5-35	3	2700x1650x2400	2100
PBR 415	40	1500	3X1500	4x1250	180	1050	100	250	200	55-7-53	5	1700x1150x1800	1800
PBR 420	40	2000	2.5X2000	3x1500	180	1550	100	250	200	55-7-53	5	2200x1150x1800	2100
PBR 425	40	2500	2X2500	3x1500	180	2050	100	250	200	55-7-53	5	2700x1150x1900	2500
PBR 430	40	3000	1.6X3000	3x1500	180	2550	100	250	200	55-7-53	5	3200x150x2000	3000
PBR 515	50	1500	4X1500	5x1250	180	1050	100	250	200	55-7-53	5	1700x1150x1900	2250
PBR 520	50	2000	3X2000	4x1500	180	1550	100	250	200	55-7-53	5	2200x1150x1900	2600
PBR 525	50	2500	2.5X2500	3x2000	180	2050	100	250	200	55-7-53	5	2700x1150x1900	3000
PBR 530	50	3000	2X3000	2.5x2500	180	2550	100	250	200	55-7-53	5	3200x1150x2000	3500
PBR 620	65	2000	4X2000	5x1500	180	1550	150	330	200	49-5-53	5	2200x1200x2000	2750
PBR 625	65	2500	3X2500	4x2000	180	2050	150	330	200	49-5-53	5	2700x1150x2000	3250
PBR 630	65	3000	2.5X3000	3x2500	180	2550	150	330	200	49-7-53	5	3200x1200x2000	3750
PBR 640	65	4000	2X4000	2.5x3000	180	3100	150	330	200	49-7-53	5	4200x1250x2400	4400
PBR 820	80	2000	5X2000	6x1500	180	1550	150	330	200	31-5-34		2200x1550x2100	3700
PBR 825	80	2500	4X2500	5x2000	180	2050	150	330	200	31-5-34	7.5	2750x1550x2300	4250
PBR 830	80	3000	3X3000	4x2500	180	2550	150	330	200	31-5-34	7.5	3250x1550x2300	4800
PBR 840	80	4000	2.5X4000	3x3000	180	3100	150	330	200	31-5-34	7.5	4250x1650x2500	6000
PBR 850	80	5000	2X5000	2.5x4000	180	4100	150	330	200	31-5-3	7.5	5300x1650x2500	8000
PBR 1025	100	2500	5X2500	6x2000	180	2050	150	330	200	29-04-31	10	2700x1550x2300	4850
PBR 1030	100	3000	4X3000	5x2500	180	2550	150	330	200	29-04-31	10	3250x1550x2300	5500
PBR 1040	100	4000	3X4000	4x3000	180	3100	150	330	200	29-04-31	10	4250x1650x2500	7000
PBR 1050	100	5000	2.5X5000	3x4000	180	4100	150	330	200	29-04-31	10	5300x1700x2800	9000
PBR 1060	100	6000	2X6000	2.5x5000	180	5100	150	330	200	29-04-31	10	6300x1750x2900	12000
PBR 1225	125	2500	6X2500	8x2000	230	2050	150	350	300	20-04-41	15	2750x1650x2700	5750
PBR 1230	125	3000	5X3000	6x2500	230	2550	150	350	300	20-04-41	15	3250x1650x2500	6500
PBR 1240	125	4000	4X3500	5x3000	230	3100	150	350	300	20-04-41	15	4250x1650x2800	8000
PBR 1250	125	5000	3X5000	4x4000	230	4100	150	350	300	20-04-41	15	5300x1750x2900	11500
PBR 1260	125	6000	2.5X5000	3x5000	230	5100	150	350	300	20-04-41	15	6300x1800x3000	14500
PBR 1625	160	2500	8X2500	10x2000	230	2050	150	350	300	25-06-42	15	2750x1800x2500	6500
PBR 1630	160	3000	6X3000	8x2500	230	2550	150	350	300	25-06-42	15	3250x1800x2600	7500
PBR 1640	160	4000	5X4000	6x3000	230	3100	150	350	300	25-06-42	15	4300x1800x2700	10500
PBR 1650	160	5000	4X5000	5x4000	230	4100	150	350	300	25-06-42	15	5300x1850x3000	14000
PBR 1660	160	6000	3X6000	4x5000	230	5100	150	350	300	25-06-42	15	6300x19200x3200	17500
PBR 2025	200	2500	10X2500	12x2000	300	2050		400	300	22-04-58	20	2850x1900x2600	10000
PBR 2030	200	3000	8X3000	10x2500	300	2550	200	400	300	22-04-58	20	3350x2050x2750	11000
PBR 2040	200	4000	6X4000	8x3000	300	3100	200	400	300	22-04-58	20	4350x2050x2800	12500
PBR 2050	200	5000	5X5000	6x4000	300	4100	200	400	300	22-04-58	20	5350x2100x3100	15500
PBR 2060	200	6000	4X6000	5x5000	300	5100	200	400	300	22-04-58	20	6350x2200x3500	19500
PBR 2530	250	3000	10X3000	12x2500	300	2550	200	400	300	22-04-58	20	3350x2100x2800	11500
PBR 2540	250	4000	8X4000	10x3000	300	3100	200	400	300	22-04-58	20	4350x2000x2900	20500
PBR 2550	250	5000	6X5000	5x4000	300	4100	200	400	300	22-04-58	20	5350x2150x3200	16250
PBR 2560	250	6000	5X6000	6x5000	300	5100	200	400	300	22-04-58	20	6350x2350x3600	20500
PBR 3030	300	3000	12X3000	16x2500	300	2550	200	400	300	22-03-25	25	3350x2150x2900	12500
PBR 3040	300	4000	10X3500	12x3000	300	3100	200	400	300	30-06-40	25	4350x2150x2900	14000
PBR 3050	300	5000	8X5000	10x4000	300	4100	200	400	300	30-06-40	25	5350x2200x3400	19250
PBR 3060	300	6000	6X6000	8x4500	300	5100	200	400	300	30-06-40	25	6350x2300x3800	22000
PBR 4030	400	3000	16X3000	20x2500	300	2550	200	500	350	25-05-40	30	3350x2200x3000	16000
PBR 4040	400	4000	12X4000	16x3000	300	3100	250	500	350	25-05-40	30	4350x2200x3000	20500
PBR 4050	400	5000	10X5000	12x4000	300	4100	250	500	350	25-05-40	30	5350x2250x3600	24500
PBR 4060	400	6000	8x6000	10x5000	300	5100	250	500	350	25-05-40	30	6360x2350x4000	29500
PBR 5030	500	3000	20x3000	25x2500	300	2550	250	500	350	25-05-30	40	3350x2200x3200	19500
PBR 5040	500	4000	16x4000	20x3000	300	3100	250	500	350	25-05-30	40	4500x2200x3300	23500
PBR 5050	500	5000	14x5000	16x4000	300	4100	250	500	350	25-05-30	40	5350x2400x3900	29500
PBR 5060	500	6000	10x6000	14x5000	300	5100	250	500	350	25-05-30	40	6350x2500x4250	34000
PBR 6030	600	3000	25x3000	30x2500	300	2550	250	500	350	25-05-30	50	3350x2250x3300	24000
PBR 6040	600	4000	18x4000	25x3000	300	3100	250	500	350	25-05-30	50	4500x2200x3500	29000
PBR 6050	600	5000	14x5000	18x4000	300	4100	250	500	350	25-05-30	50	5350x2300x3700	34500
PBR 6060	600	6000	12x6000	14x5000	300	5100	250	500	350	25-05-30	50	6350x2600x4350	41000

the complete range of solution



Mfg : Hydraulic Shearing Machine, NC Press brake Machine,
Hydraulic Bending Machine, CNC Press Brake Machine,
"H" Press Machine, "C" Press Machine, All Hydraulic Machinery Servicing .



Amrendra Singh 9726630636

Bakrol Branch : Plot No.20, Suvarnbhumi Industrial Park, B/h. Shiv Hospital,
Kujad Bakrol Road, Ahmedabad-382210 M.: +91 95861 56836, 83209 33832.
E-mail : devmachinery4558@gmail.com, Website : devhydraulicmachinery.com