

VENDING SOLUTION FOR WATER, HYGIENE AND SANITISATION



THE INDO MEDICAL HEALTHCARE

The ultimate healthcare for enhancing life

ISO Certified : 9001-2015

Sanitary Napkin Vending Machine

MANUAL

Technical Specification



Napkin Storage Capacity
25/30/50/60



| | |
|-----------------------|---------------------------------------|
| Coin Operating Device | Manual |
| Loading Type | Horizontal |
| Operation | Rotate Knob 360° after Inserting coin |
| Coin Acceptance | Rs.5(old and New coin) |
| Coin Capacity | 100 to 150 |
| Power | No Electricity Required |
| Product View | Yes |
| Wall Mountable | Yes |
| Outer Body Material | Mild Steel (M.S.) |
| Painted By | Powder coated for superior finish |

Sanitary Napkin Vending Machine

AUTOMATIC

Technical Specification



Napkin Storage Capacity
25/50
75/90

| | |
|-------------------------|--|
| Human Interface | Multi Coin Rs.1,2,5 and Rs.10 |
| Display | 16*2v LCD Display |
| Stock Maintain Facility | No Napkin notification for no napkins |
| Loading Type | Horizontal |
| Wall Mountable | Yes |
| Rate Setting | Can be only changed using PIN |
| No. of Selection | One/Two/Three |
| Sales Data | Yes |
| Working Operation | Insert Appropriate Amount of Value of coins or QR payment to dispense the Napkin at the drop of coin |

Multi Coin/QR (UPI)

Battery Backup, Free Vend,GSM Facility Available as per Customer Requirement

Sanitary Napkin Vending Machine

AUTOMATIC

Technical Specification



Napkin Storage Capacity
25/50
90/100

| | |
|-------------------------|---|
| Human Interface | Multi Coin and Smart Card |
| Display | 16*2 LCD Display |
| Stock Maintain Facility | No Napkin notification for no napkins |
| Loading Type | Horizontal |
| Wall Mountable | Yes |
| Rate Setting | Yes Can be only changed using PIN |
| No. of Selection | One/Two |
| Sales Data | Accounting of Coin and Card Recharge |
| Working Operation | Select the Rack and Insert Appropriate Amount of Value of coins or Show Card to dispense the Napkin |

Multi Coin and Smart Card

Battery Backup, Free Vend,GSM Facility Available as per Customer Requirement

Sanitary Napkin Incinerator

CAPACITY 50

Technical Specifications



| | |
|-------------------|--|
| insulation | Ceramic Sheet and Ceramic wool |
| Display | Timer |
| Wall Mounted | Yes |
| Power Saver | Provided with auto power off. |
| Emission Outlet | Flexible Pipe to let out the flue gas. |
| Residue ash | 1 gm. Ash per Napkin |
| Power | 230V +/- 10% (1 KW) |
| Outer Body | M.S. Powder coated with Separate Ash Tray |
| Working Operation | Open the Door of Napkin Insertion Window and insert Napkin. Close the door and Press the Button Twice a Time |

Sanitary Napkin Incinerator

CAPACITY 100

Technical Specification



| | |
|-------------------|--|
| insulation | Ceramic Sheet and Ceramic wool |
| Display | Timer |
| Wall Mounted | Yes |
| Power Saver | Provided with auto power off. |
| Emission Outlet | Flexible Pipe to let out the flue gas. |
| Residue ash | 1 gm. Ash per Napkin |
| Power | 230V +/- 10% (1 KW) |
| Outer Body | M.S. Powder coated with Separate Ash Tray |
| Working Operation | Open the Door of Napkin Insertion Window and insert Napkin. Close the door and Press the Button Twice a Time |

Sanitary Napkin Incinerator

CAPACITY 200

Technical Specification



| | |
|-------------------|--|
| insulation | Ceramic Sheet and ceramic wool |
| Display | Timer |
| Wall Mounted | Yes |
| Power Saver | Provided with auto power off. |
| Emission Outlet | Flexible Pipe to let out the flue gas. |
| Residue ash | 1 g m. Ash per Napkin |
| Power | 230V +/- 10% (1.8 KW) |
| Outer Body | M.S. Powder coated with Separate Ash Tray |
| Working Operation | Open the Door of Napkin Insertion Window and insert Napkin. Close the door and Press the Button Twice a Time |

THE INDO MEDICAL HEALTHCARE

ISO Certified : 9001-2015

The ultimate healthcare for enhancing life

Contribution towards



Certifications



MSME

WATER VENDING MACHINE



SPECIAL FEATURES

Advance water purification systems with pre-filtration +Ro +UV systems gives the water quality accordingly to national standard.

24-Hour uninterrupted RO+UV sterilization cold pure water.

Cabinet model design for safe and healthy, durable and easy installation.

Can be recharge through a Master card on the water vending itself..

Introducing smart card & coin system for billing accuracy.

Card Recharge and Water Dispensed Details through GSM via SMS

Accountability for daily business operation.

APPLICATION: Possible to be placed in various sites, such as shopping malls, offices, Shops, cafeterias, schools, Hospitals, Railway Station, Bus Station, Waiting rooms etc.



Permits new
1/5/10 rupee coin.
QR/ UPI PAYMENT

WATER ATM BOOTH

SPECIAL FEATURES

Fully Automatic Industrial RO Available in different capacities like 150LPH, 250LPH, 500LPH, 1000LPH.

On line Chiller Available as per client requirement 2TR up to 6TR

Cabinet model design Optional as per client requirement Installation and Service available all India

Card Recharge System available Within System itself and protected with Master Card

Introducing smart card & coin system for billing accuracy.

Card Recharge and Water Dispensed Details through GSM via SMS

APPLICATION: Possible to be placed in various sites, such as shopping malls, offices, Shops, cafeterias, schools, Hospitals, Railway Station, Bus Station, Waiting rooms etc.



Permits new
1/5/10 rupee coin.
QR/ UPI PAYMENT



Water Vending Machine

DISPENSING UNIT



Multi Coin and Smart Card Water ATM



Smart Card Operated Water ATM

SPECIAL FEATURES

- A) **Human Interface** : Coin, Smart Card and Touch key pad system
- B) **Coin Acceptance** : Rs. 1, 5 and 10
- C) **Card Recharge** : In build Within System itself and protected with Master Card
- D) **Card Recharge and Water Dispensed Details** : Through GSM via SMS
 1. Accounting of Water dispensed through cards and Total Amount of recharge though SMS Facility
 2. Rate and Water Calibration can be monitor
 3. Data can be cleared
 4. "No Water Error" for Storage Tank empty
- E) **Display** : Alphanumeric LCD display with back light
- F) **Controller** : Fully SMD Micro Controller based Design

APPLICATION: This system are ideal to use with Industrial RO Plant, Stainless Steel Tank (SS Tank), Plastic Water Tank and on E- Rickshaw.

SPECIAL FEATURES

- A) **Coin Acceptance** : Rs. 1, 5 and 10
- B) **Coin Capacity** : 2000 to 5000
 - Available in timing or Volume Based System
- C) **Daily Business Details** : Through Coin Counter
- D) **Display** : Display Flow Timing Display
- E) **Controller** : Fully Micro controller based Design

Works on 220V AC supply (or) 12 V Battery

APPLICATION: This system are ideal to use with Industrial RO Plant, Stainless Steel Tank (SS Tank), Plastic Water Tank and on E- Rickshaw.



QR
PAYMENT
AVAILABLE

Multi Coin Operated Water ATM



Multi Coin, Card and Note Operated Water ATM

Bottle Crusher Machine (Reverse Vending Machine)



TECHNICAL DETAILS

| | |
|---|---|
| Machine shall be suitable for Disposal of PET bottle, Aluminium cans, by shredding | Yes |
| Display for advertisement | 15" LCD SCREEN |
| Cutting mechanism | Material grabbed between two counter rotating shaft |
| Shredding capacity in kg/hr | 7 |
| Shredding speed in rpm | 7 |
| Input electrical supply | 230 volt 50 hz 1 phase |
| Electrical motor rating | 2 HP |
| Current Rating in Amperes | 6 Ampere |
| Motor Start /off | Automatic |
| Machine should be covered with Powder coated Mid steel enclosure to avoid spillage of waste | Yes |
| Warranty in years | 1 |
| Material And Dimensions Parameters | |
| Size of the shredder chamber in mm x mm (tolerance+10%) | 400x400 |
| Material of the cutter of shredder | Hardened Special Alloy Steel |
| Feed opening in mm x mm | 120 x120 |
| Gross weight of machine in kg | 180 |
| Material of body | Mild Steel |
| Motor should be trips off incase of waste loading lid is open | Yes |
| Short circuit protection | Yes |

Contribution towards



Certifications



Cloth Bag Vending Machine

AUTOMATIC

Technical Specification



Multi Coin & QR Code Scanner

Battery Backup, Free Vend.GSM Facility
Available as per Customer Requirement

| | |
|-------------------------|---|
| Human Interface | Multi Coin Rs.1,2,5 and Rs.10 & QR Code |
| Display | 16*2v LCD Display |
| Stock Maintain Facility | No Cloth Bag notification for no Cloth Bag |
| Loading Type | Horizontal |
| Wall Mountable | Yes |
| Rate Setting | Can be only changed using PIN |
| No. of Selection | Four/Three |
| Sales Data | Accounting of Coin Collection |
| Working Operation | Scan the QR code or Insert Appropriate Amount of Value of coins and Select rack to dispense the Cloth bag at the drop of coin/online payment. |

Cloth Bag Vending Machine

AUTOMATIC

Technical Specification



Multi Coin & Indian Notes

Battery Backup, Free Vend.GSM Facility
Available as per Customer Requirement

| | |
|-------------------------|---|
| Human Interface | Multi Coin Rs.1,2,5 and Rs.10 & Indian Notes Rs. 10,20,50 & 100 |
| Display | 16*2v LCD Display |
| Stock Maintain Facility | No Cloth Bag notification for no Cloth Bag |
| Loading Type | Horizontal |
| Wall Mountable | Yes |
| Rate Setting | Can be only changed using PIN |
| No. of Selection | Four/Three |
| Sales Data | Accounting of Coin Collection |
| Working Operation | Insert Appropriate Amount of Value of coins & Indian Note, Select rack to dispense the Cloth bag at the drop of coin/Indian Notes |

THE INDO MEDICAL HEALTHCARE

The ultimate healthcare for enhancing life

Add.: A/503, Shree Saidham CHS., Vaishali Nagar, S.P.Road, Dahisar(E), Mumbai-68

Factory Add.: Unit no 31, Jeevan Sunder industrial estate, behind Burma Cell petrol pump, Vasai East 401208

Website : www.indovend.com

Email: indomedvending@gmail.com

PH.: 7249465116

Mr. Ritesh Salunkhe 📞 9595944701

Mr. Ronak Shah 📞 8898951327

Contribution towards



Certifications

