



# MEKONG TECH GROUP

## VIETNAM CASHEW MACHINE MACHINE DE TRANSFORMATION DE NOIX CAJOU DU VIETNAM

CAJOU



AUTOMATIC CASHEW STEAMING & COLLING SYSTEM - AUTOMATIC CASHEW SHELLING & SEPARATING SYSTEM - CASHEW DRYING SYSTEM - CASHEW PEELING & GRADING SYSTEM - CASHEW PACKING SYSTEM - AUTOMATIC RAW CASHEW CLEANING & SORTING SYSTEM

WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## COMPANY PROFILE

### INTRODUCTION

#### *THE PERFECT PARTNER IN CASHEW PROCESSING MACHINE*

\* MEKONG TECHNOLOGY was established in 2006 in Vietnam, are leading research & manufacture cashew technology & machinery. After 15 years of establishment and development into leading Technology Group of Vietnam, MEKONG CASHEW MACHINE brand is famous in cashew industrial in the world.

\* MEKONG CASHEW MACHINE is developed base on newest Vietnam cashew machinery and applied new advance technology to improving automation minimizes operating labor, productivity and quality.

\* MEKONG MACHINE is exported more than 30 countries as India, Indonesia, Cambodia, Africa: Ivory Coast, Guinea Bissau, Kenya, Nigeria, Benin, Turkey, Mexico,...

\* We have representatives and branches in most markets As India, West-Africa, help to take care installation and after-service the best and fastest.



### MAIN MACHINERY & TECHNOLOGY:

\* Design & manufacture whole kind cashew machine for processing from raw cashew nut to cashew kernel, cashew kernel snack and by-pass product as CNSL, cardanol. Providing complete turnkey projects raw cashew processing plants with input capacity 5-200 ton/day, and CNSL, cardanol processing plant, capacity 10-200 ton/day, cashew kernel processing plant, capacity: 200-1000kg/hour.

\* Consulting, training and transfer of cashew processing technology.

\* Installation, maintenance, improve update cashew processing factory.



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## PROFIL DE L'ENTREPRISE

### INTRODUCTION

#### LE MEILLEUR PARTENAIRE DANS LA MACHINE DE TRANSFORMATION DE NOIX DE CAJOU

\* MEKONG TECHNOLOGIE a établi en 2006 au Vietnam, une prépondérance de la recherche et de la fabrication de technologies et de machines de noix de cajou. Après 15 ans depuis son établissement et développement au sein de la technologie et pilotage du Vietnam, la marque MEKONG CASHEW MACHINE est bien connue à l'industrie de l'aMEKONG CASHEW MACHINE bien développée en basant sur les dernières versions des machines des noix au Vietnam et mise en place de la nouvelle technologie avancée afin d'améliorer l'automatisation, de minimiser l'exploitation des travaux ainsi que la productivité et la qualité.

\* MEKONG MACHINE bien vendu et maintenant, déjà exporté vers plus de 30 pays comme l'Inde, l'Indonésie, la Cambodge, l'Afrique: Côte d'Ivoire, Guinée Bissau, Kenya, Nigéria, Bénin; Proche Orient: Turquie; Amérique du Nord – Mexique, etc.

\* Nous avons les représentations, les succursales dans la plupart des marchés: l'Inde, l'Afrique de l'Ouest, qui facilitent à l'installation, au service après-vente par une meilleure façon et le plus rapide.


### MACHINES PRINCIPALES ET TECHNOLOGIE:

\* Designer et fabriquer une machine de noix de cajou de toutes sortes afin de traiter la noix brute à l'amande, cajou snack et bypass produits et ceux de recoupés comme CNSL, cardanol.

\* Fournir les projets "clés aux mains" complets pour transformer les noix de cajou brutes avec une capacité d'entrée de 5 à 200 tonnes/jour, et CNSL, usine de transformation de cardanol, capacité de 10 à 200 tonnes/jour, usine de transformation de amande de l'Anacarde, capacité : 200 à 1000 kg/heure.

\* Consultation, formation et transfert de technologie de transformation de la noix de cajou.

\* Installation, maintenance, mise à jour de l'usine de transformation de noix de cajou.



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## VIETNAM CASHEW PROCESSING MACHINE MACHINE DE NOIX DE CAJOU AU VIETNAM

We are manufacture complete machine for cashew processing factory with capacity from 5 ton to 100 ton per day, with high automatic, saving labour and low broken.

Nous somme une unité de fabrication de machines pour la transformation de noix de cajou d'une capacité de 5 a 100 tonnes par jour, avec une automatisation élevée voir une économie de main d'ouvreur.

MODEL	MK-5T	MK-10T	MK-20T	MK-30T	MK-50T	MK-100T
Input Capacity (ton/day)	5	10	20	30	50	100
Power (kw/hour)	80	120	180	250	350	550
Area install (m2)	1000	2500	3500	5000	6000	8000

### CALIBRATION & CLEANING / CALIBRAGE ET NETTOYAGE

### STEAM COOKING / CUISON À LA VAPEUR

PREPARATION / PRÉPARATION



### SHELL REMOVAL & SEPARATION / DÉCORTICAGE ET SÉPARATION




SHELLING / DÉCORTICAGE

### DRYING-HUMIDIFIER/SÉCHOIR-HUMMIDIFICATEUR

### PEELING / DÉPELLICULAGE OU ÉPLUCHURE


PEELING / DÉPELLICULAGE



### KERNELS GRADING WHOLE GRADES

### SCREEN GRADING PIECES / CLASSIFICATION À L'ÉCRAN

### COLOUR SORTER / TRILLEUR DE COULEUR



GRADING / CLASSIFICATION

### PACKING / EMBALLAGE

PACKING / EMBALLAGE



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery





**MEKONG  
TECH GROUP**

**VIETNAM  
CASHEW MACHINE**

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

**AUTOMATIC RAW CASHEW NUT  
CLEANING - SIZE SORTING - STEAMING - COOLING SYSTEM  
NETTOYAGE AUTOMATIQUE DES NOIX DE CAJOU BRUTES - TRI PAR  
TAILLE - CUISSON À LA VAPEUR - SYSTÈME DE REFROIDISSEMENT**

**PREPARATION / PRÉPARATION**

**CALIBRATION & LEANING  
CALIBRAGE ET NETTOYAGE**



**STEAM COOKING  
CUISSON À LA VAPEUR**



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## RAW CASHEW NUT SIZING MACHINE MACHINE DE CALIBRAGE DES NOIX DE CAJOU BRUTES

### Description:

\* Raw cashew nut sizing machine is used cleaning and calibrating raw cashews with nut diameters 28, 26, 24, 22, 20, 18 mm (A+, A, B, C, D) suitable for automatic cashew shelling machine.

### Advanced features:

- \* The machine is designed and manufactured according to Vietnam's cashew processing technology, widely used in cashew processing factories in the world with sorting drum having octagon (eight-sided) shape, thickness 4-6 mm, length of each sorting drum suitable, is automatic from feeding to sorting and calibrating RCN each size A+, A, B, C, D, High capacity 1,000-3,000 kg/hour, easily integrated with RCN cleaning machines, calibration, RCN cooking machines into automatic rcn cleaning, sorting, steaming and cooling system high capacity, automatic saving labor and time.
- \* Compatible with many types of Automatic cashew shelling machine as vertical cashew cutting machine and Horizontal cashew cutting machine.
- \* Whole mechanical parts is manufacture and working by high skill worker and processing by CNC machine, high durable.
- \* All equipment, motor bearings and electrical equipment are imported from Japan, Taiwan, China to meet CE standards.
- \* Easy to operate and maintain, low investment cost, high efficiency.

### Specification:

Model	1000	2000	3000
Capacity/ Capacité (Kg/hour)	1000	2000	3000
Power/ Puissance (Kw)	2.5	3.5	5.5
Power source/ Alimentation (V, Ph, Hz)	380V, 3Phase 50Hz	380V, 3Phase 50Hz	380V, 3Phase 50Hz



### Description:

\* La calibreuse de noix de cajou brutes est utilisée pour nettoyer et calibrer les noix de cajou brutes avec des diamètres de noix de 28, 26, 24, 22, 20, 18 mm (A+, A, B, C, D) adaptées à la décortiqueuse automatique de noix de cajou.

### Fonctionnalités avancées:

- \* La machine est conçue et fabriquée selon la technologie de transformation des noix de cajou du Vietnam, largement utilisée dans les usines de transformation des noix de cajou du monde entier, telles que les bacs de tri octogonaux (à huit côtés), épaisseur 4 -6 mm, la longueur de chaque bac de tri est adaptée, automatisation de alimentation au tri et ajustement RCN pour chaque taille A +, A, B, C, D, haute capacité 1 000-3 000 kg/heure, facile à intégrer avec les machines de nettoyage RCN, les calibreurs, les machines de cuisson RCN dans différents types de nettoyage automatique RCN, tri, machines de cuisson à la vapeur et de refroidissement, système de grande capacité, économisant automatiquement du travail et du temps.
- \* Compatible avec de nombreux types de décortiqueuses de noix de cajou automatiques comme décortiqueuses de noix de cajou verticales et décortiqueuses de noix de cajou horizontales.
- \* Des pièces mécaniques entières sont fabriquées et travaillées par un travailleur hautement qualifié et traitées par une machine CNC, très durables.
- \* Tous les équipements, roulements de moteur et équipements électriques sont importés du Japon, de Taiwan, de Chine pour répondre aux normes CE.
- \* Facile à utiliser et à entretenir, faible coût d'investissement, haute efficacité.



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## RAW CASHEW NUT STEAMING MACHINE MACHINE À VAPEUR DE NOIX DE CAJOU

### Description:

\* The machine is used saturated pressure from the boiler to separating kernels and shells in cashew nut in shell to easy for cashew shelling machine.

### Advanced features:

\* The machine is designed and manufactured by Mekong Technology according to Vietnam cashew technology with capacity 600 kg/hour to 1000 kg/batch, easy integrated more machine into one cashew steaming system avec high capacity or linking with cashew cleaning machine, RCN sizing machine and cashew cooling system into automatic system with high capacity and automatic. The steamed RCN have high uniform help to reduce to a minimum broken uncutted, unscooped in cashew shelling machine.

\* All equipments such as motor bearings and electrical equipments are imported from Japan, Taiwan, China to meet CE standards. Mechanical parts as frame, autoclave drum (two layers with insulation) of the machine are made of specialized casting steel. Use or 304 stainless steel (according to customer requirements) machined by CNC machines and a team of skilled workers to help the machine have high durability and performance.

\* Equipped with automatic feeding and discharging system, the safety valve system is easy to set the temperature and pressure. Easy to operate and maintain.



### Specification:

Model	600	800	1000
Capacity/ Capacité (Kg/hour)	600	800	1000
Time of batch/ Temps de cuisson	10 - 20	10 - 20	10 - 20
Power/ Puissance (kw)	2.5	3.5	5.5
Power source/ Alimentation (V, Ph, Hz)	380V, 3Phase 50Hz	380V, 3Phase 50Hz	380V, 3Phase 50Hz



### Description:

\* La machine est utilisée sous pression saturée de la chaudière pour separation les noyaux et les coquilles dans la noix de cajou brute pour faciliter la machine à décortiquer les noix de cajou.

### Fonctionnalités avancées:

\* La machine est fabriquée par la société Mekong Technologies basée sur les technologies avancées De Vietnam, capacité de 600 kg/heure à 1000 kg/lot, ou intégrant de nombreuses machines dans un système de machine à vapeur de noix cajou avec grande capacité. Facile à connecter d'autres machines en une système automatique à haute capacité pour économiser le travail d'exploitation. Les noix de cajou bruits après cuisson à la vapeur ont une grande uniformité, compatible avec de nombreux types de séparateurs de noix de cajou, minimisant la situation des noix de cajou cassées et manquées.

\* Tous les équipements, roulements de moteur et équipements électriques sont importés du Japon, de Taïwan, de Chine pour répondre aux normes CE. Le châssis, l'autoclave (deux couches avec isolation) de la machine sont en acier spécialisé. Utilisez ou en acier inoxydable 304 (selon les exigences du client ) usiné par des machines CNC et une équipe de travailleurs qualifiés pour aider la machine à avoir une durabilité et des performances élevées.

\* Équipé d'un système d'alimentation et de décharge automatique, le système de soupape de sécurité permet de régler facilement la température et la pression. Facile à utiliser et à entretenir.



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## AUTOMATIC RCN COOLING SYSTEM

## SYSTÈME DE REFROIDISSEMENT AUTOMATIQUE RCN

### Description:

\* This system is used to continuous cooling steamed cashew help to easy to shelling separating and minimize the rate of breakage, uncut, unscoped in cashew shelling & seperating process.

### Advanced features:

- \* The system is designed to be fully automatic, easy to connect with the stages of cleaning, sorting & sizing, steaming cashew nuts to automatic cooling and automatic transferring steamed RCN to automatic cashew shelling & separating system help to saving labor and time, improve the efficiency of the shelling process.
- \* Equipped with a central control system to easily control the input materials to the output and switch to the shelling & separating process.

### Specification:

Model	20 TPD	30 TPD	50 TPD	1000 TPD
Capacity/ Capacité (Ton/day)	20	30	50	100
Time of batch/ Temps de bacht (Hour)	12 - 48	12 - 48	12 - 48	12 - 48
Power/ Puissance (Hw)	3.5	5.5	5.5	5.5
Power source/ Alimentation (V, Ph, Hz)	380V, 3Phase 50Hz	380V, 3Phase 50Hz	380V, 3Phase 50Hz	380V, 3Phase 50Hz

### Description:

\* Ce système est utilisé pour aider à refroidir en continu les noix de cajou cuites à la vapeur pour faciliter la séparation du décortiquage et minimiser le taux de casse, non coupé, non délimité dans le processus de décortiquage et de séparation des noix de cajou.

### Fonctionnalités avancées:

- \* Le système est conçu pour être entièrement automatique, facile à connecter avec les étapes de nettoyage, Calibrage, de cuisson à la vapeur des noix de cajou jusqu'au refroidissement automatique et au transfert automatique des matériaux vers un système de machine fendue automatique, ce qui permet d'économiser du travail et du temps, d'améliorer l'efficacité du décortiquage et separation
- \* Équipé d'un système de contrôle central pour contrôler facilement les matériaux d'entrée vers la sortie et passer au processus de décortiquage et de séparation.



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
 Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
 Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
 Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery







**MEKONG  
TECH GROUP**

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## AUTOMATIC CASHEW SHELLING & SEPARATING SYSTEM SYSTÈME AUTOMATIQUE DE DÉCORTICAGE ET DE SÉPARATION DES NOIX DE CAJOU



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## AUTOMATIC HORIZONTAL CASHEW SHELLING MACHINE DÉCORTIQUEUSE AUTOMATIQUE DE NOIX DE CAJOU HORIZONTALE

### Description:

\* The horizontal cashew shelling machine is the type of machine being operated feeding & cutting by Horizontally transmission mechanism, input capacity from 150 kg to 600 kg/hour/machine depending on the number of blade in each automatic cashew shelling machine, broken rate < 5%, shelled rate 95%, This is the most popular machine on the market.

### Advanced features:

- \* Having High capacity and efficiency, without contamination, input capacity up to 600 kg/hour 1 machine with 15 knives, break rate < 5%, cutting rate up to 95%, undercut < 3 %, easy connecting with automatic cashew separating system, minimized labour.
- \* All mechanic parts as frame, feeding mould, guide bar, blade holder ... are fabricated by CNC technology and welded by robot, assembled with a team of skilled technical workers, the machine has durability and long life.
- \* Feeding mould made by aluminum or PA plastic have High strength , blade holder made of special casting steel that is heat-treated for hardness and wear resistance, cutting blade and Separating blade made by special alloy steel high durable.
- \* All Chain and gears, motor, electrical parts imported from Japan, Korea, Taiwan or China meets CE standards as Gear Motor of Bonfiglioli (Italia ), Bearing : NTN / ASAHI ( Japan ) and control by Inverter of Siemens Mitsubishi....
- \* Easy to operate, maintain and repairpressure. Easy to operate and maintain.

### Description:

\* La décortiqueuse horizontale de noix de cajou est une machine qui est actionnée pour l'alimentation et la coupe par un mécanisme de transmission horizontale, la capacité d'entrée est de 150 kg à 600 kg/heure/machine selon le nombre de lames dans chaque décortiqueuse automatique de noix de cajou. , casse taux < 5%, taux de coque 95%, c'est un modèle populaire sur le marché.

### Fonctionnalités avancées:

- \* Ayant une capacité et une efficacité élevées, sans contamination, capacité d'entrée jusqu'à 600 kg/heure 1 machine avec 15 couteaux, taux de rupture < 5 %, taux de coupe jusqu'à 95 %, dégagement < 3 %, connexion facile avec système de séparation automatique des noix de cajou, minimisé travail.
- \* Toutes les pièces mécaniques comme le cadre, le moule d'alimentation, guide de barre le porte-couteau ... sont fabriquées par la technologie CNC et soudées par robot, assemblées avec une équipe de techniciens qualifiés, la machine a une durabilité et une longue durée de vie.
- \* Le moule d'alimentation en aluminium ou en plastique PA a une haute résistance, un porte-lame en acier de coulée spécial qui est traité thermiquement pour la dureté et la résistance à l'usure, une lame de coupe et une lame de séparation en acier allié spécial très durable.
- \* Toutes les chaînes et engrenages, moteurs, pièces électriques importés du Japon, de Corée, de Taïwan ou de Chine répondent aux normes CE comme motoréducteur de Bonfiglioli (Italie), roulement : NTN / ASAHI (Japon) et contrôle par onduleur de Siemens Mitsubishi....
- \* Facile à utiliser, entretenir et réparer.

### Specification:

Model: MEKONG-8H	Model: MEKONG-10H	Model: MEKONG-12H	Model: MEKONG-15H
Capacity/ Capacité: 180-200 kg hour Cutting Head/ Tête de coupe: 8 head(Blade) Rate broken/ Taux cassé: < 5% Shelled rate/ Taux décortiqué: > 95% Power/ Puissance: 0.75 Kw, 380 V, 50 Hz Dimension: 1300 x 800 x 1700 mm Weight/ Poids: 500 kg	Capacity/ Capacité: 250-300 kg hour Cutting Head/ Tête de coupe: 10 head(Blade) Rate broken/ Taux cassé: < 5% Shelled rate/ Taux décortiqué: > 95% Power/ Puissance: 0.75 Kw, 380 V, 50 Hz Dimension: 1300 x 900 x 1700 mm Weight/ Poids: 600 kg	Capacity/ Capacité: 400-500 kg hour Cutting Head/ Tête de coupe: 12 head(Blade) Rate broken/ Taux cassé: < 5% Shelled rate/ Taux décortiqué: > 95% Power/ Puissance: 0.75 Kw, 380 V, 50 Hz Dimension: 1300 x 1200 x 1700 mm Weight/ Poids: 700 kg	Capacity/ Capacité: 500-600 kg hour Cutting Head/ Tête de coupe: 15 head(Blade) Rate broken/ Taux cassé: < 5% Shelled rate/ Taux décortiqué: > 99% Power/ Puissance: 0.75 Kw, 380 V, 50 Hz Dimension: 1300 x 1300 x 1700 mm Weight/ Poids: 800 kg



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





## AUTOMATIC ROTARY CASHEW SHELLING MACHINE

## MACHINE ROTATIVE AUTOMATIQUE À DÉCORTIQUER LES NOIX DE CAJOU

### Description:

- \* The automatic Rotary shelling machine is a type of machine that is operated for feeding & cutting by a circular drive mechanism, without using a conveyor chain, the whole machine uses gears with an input capacity of up to 1500 kg/hour/machine, breakage rate < 5%, shell rate 95%. This is a new model with high productivity and durability.
- \* This is the latest design with principle cutting rotary and the whole transmission mechanism uses a gear transmission mechanism, the does not use a transmission chain, making the machine many times more productive and durable than other machines.
- \* The machine is fully automatic machine with high productivity 600-1200 kg/ machine, broken rate < 5%, shelled ratio > 95% suitable for cashew nut processing factories with large capacity of 50-100 tons per day.
- \* The whole frame of the machine is processed and manufactured by CNC machines, the feeding system, the tool path, the steel knife head imported from Germany, the monolithic stainless steel feeder, the cast steel press box is warranted from 2- 5 years.
- \* All motors and electrical equipment are imported from Germany and Japan
- \* Easy to operate, maintain and repair.


### Description:

- \* La décortiqueuse rotative automatique est un type de machine qui est actionnée pour l'alimentation et la coupe par un mécanisme d'entraînement circulaire, sans utiliser de chaîne de convoyage, l'ensemble de la machine utilise des engrenages avec une capacité d'entrée allant jusqu'à 1500 kg/heure/machine, taux de rupture < 5 %, taux de décortique 95 %, il s'agit d'un nouveau modèle avec une productivité et une durabilité élevées.
- \* Il s'agit de la dernière conception avec principe de coupe rotatif et l'ensemble du mécanisme de transmission utilise un mécanisme de transmission à engrenages, il n'utilise pas de chaîne de transmission, ce qui rend la machine plusieurs fois plus productive et durable que les autres machines.
- \* La machine est une machine entièrement automatique avec une productivité élevée de 600 à 1200 kg/machine, un taux de brisure < 5 %, un taux de décortiquage > 95 % adapté aux usines de transformation de noix de cajou avec une grande capacité de 50 à 100 tonnes par jour.
- \* L'ensemble du châssis de la machine est traité et fabriqué par des machines CNC, le système d'alimentation, le parcours de l'outil, la tête de couteau en acier importée d'Allemagne, le chargeur monolithique en acier inoxydable, le boîtier de presse en acier moulé est garanti de 2 à 5 ans.
- \* Tous les moteurs et équipements électriques sont importés d'Allemagne et du Japon
- \* Facile à utiliser, entretenir et réparer.

### Specification:

**Model: GB-16H**

Capacity/ Capacité: 600-1200 kg hour  
 Cutting Head/ Tête de coupe : 16 head (Blade)  
 Broken rate/ Taux cassé: < 5%  
 Un-cutted and Un-scooped rate  
 Taux non décortiquage et séparation: < 5%  
 Shelled rate/ Taux décortiqué: > 95%  
 Power/ Puissance : 1.5 Kw, 380 V, 50 Hz  
 Dimention: 1500 x 1200 x 1700 mm  
 Weight/ Poids: 1500 kg





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## AUTOMATIC CASHEW SHELLING LINE LINE DÉCORTIQUE AUTOMATIQUE DE NOIX DE CAJOU

**Depend requirement for capacity of customer we design and manufacture automatic cashew shelling line with capacity from 350 to 3,000 kg/hour/line with complete shelling and scooping system**

### Description:

\* The Automatic cashew shelling line is automatic from feeding to shelling and separating, productivity from 300-3000 kg/hour/line, Broken rate < 5%, shelled rate < 5%, no oil contamination, saving Save labor 2 workers operate 1 line.

### Advanced features:

- \* Full automatic from feeding, shelling, sieving kernels, air blowing shells, grading uncutted and unscooped cashew and automatically reshelling and unscooping then separating kernel, cashew shell and uncutted and unscooped, minized pieces of shell mixed in kernel.
- \* All machine in line is machined by cnc technology and manufactured by a team of skilled workers to help the machines in the line have high performance and durability.
- \* Equipped with ball bearings, motors and electrical equipment are imported from Japan, Germany, Taiwan, Korea, China.
- \* The processing stages in the line are separated to help minimize oil contamination in the stages.
- \* The line has a compact design with high productivity, saving space, and it is easy to connect many lines into a labor-saving high-productivity automatic cashew shelling & seperating system.
- \* Energy saving, easy to operate, maintain and repair.

### Description:

\* La ligne de décortiquage automatique des noix de cajou est automatique de l'alimentation au décortiquage et à la séparation, productivité de 300 à 3000 kg/heure/ligne, taux de rupture < 5 %, taux de décortiquage < 5 %, pas de contamination par l'huile, économie de main-d'œuvre 2 travailleurs exploitent 1 ligne.

### Fonctionnalités avancées:

- \* Entièrement automatique depuis l'alimentation, le décortiquage, le tamisage des noyaux, le soufflage d'air des coquilles, le classement des noix de cajou non coupées et non écopées et le recoquillement et le désécopage automatiques, puis la séparation du noyau, de la coque de noix de cajou et des morceaux de coquille non coupés et non écopés mélangés dans le noyau Toutes les machines en ligne sont usinées par la technologie cnc et fabriquées par une équipe de travailleurs qualifiés pour aider les machines de la ligne à avoir des performances et une durabilité élevées.
- \* Équipés de roulements à billes, les moteurs et les équipements électriques sont importés du Japon, d'Allemagne, de Taïwan, de Corée, de Chine.
- \* Les étapes de traitement de la ligne sont séparées pour aider à minimiser la contamination par l'huile dans les étapes.
- \* La ligne a une conception compacte avec une productivité élevée, un gain d'espace et il est facile de connecter de nombreuses lignes dans un système de décortiquage et de séparation automatique des noix de cajou à haute productivité et à économie de main-d'œuvre.
- \* Économie d'énergie, facile à utiliser, entretenir et réparer.



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





## AUTOMATIC CASHEW SHELLING MACHINE LINE DÉCORTIQUE AUTOMATIQUE DE NOIX DE CAJOU

### Specification:

**Model: MEKONG-12H1**

Capacity/ Capacité: 350 -400kg/hour  
 Rate broken/ Taux cassé: < 6% (A,B <=3%, C,D <6%)  
 Cutted rate/ taux décortiqué: > 95%.  
 (the first cutting >85%, the second cutting > 95%)  
 Power/ Puissance: 15 Kw, 380 V, 50 Hz  
 Dimention: 20,000 x 3,500 x 3500 mm

**Model: MEKONG-12H2**

Capacity Capacité: 600-800 kg/hour  
 Rate broken/ Taux cassé: < 6% (A,B <=3%, C,D <6%)  
 Cutted rate/ taux décortiqué: > 95%.  
 (the first cutting >85%, the second cutting > 95%)  
 Power/ Puissance: 20 Kw, 380 V, 50 Hz  
 Dimention: 20,000 x 3,500 x 3500 mm

**Model: MEKONG-12H4**

Capacity Capacité: 1,400-1,600 kg/hour  
 Rate broken/ Taux cassé: < 6% (A,B <=3%, C,D <6%)  
 Cutted rate/ taux décortiqué: > 95%.  
 (the first cutting >85%, the second cutting > 95%)  
 Power/ Puissance: 20 Kw, 380 V, 50 Hz  
 Dimention: 20,000 x 3,500 x 3500 mm


**Model: MEKONG-12H6**

Capacity Capacité: 1800-2000 kg/hour  
 Rate broken/ Taux cassé: < 6% (A,B <=3%, C,D <6%)  
 Cutted rate/ taux décortiqué: > 95%.  
 (the first cutting >85%, the second cutting > 95%)  
 Power/ Puissance: 30Kw, 380 V, 50 Hz  
 Dimention: 20,000 x 4,500 x 3500 mm

**Model: MEKONG-12H8**



Capacity Capacité: 2,400- 3,000 kg/hour  
 Rate broken/ Taux cassé: < 6% (A,B <=3%, C,D <6%)  
 Cutted rate/ taux décortiqué: > 95%.  
 (the first cutting >85%, the second cutting > 95%)  
 Power Puissance: 40Kw, 380 V, 50 Hz  
 Dimention: 20,000 x 5000 x 3500 mm

### Flowing Process of Automatic Cashew Shelling Line





**LAYOUT 3D OF AUTOMATIC CASHEW SHELLING LINE  
PLAN 3D DE LA LIGNE DE DÉCORTICAGE AUTOMATIQUE  
DES NOIX DE CAJOU**





**MEKONG  
TECH GROUP**

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW NUT DRYING & HUMIDIFICATING SYSTEM SYSTÈME DE SÉCHAGE ET D'HUMIDIFICATION DES NOIX DE CAJOU



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW DRYING MACHINE

### SYSTÈME DE SÉCHAGE ET D'HUMIDIFICATION DES NOIX DE CAJOU

#### Description:

\* The machine is specially designed for drying unpeeled cashews to preparation for the peeling process

#### Advanced Features:

- \* The whole machine frame, trolley and tray are made of galvanized steel, wall of machine by sheeting galvanized steel, insulated with 80 kg/m<sup>3</sup> thickness and 50mm thickness.
- \* The heat exchanger and blower system are mounted directly and symmetry in the drying room help to save drying heat and shorten drying time. Helps improve efficiency in the peeling process such as limiting the rate of breakage and peeling
- \* Easy to set drying time, drying temperature, easy to operate, maintain and repair.

#### Description:

\* La machine est spécialement conçue pour sécher les noix de cajou non pelées jusqu'à la préparation du processus d'épluchage

#### Fonctionnalités avancées:

- \* L'ensemble du châssis de la machine, du chariot et du plateau sont en acier galvanisé, paroi de la machine en tôle d'acier galvanisé, isolée avec une épaisseur de 80 kg/m<sup>3</sup> et une épaisseur de 50 mm.
- \* L'échangeur de chaleur et le système de soufflage sont montés directement et la symétrie dans la salle de séchage permet d'économiser la chaleur de séchage et de raccourcir le temps de séchage. Aide à améliorer l'efficacité du processus d'épluchage, en limitant par exemple le taux de casse et d'épluchage.
- \* Temps de séchage facile à régler, température de séchage, facile à utiliser, entretenir et réparer.

#### Specification:

<b>Model: MEKONG-1500</b> Capacity Capacité: 1000-1500 kg/batch (8-14 hour) Power/ Puissance: 1.5 Kw, 380 V, 50 Hz Dimention (LxWxH): 3,800 x 2,400 x 2,200 mm	<b>Model: MEKONG-2500</b> Capacity Capacité: 2000-2500 kg/batch (8-14 hour) Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 4,200 x 3,800 x 2,200 mm
<b>Model: MEKONG-3500</b> Capacity Capacité: 3000-3500 kg/batch (8-14 hour) Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 6,200 x 3,800 x 2,200 mm	<b>Model: MEKONG-4000</b> Capacity Capacité: 4,000-5,800 kg/batch (8-14 hour) Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 8,200 x 3,800 x 2,200 mm



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
 Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
 Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
 Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery







**TRAY FILLING MACHINE**  
**TRAY FILLING MACHINE**

**Description:**

\* The machine is fully automatic from input unpeeled kernel from cashew shelling line into storage silos and weighting and filling dried tray to preparing for cashew drying process

**Advanced Features:**

- \* The automatic continuous system is easy to integrate with Automatic cashew shelling line into one automatic automatic cashew shelling & separating system used for big cashew processing plant with input capacity 12-100 ton/day.
- \* Whole parts of the machine is made of 304 stainless steel to ensure food hygiene and safety.
- \* Saving labor and increasing productivity, Easy to operate, maintain and repair.

**Description:**

\* La machine est entièrement automatique depuis l'entrée du noyau amande de la ligne de décorticage des noix de cajou dans les silos de stockage et le pesage et le remplissage du plateau séché jusqu'à la préparation du processus de séchage des noix de cajou.

**Fonctionnalités avancées:**

- \* La machine fonctionne en continu automatiquement et s'intègre facilement à la ligne de décorticage automatique des noix de cajou dans un système de décorticage automatique des noix de cajou pour les grandes usines de transformation des noix de cajou, avec une capacité d'entrée de 12 à 100 tonnes/jour.
- \* Des pièces entières de la machine sont en acier inoxydable 304 pour assurer l'hygiène et la sécurité des aliments.
- \* Économie de main-d'œuvre et augmentation de la productivité, facile à utiliser, à entretenir et à réparer

**Specification:**

**Model: MEKONG-200**

Capacity Capacité: 100- 200 tray/hour  
Power/ Puissance: 0.5Kw, 380 V, 50 Hz  
Dimension: 2,200 x 1,500 x 3500 mm

**Model: MEKONG-400**

Capacity Capacité: 200-400 tray/hour  
Power/ Puissance: 0.5Kw, 380 V, 50 Hz  
Dimension: 2,200 x 1,500 x 3500 mm





**MEKONG  
TECH GROUP**

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

**NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR**

**AUTOMATIC CASHEW PEELING – COLOR SORTING – GRADING SYSTEM**

**DÉPELLICULAGE OU ÉPLUCHURE - TRI DE COULEUR -  
SYSTÈME DE CLASSEMENT**



[WWW.CASHEWMACHINE.COM.VN](http://WWW.CASHEWMACHINE.COM.VN) | [WWW.CASHEWMACHINE.VN](http://WWW.CASHEWMACHINE.VN) | [WWW.CASHEWMACHINE.COM](http://WWW.CASHEWMACHINE.COM) | [WWW.MEKONGMACHINE.COM](http://WWW.MEKONGMACHINE.COM) | [WWW.CASHEWMACHINE.CI](http://WWW.CASHEWMACHINE.CI)

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: [sales.mktech@gmail.com](mailto:sales.mktech@gmail.com)

Facebook: [www.facebook.com/cashewmachinery](http://www.facebook.com/cashewmachinery)





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## AUTOMATIC CASHEW PEELING MACHINE MACHINE D'ÉPLUCHURE NOIX CAJOU

### Description:

\* Cashew nut peeling machine is used to separating the silk and kernel after cashew shelling process, MEKONG cashew peeling machine have high performance peeled rate > 80%, minimizing the percentage of broken < 8%.

### Advanced Features:

- \* The frame of machine are made of stainless steel, rotational drum and springs shaft is designed specially easy adjust angle, without scratch cashew nut in run, contribute to improving the quality of finished products and Ensure food safety.
- \* The machine works on the principle of friction between the rotating drum and the spring shaft combined with high pressure air blowing from air compressor, peeled rate > 80% broken rate < 8%.
- \* The air blowing system is specially designed helps to easy separating the silk and cashew kernel, saving air consumer.
- \* All engines and electrical systems are imported from Japan, Korea, and Taiwan.
- \* Each machine is equipped a dust collection system and grading drum help to saving labour and time process.
- \* Easy to connect to color sorter and cashew kernel grading machine into one cashew peeling & color sorting & grading system.
- \* Easy to operate, maintain and repair.

### Description:

\* La machine d'épluchure est utilisée pour séparateur de brisure pellicule et amande après le processus de décortilage des noix de cajou, automatique, capacité élevée de 500 kg/heure, le taux de dépelliculage est jusqu'à 90%, le taux de casse est réduit à un minimum de 5%.

### Fonctionnalités avancées :

- \* Le châssis de la machine est en acier inoxydable, le tambour rotatif et l'arbre à ressorts sont conçus pour un angle de réglage spécialement facile, sans rayer la noix de cajou en cours d'exécution, contribuent à améliorer la qualité des produits finis et garantissent la sécurité alimentaire.
- \* La machine fonctionne sur le principe du frottement entre le tambour rotatif et l'arbre à ressort combiné au soufflage d'air à haute pression du compresseur d'air, taux pelé > 80 % taux cassé < 8 %.
- \* Le système de soufflage d'air est spécialement conçu pour faciliter la séparation de la soie et de la noix de cajou, économisant ainsi le consommateur d'air.
- \* Tous les moteurs et systèmes électriques sont importés du Japon, de Corée et de Taïwan.
- \* Chaque machine est équipée d'un système de dépoussiérage et d'un tambour de calibrage pour économiser du travail et du temps.
- \* Facile à connecter au trieur de couleurs et à la machine de classement des noix de cajou dans un seul système d'épluchage et de tri des couleurs et de classement des noix de cajou.
- \* Facile à utiliser, entretenir et réparer.

### Specification:

<p><b>Model: MEKONG-150</b> Capacity Capacité: 150 kg/hour Peeled rate/ taux de dépelliculage: 80-90 % Broken rate/ Taux cassé: &lt; 8% Air consumption/Consommation d'air: 30hp, 22KW, 7 bar Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 10,000 x 1,200 x 2,500 mm</p>
<p><b>Model: MEKONG-300</b> Capacity Capacité: 300 kg/hour Peeled rate/ taux de dépelliculage: 80-90 % Broken rate/ Taux cassé: &lt; 8% Air consumption/Consommation d'air: 50hp, 37KW, 7 bar Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 10,000 x 1,200 x 2,500 mm</p>
<p><b>Model: MEKONG-500</b> Capacity Capacité: 500 kg/hour Peeled rate/ taux de dépelliculage: 80-90 % Broken rate/ Taux cassé: &lt; 8% Air consumption/Consommation d'air: 100hp, 75KW, 7 bar Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 10,000 x 1,200 x 2,500 mm</p>
<p><b>Model: MEKONG-450</b> Capacity Capacité: 450 kg/hour Peeled rate/ taux de dépelliculage: 80-90 % Broken rate/ Taux cassé: &lt; 8% Air consumption/Consommation d'air: 75hp, 55KW, 7 bar Power/ Puissance: 3 Kw, 380 V, 50 Hz Dimention (LxWxH): 10,000 x 1,200 x 2,500 mm</p>



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW COLOR SORTER TRIEUR DE COULEURS DE CAJOU

### Description:

\* The cashew color sorter is used for separating cashew shell, defective kernel and unpeeled kernel in cashew shelling process and unpeeled and kernel in cashew peeling process or grading size of cashew kernel.

### Advanced Features:

- \* The cashew nut color sorter ordered and designed specifically for cashew nut processing factories, the machine is equipped with many modern features such as color sorting, cashew nut size, broken size...
- \* The color sorter can work independently or connect to the cashew nut shelling system, or connect to the cashew shelling machine into an automatic, labor-saving cashew shelling system.
- \* Large capacity color sorter is suitable for cashew nut processing factory with input capacity of 10-100 tons/day.
- \* The whole cashew nut color sorter frame is made of 304 stainless steel, equipped with a loading bucket, an oil-proof conveyor belt with high durability and food safety.
- \* Equipped with many pre-programmed intelligent software, there is no damage to the product during operation.
- \* Easy to operate and maintain.

### Description:

\* Le trieur de couleur de noix de cajou est utilisé pour séparer la coquille de noix de cajou, le noyau défectueux et le noyau non décortiqué dans le processus de décortiquage de noix de cajou et non pellicule et le noyau dans le processus de pellicule de noix de cajou et Classification des amandes.

### Fonctionnalités avancées:

- \* Le trieur de couleur de noix de cajou commandé et conçu spécifiquement pour les usines de transformation de noix de cajou, la machine est équipée de nombreuses fonctionnalités modernes telles que le tri par couleur, la taille des noix de cajou, la taille des brisures...
- \* Le trieur de couleurs peut fonctionner indépendamment ou se connecter au système de décortiquage de noix de cajou, ou se connecter à la machine de décortiquage de noix de cajou dans un système de décortiquage de noix de cajou automatique et économe en main-d'œuvre.
- \* Le trieur de couleur de grande capacité convient à l'usine de transformation de noix de cajou avec une capacité d'entrée de 10 à 100 tonnes/jour.
- \* L'ensemble du cadre du trieur de couleur de noix de cajou est en acier inoxydable 304, équipé d'un godet de chargement, d'un tapis roulant résistant à l'huile à haute durabilité et sécurité alimentaire.
- \* Équipé de nombreux logiciels intelligents préprogrammés, il n'y a aucun dommage au produit pendant le fonctionnement.
- \* Facile à utiliser et à entretenir.

### Specification:

#### Model: 1C

Throughput / outflow: 0.5-2 ton/hour  
Power/ Puissance: 1.9 Kw, 220 V, 50 Hz  
Dimension (LxWxH): 3240\*1100\*1725 mm

#### Model: 2C

Throughput/ outflow: 0.5-3 ton/hour  
Power/ Puissance: 4 Kw, 220 V, 50 Hz  
Dimension (LxWxH): 3340\*1700\*1900 mm

#### Model: 3C

Throughput / outflow 0.5-4 ton/hour  
Power/ Puissance: 4.5 Kw, 220 V, 50 Hz  
Dimension (LxWxH): 3370\*1850\*1910mm

#### Model: 4C (4DC)

Throughput / outflow: 0.5-5 ton/hour  
Power/ Puissance: 5.5 Kw, 220 V, 50 Hz  
Dimension (LxWxH): 3370\*2260\*1980mm



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW KERNEL GRADING MACHINE MACHINE DE CLASSIFICATION DES AMANDE

### Description:

\* Cashew kernel sorting machine is used to classify the size of whole cashew kernels such as W240, W320, W450, Ws...

### Advanced Features:

- \* The cashew kernel grading machine uses the mechanical principle of the distance between two roller to classify according to the size and diameter of cashew kernels, cashew nuts have an accuracy of up to 90%, used in combination with cashew color sorter machine and workers to classify cashew kernel sizes according to the size required by the export market.
- \* Whole frame of cashew kernel grading machine made of Stainless steel 304 ensure food safety, Bearing, motor and electric components parts is imported from Japan, Taiwan or China achieved CE standard.
- \* The cashew kernel grading machine is equipped with a central electrical box that easily controls and operates with two mode manual modes and automatic modes from feeding to different kernel sizes.
- \* Easy operate as change the distance between the axes of the machine to change the size of the cashew kernel as W240, W320, W450, Ws ...

### Description:

\* La machine est utilisée pour classer la taille des amandes entières telles que W240, W320, W450, Ws..

### Fonctionnalités avancées:

- \* La machine de classement des amande utilise le principe mécanique de la distance entre deux rouleaux pour classer en fonction de la taille et du diamètre des noix de cajou, les noix de cajou ont une précision allant jusqu'à 90%, utilisées en combinaison avec une trieuse de couleur de noix de cajou et des travailleurs pour classer tailles d'amandes de cajou en fonction de la taille requise par le marché d'exportation.
- \* Le cadre entier de la machine de classement des noix de cajou en acier inoxydable 304 garantit la sécurité alimentaire, les pièces de roulement, de moteur et de composants électriques sont importées du Japon, de Taïwan ou de Chine conformément à la norme CE.
- \* La calibreuse de noix de cajou est équipée d'un boîtier électrique central qui contrôle et fonctionne facilement avec deux modes manuels et des modes automatiques de l'alimentation à différentes tailles de noyaux.
- \* Facile à utiliser en changeant la distance entre les axes de la machine pour changer la taille de la noix de cajou comme W240, W320, W450, Ws...



### Specification:

<b>Model: 200</b> Capacity Capacité: 150-200 kg/hour Power/ Puissance: 0.75 Kw, 220 V, 50 Hz Dimention (LxWxH): 2500 *1100*1700 mm	<b>Model: 400</b> Capacity Capacité: 300-400 kg/hour Power/ Puissance: 1.5 Kw, 220 V, 50 Hz Dimention (LxWxH): 2800 *1100*1700 mm
<b>Model: 600</b> Capacity Capacité: 400-600 kg/hour Power/ Puissance: 2.2 Kw, 220 V, 50 Hz Dimention (LxWxH): 2800 *1200*1700 mm	



### Decription of Small Broken Piece Grading Machine:

\*Use grading small broken Cashew kernels.

### Feature:

- \* Frame machine is made by casting steel is painted and net sieving by SS304, ensure food standard
- \* Having automatic feeded by vibrator
- \* Equipped vibration motor of Japan or Germany

### Specification of Small Broken Piece Grading Machine:

Model	200	400
Capacity (kg/hour)	200	400
Power (kw)	3	3.5
Power source	380 V, 3phase	380 V, 3phase



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





**MEKONG  
TECH GROUP**

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

**CASHEW KERNEL FUMIGATION & PACKING SYSTEM**

**SYSTEME DE FUMIGATION ET D'EMBALLAGE DES NOIX DE CAJOU**



[WWW.CASHEWMACHINE.COM.VN](http://WWW.CASHEWMACHINE.COM.VN) | [WWW.CASHEWMACHINE.VN](http://WWW.CASHEWMACHINE.VN) | [WWW.CASHEWMACHINE.COM](http://WWW.CASHEWMACHINE.COM) | [WWW.MEKONGMACHINE.COM](http://WWW.MEKONGMACHINE.COM) | [WWW.CASHEWMACHINE.CI](http://WWW.CASHEWMACHINE.CI)

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: [sales.mktech@gmail.com](mailto:sales.mktech@gmail.com)

Facebook: [www.facebook.com/cashewmachinery](http://www.facebook.com/cashewmachinery)





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW ORGANIC FUMIGATION SYSTEM SYSTÈME DE FUMIGATION BIOLOGIQUE DE NOIX DE CAJOU

### Description:

\* CASHEW ORGANIC FUMIGATION SYSTEM IS USED The non-toxic fumigation treatments consist of low levels of oxygen below 0.5% through the flushing of Nitrogen to kill insects at all life stages including the eggs, larvae, pupae, and adult.

### Advanced Features:

- \* Cashew nut organic fumigation system is the best biological fumigation solution available today, helping to kill insects, larvae, pupae without using chemicals, Safe for workers, improve product value After processing, product quantity and Ensure all food standards.
- \* The system is compact in design and can be easily installed or relocated in a warehouse or cashew processing plant, shortening the fumigation time by about 36 hours, greatly increasing the monthly capacity of the system.
- \* The system is flexible design to be installed directly in the container and transported directly to the customer's factory to save time and installation costs.
- \* The system has a system to recover and convert from one room to another, greatly saving energy consumption.
- \* Easy to operate, maintain and repair.

### Description:

\* UN SYSTÈME DE FUMIGATION BIOLOGIQUE DE CAJOU EST UTILISÉ Les traitements de fumigation non toxiques consistent en de faibles niveaux d'oxygène en dessous de 0,5 % grâce au rinçage de l'azote pour tuer les insectes à tous les stades de la vie, y compris les œufs, les larves, les pupes et les adultes.

### Fonctionnalités avancées:

- \* Le système de fumigation biologique de noix de cajou est la meilleure solution de fumigation biologique disponible aujourd'hui, aidant à tuer les insectes, les larves, les pupes sans utiliser de produits chimiques, sans danger pour les travailleurs, améliore la valeur du produit après le traitement, la quantité de produit et garantit toutes les normes alimentaires.
- \* Le système est de conception compacte et peut être facilement installé ou déplacé dans un entrepôt ou une usine de transformation de noix de cajou, raccourcissant le temps de fumigation d'environ 36 heures, augmentant considérablement la capacité mensuelle du système.
- \* Le système est de conception flexible pour être installé directement dans le conteneur et transporté directement à l'usine du client pour gagner du temps et réduire les coûts d'installation.
- \* Le système dispose d'un système pour récupérer et convertir d'une pièce à l'autre, ce qui permet d'économiser considérablement la consommation d'énergie.



### Specification:

<b>Model: 12</b> Capacity Capacité: 12 ton/ 3.5 day Power/ Puissance: 25 Kw, 380 V, 50 Hz Dimention (LxWxH): 6,000 x 5,400 x 3,100 mm
<b>Model: 25</b> Capacity Capacité: 25 ton/ 3.5 day Power/ Puissance: 35 Kw, 380 V, 50 Hz Dimention (LxWxH): 10,000 x 5,400 x 3,100 mm
<b>Model: 50</b> Capacity Capacité: 50 ton/ 3.5 day Power/ Puissance: 60 Kw, 380 V, 50 Hz Dimention (LxWxH): 20,000 x 5,400 x 3,100 mm



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
 Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
 Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
 Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW VACUUM PACKING LINE

## LIGNE D'EMBALLAGE SOUS VIDE DE NOIX DE CAJOU

### Description:

\* The Cashew vacuum packing Line is used packing with vacuum bulk bags from 10 to 35 kg (25LB, 50 LB).

### Advanced Features:

- \* The cashew vacuum packing line is combination of machines such as vibrating screen, vacuum cleaner, working conveyor belt, Scale, vacuum packing machine, Whole machine in line made by SU 304 Ensure food safety.
- \* The cashew vacuum packing line is equipped Cashew vacuum packing machine to packing under vacuum or in modified atmosphere by adding carbon dioxide or nitrogen or a gas mix to get the product optimal storage, equipped Vacuum pump of Busch of Germany or Japan.
- \* The cashew vacuum packing line can be run independent of combine with cashew color sorter machine, cashew X-ray machine, Cashew metal detector.
- \* Whole mechanical parts as bearing, gear motor, motor and electric components is imported from Japan, Taiwan, China achieved CE standard.
- \* Electric control system with two modes manual modes and automatic modes easy for operation.

### Description:

\* La ligne d'emballage sous vide de noix de cajou est utilisée pour emballer avec des sacs en vrac sous vide de 10 à 35 kg (25LB, 50 LB).

### Fonctionnalités avancées:

- \* La ligne d'emballage sous vide de noix de cajou est une combinaison de machines telles qu'un crible vibrant, un aspirateur, un tapis roulant de travail, une balance, une machine d'emballage sous vide, une machine complète en ligne fabriquée par SU 304 Assurer la sécurité alimentaire.
- \* La ligne d'emballage sous vide de noix de cajou est équipée d'une machine d'emballage sous vide de noix de cajou pour emballer sous vide ou sous atmosphère modifiée en ajoutant du dioxyde de carbone ou de l'azote ou un mélange de gaz pour obtenir le stockage optimal du produit, équipée d'une pompe à vide de Busch en Allemagne ou au Japon.
- \* La ligne d'emballage sous vide de noix de cajou peut fonctionner indépendamment de la moissonneuse-batteuse avec une trieuse de couleur de noix de cajou, une machine à rayons X de noix de cajou, un détecteur de métaux de noix de cajou.
- \* Des pièces mécaniques entières telles que des roulements, des moteurs à engrenages, des moteurs et des composants électriques sont importées du Japon, de Taïwan et de la Chine conformément à la norme CE.
- \* Système de contrôle électrique avec deux modes manuels et modes automatiques faciles à utiliser.

### Specification:

<p><b>Model: 40</b> Capacity Capacité: 40-60 bag/hour Power/ Puissance: 5.5 Kw, 220 V, 50 Hz Dimention (LxWxH): 10,000 * 1200 * 1700 mm</p>
<p><b>Model: 100</b> Capacity Capacité: 100-120 bag kg/hour Power/ Puissance: 7.5 Kw, 220 V, 50 Hz Dimention (LxWxH): 10,000 * 1200 * 1700 mm</p>



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
 Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
 Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
 Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery







**MEKONG  
TECH GROUP**

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CASHEW VACUUM PACKING LINE


### LIGNE D'EMBALLAGE SOUS VIDE DE NOIX DE CAJOU



Metal Detector  
Détecteur De Métaux



Nitrogen Generator  
Nitrogène Générateur



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com


Facebook: www.facebook.com/cashewmachinery





## CASHEW KERNEL PROCESSING PLANT USINE DE TRANSFORMATION DE NOIX DE CAJOU

WE ARE SUPPLY WHOLE KIND MACHINE AND TECHNOLOGY TO PRODUCING FRIED CASHEW NUTS, ROASTED CASHEW NUTS FROM PRE-PROCESSING FRYING OR ROASTING TO FINISHING PRODUCTS (BAG, CAN ...)



### CONTINUOUS FRYING MACHINE

Capacity: 100 - 500 kg/hour  
 Power: 60 - 120 kw  
 Power source: 380V, 50Hz  
 Dimension: 7.000 x 2.000 x 3000 mm  
 Weight: 1000 kg



### VACUUM FRYING MACHINE

Vacuum Frying machine + De-oil machine  
 - Capacity: 90 kg/batch (base on banana and jackfruit)  
 - Size of Tank Frying (DxHxT): 1,200 x 1,000 x 5 mm  
 - Cylinder (LxD): 600 x 80 mm  
 - Vacuum Pump: 20 HP  
 - Pump (febrifuge): 1 HP  
 - Heating consumer: LPG or electric  
 DeOil machine:  
 - Size (DxH): 750 x 400 mm  
 - Motor: 3HP, 500 rpm



### AUTOMATIC WEIGHTING AND PACKING MACHINE

Number of weigher heads: 10  
 Weigher Hopper: 1.0L  
 Weighing Range: 10-1000g  
 Max. weigh one time: 1000 gr  
 Weighing Accuracy: ±0.5-1.5g  
 Bag Size: 60-300mm(L), 60-200mm(W)  
 Max width of film roll: 420mm  
 Packaging speed: 5-60 bags/min  
 Power: 220V 50Hz 5.0Kw  
 Air consumption: 0.65Mpa  
 Gas consumption: 0.6m3/min  
 Wrapping Material: heatsealable and thermoplastic  
 Material such as OPP/CPP,OPP/CE, PET/PE"  
 Z-type material conveyor  
 Height: Customized  
 Conveyor capacity: 3-8m3/h  
 Power: 220/380V  
 Apprication: granule, food, nuts, beans, dry fruit etc.  
 Bucket material: PP



### AUTOMATIC CHECKING WEIGHT MACHINE

Weighing Range: 50g-10kg  
 Sorting speed: 30bags/min  
 Accuracy: ±10g  
 Measurement: Strain Guage  
 Regection: Pusher with roller conveyor  
 Operation: Touch Screen  
 Alarm: Buzzer & Lamp  
 Belt speed: 45m/min  
 Power Supply: AC110V/220V 50-60Hz  
 Rated Output: Appr.200W  
 Dimension: 1300mm(L)\* 800mm(W)\* 1200±100mm(H)  
 Weight: Appr.90kg



### METAL DETECTOR

Aperture Size: 400mm x 200mm  
 Sensitivity: Feφ1.5mm SUSφ2.5mm  
 Detection Theory: Magnetic induction / Balanced Coil  
 Detection Adjustment: 1-100 steps  
 Belt Speed: 32m/min (50HZ), 40m/min(60HZ) (Adjustable)  
 Sensitivity Adjustment: Manual & "Self-Learning"  
 Rejection System: Air blast, swing arm, arm pusher  
 Operation Way: Touch Screen  
 Alarm: Buzzer & lamp  
 Power: AC110V/220V 50-60HZ  
 Rated Output: Appr. 300W  
 Dimension (LxWxH): 2.800 x 840 x 1.032±20 mm  
 Weight: Appr. 260Kg



### CASHEW KERNEL ROASTING MACHINE

Capacity(kg/h): 300  
 Heating Power range: 10-30kw  
 Power: 1.1kw  
 Dimension: 1.850 x 960 x 1.420 mm  
 Weight: 500 kg





**MEKONG  
TECH GROUP**

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

**CNSL, CARDANOL PROCESSING SYSTEM**  
**CNSL, SYSTÈME DE TRAITEMENT DU CARDANOL**



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## CNSL PROCESSING SYSTEM LE SYSTÈME DE TRAITEMENT CNSL

### Description:

\* CNSL processing system is use processing cashew nut shell liquid (CNSL) from cashew shell.

### Advanced Feature:

- \* CNSL processing system is designed is full automatic with saving labour from feeding cashew shell into cashew shell pressing machine to filter and refining to CNSL.
- \* Equiped cashew shell pressing machine is use principle screw pressing machine with high performance and high capacity 1.2 ton per hour each machine, finished presser 1.2 ton into 250 -300 kg raw cashew nut shell liquid.
- \* Raw cashew shell liquid filting system of CNSL processing plant is combine net filter and centrifugal filter help to cleaning all wast in raw CNSL.
- \* CNSL system is control temperature and time and pressure have high durable and high performance.
- \* Environmentally friendly treatment system.

### Description:

\* Le système de traitement CNSL utilise le traitement du liquide de coque de noix de cajou (CNSL) à partir de la coque de noix de cajou.

### Fonctionnalité avancée:

- \* Le système de traitement CNSL est conçu de manière entièrement automatique avec une économie de main-d'œuvre de l'alimentation de la coquille de noix de cajou dans la machine de pressage de noix de cajou pour filtrer et raffiner au CNSL.
- \* La machine de pressage de coquilles de cajou équipée est une presse à vis à principe d'utilisation avec des performances élevées et une capacité élevée de 1,2 tonne par heure chaque machine, une presse finie de 1,2 tonne dans 250 à 300 kg de liquide de coquille de noix de cajou brute.
- \* Le système de filtrage de liquide de coquille de noix de cajou brute de l'usine de transformation de CNSL combine un filtre net et un filtre centrifuge pour aider à nettoyer tous les déchets dans la CNSL brute.
- \* Le système CNSL contrôle la température et le temps et la pression a des performances élevées et durables.
- \* Système de traitement respectueux de l'environnement.

### Specification:

<b>Model: 20</b> Capacity Capacité: 20 Ton/day Power/ Puissance: 60 Kw, 380 V, 50 Hz Dimention (LxWxH): 20,000 *10000*5,500 mm	<b>Model: 100</b> Capacity Capacité: 100 Ton/day Power/ Puissance: 250 Kw, 380 V, 50 Hz Dimention (LxWxH): 60,000 *30000*5,500 mm
<b>Model: 40</b> Capacity Capacité: 40 Ton/day Power/ Puissance: 120 Kw, 380 V, 50 Hz Dimention (LxWxH): 40,000 *20000*5,500 mm	<b>Model: 200</b> Capacity Capacité: 200 Ton/day Power/ Puissance: 500 Kw, 380 V, 50 Hz Dimention (LxWxH): 60,000 *40000*5,500 mm



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com

Facebook: www.facebook.com/cashewmachinery





## BOILER FOR CASHEW PROCESSING PLANT CHAUDIÈRE POUR USINE DE TRANSFORMATION DE CAJOU

### Description:

\* The boiler is used to provide heat for the steamer, the cashew nut dryer in cashew processing plant.

### Advanced features:

- \* The boiler is designed & manufactured specifically for cashew nut processing plants reused by-pass cashew cashew shell as fuel for boiler.
- \* Easy operation, high performance, saving fuel, durable, high safety.
- \* Equipped with automatic fueling for the boiler, Has a dust, smoke, and chimney treatment system with a height of 20-50 m, meeting environmental standards.
- \* All boiler steel is specialized steel to manufacture boiler imported from Korea and Japan.
- \* Automatic temperature and pressure control system, automatically stop when there is a problem, High safety.
- \* The electrical equipment, pump system, valve are imported from Europe, Japan, Taiwan & China, meeting CE standards.

### Description:

\* La chaudière est utilisée pour fournir de la chaleur au cuiseur à vapeur, le séchoir à noix de cajou dans l'usine de transformation de la noix de cajou.

### Fonctionnalités avancées:

- \* La chaudière est conçue et fabriquée spécifiquement pour les usines de transformation de noix de cajou réutilisées comme combustible pour la chaudière.
- \* Opération facile, haute performance, économie de carburant, sécurité durable et élevée.
- \* Équipé d'un ravitaillement automatique de la chaudière, Dispose d'un système de traitement des poussières, fumées et cheminées d'une hauteur de 20 à 50 m, répondant aux normes environnementales
- \* Tout l'acier de chaudière est un acier spécialisé pour fabriquer des chaudières importées de Corée et du Japon.
- \* Système de contrôle automatique de la température et de la pression, arrêt automatique en cas de problème, haute sécurité.
- \* L'équipement électrique, le système de pompe, la vanne sont importés d'Europe, du Japon, de Taiwan et de Chine, conformément aux normes CE.

### Specification:

Model	0.5T	1T	2T	3T
Capacity (kg/hour)	500	1000	2000	3000
Power (kw)	5	8	10	15
Power source	380 V, 3phase	380 V, 3phase	380 V, 3phase	380 V, 3phase





# MEKONG TECH GROUP

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## AUXILIARY MACHINES AND ACCESSORIES MACHINES AUXILIAIRES ET ACCESSOIRES

### TIN PACKING MACHINE / MACHINE D'EMBALLAGE EN ÉTAIN



### NITROZEN GENERATOR NITROGÈNE GÉNÉRATEUR



### X-RAY MACHINE MACHINE D'INSPECTION À RAYONS X



### METAL DETECTOR DÉTECTEUR DE MÉTAUX




### FRYING VACCUM MACHINE MACHINE DE FRITES AMANDE SOUS VIDE

### AIR COMPRESSOR / COMPRESSEUR D'AIR



### WORKING CONVEYOR BELT AND HOPPER BANDE TRANSPORTEUSES ET TRÉMIES OU CONVOYEUR DE TRAVAILLE



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery





**QUESTIONS POUR CONSTRUCTION D'UNE USINE DE TRANSFORMATION DE CAJOU**

Please, give us some information for your requirements for cashew processing equipments as following and send us by  
Email: [sales.mktech@gmail.com](mailto:sales.mktech@gmail.com) or contact us by Whatsapp: +84907668850

SVP Donnez-nous des informations sur vos besoins en équipements de transformation de noix de cajou comme suit et envoyez-nous par  
Email: [sales.mktech@gmail.com](mailto:sales.mktech@gmail.com) ou contactez-nous par Whatapps: + 84907668850



**INFORMATIONS DE CONTACT:**

Company Name / <i>Nom de la société:</i>																								
Full Address / <i>Adresse en entier:</i>																								
Lincence Number / <i>Numéro de licence:</i>																								
Telephone/Fax		Hand phone (Whatsapp, Viber)																						
Website:		Email																						
Contact Person / <i>Personne de contact:</i>		Position:																						
Field of activity / <i>Champs d'activité:</i>	1. .... 2. ....																							
You are: <i>Vous êtes:</i>	<input type="checkbox"/> The final user/ <i>L'utilisateur final</i> <input type="checkbox"/> Investor / <i>L'investisseur direct</i> <input type="checkbox"/> Consulting company/ <i>L'expert-conseil</i> <input type="checkbox"/> Brokerage company/ <i>Le courtier</i>																							
If you are not the final user or Investor <i>Si vous n'êtes pas l'utilisateur final, veuillez fournir les informations de l'utilisateur final</i>	Company Name / <i>Nom de la société:</i> ..... ..... Full Address / <i>Adresse en entier:</i> ..... Telephone/Fax: ..... Contact Person / <i>Personne de contact:</i> ..... .....																							
Did you have working in cashew processing factory? <i>Avez-vous travaillé dans une usine de transformation de noix de cajou?</i>	<input type="checkbox"/> Yes/ <i>Oui</i> , Time working: ..... <input type="checkbox"/> No / <i>Nom</i>																							
We want to buying (Please give us name of machine, and capacity requirement) <i>Nous voulons acheter (Donnez nome de machine, productivité)</i>	<table border="1"> <thead> <tr> <th>No.</th> <th>Name of machine <i>Nom de machine</i></th> <th>Capacity / <i>Productivité</i> (kg/hour)</th> </tr> </thead> <tbody> <tr><td>1</td><td></td><td></td></tr> <tr><td>2</td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td></tr> </tbody> </table>			No.	Name of machine <i>Nom de machine</i>	Capacity / <i>Productivité</i> (kg/hour)	1			2			3			3			4			5		
No.	Name of machine <i>Nom de machine</i>	Capacity / <i>Productivité</i> (kg/hour)																						
1																								
2																								
3																								
3																								
4																								
5																								





# MEKONG TECHNOLOGY GROUP JOINT STOCK COMPANY

www.mekongmachine.com - www.cashewmachine.com

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR



<p>We want to buy complet RCN cashew processing plant with turnkey project, with input capacity per day with 8 hour working. <i>Nous voulons acheter une usine complète de transformation de noix de cajou RCN avec un projet clé en main, avec une capacité d'entrée par jour avec 8 heures de travail</i></p>	<p><input type="checkbox"/> 4 - 6 Ton per day  <input type="checkbox"/> 10 - 12 Ton per day  <input type="checkbox"/> 20 - 25 Ton per day  <input type="checkbox"/> 30 - 35 Ton per day  <input type="checkbox"/> 40 - 50 Ton per day  <input type="checkbox"/> 60 - 75 Ton per day  <input type="checkbox"/> 100 - 120 Ton per day  <input type="checkbox"/> 150 - 200 Ton per day</p>
<p>What kind finished package do you want? <i>Quel type de paquet fini voulez-vous?</i></p>	<p><input type="checkbox"/> Unpeeled kernel with Vacuum bag 25LB and 50LB  <input type="checkbox"/> White kernel with Vacuum bag 25LB and 50LB  <input type="checkbox"/> White kernel with Tin Can  <input type="checkbox"/> Other give detail ....</p>
<p>Do you want to processing CNSL? <i>Voulez-vous traiter CNSL ?</i></p>	<p><input type="checkbox"/> Yes/ Oui, What is capacity: .... Ton or cashew shell/hour  <input type="checkbox"/> No/Nom</p>
<p>What kind electric power do you use for factory? <i>Quel type de source d'alimentation électrique utilisez-vous pour l'usine ?</i></p>	<p><input type="checkbox"/> 220 V, 50 Hz  <input type="checkbox"/> 380 V, 3 phase, 50 Hz  <input type="checkbox"/> 415 V, 3 phase, 50 Hz  <input type="checkbox"/> Electric Power source from Generator</p>
<p>What kind fuel use for Boiler: <i>Quel type de carburant utiliser pour la chaudière:</i></p>	<p><input type="checkbox"/> Reused cashew shell, Waste wood, Pellet wood  <input type="checkbox"/> Gas LPG  <input type="checkbox"/> Diesel  <input type="checkbox"/> Electric Power</p>
<p>Do you have a building factory yet? <i>Avez-vous déjà une usine de construction?</i></p>	<p><input type="checkbox"/> Yes, give Dimension (LxWxH) m: .....  <input type="checkbox"/> No, If the buyer have land for building factory can give us dimesion or map of land to us design layout</p>
<p>Where are you going install the plant: <i>Où allez-vous installer l'usine:</i></p>	
<p>What is the international sea port for ship? <i>Quel est le port maritime international pour le navire?</i></p>	
<p>Expectative production date <i>Date de production prévue:</i></p>	
<p>How much total USD investment for this project? <i>Combien d'investissement total pour ce projet?</i></p>	<p style="text-align: center;"><b>DIRECTOR</b></p> <p style="text-align: center;">(Sign and stamp)</p>

WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH


Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery







## CASHEW PROCESSING TECHNOLOGY TECHNOLOGIE DE TRAITEMENT DE NOIX DE CAJOU





# MEKONG TECH GROUP

# VIETNAM CASHEW MACHINE


ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## COMPANY'S GALLERY



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen  
Email: sales.mktech@gmail.com - Facebook: www.facebook.com/cashewmachinery





# MEKONG TECH GROUP

# VIETNAM CASHEW MACHINE

ISO 9001:2015

MADE IN VIETNAM

ISO 9001:2015

NEW TECHNOLOGY • HIGH CAPACITY • LOW BROKEN • SAVING LABOUR

## COMPANY'S GALLERY



WWW.CASHEWMACHINE.COM.VN | WWW.CASHEWMACHINE.VN | WWW.CASHEWMACHINE.COM | WWW.MEKONGMACHINE.COM | WWW.CASHEWMACHINE.CI

MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH

Office Address: No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam

Factory Address: No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel: +84-28-37262687 - Fax: +84-28-37268057 - Mobile: +84907668850 - Skype: dvtuyen

Email: sales.mktech@gmail.com


Facebook: www.facebook.com/cashewmachinery





**MEKONG  
TECH GROUP**

**VIETNAM  
CASHEW MACHINE**



# **CASHEW PROCESSING MACHINES** **Fully Plant Mechanization** **& Automation**

[WWW.CASHEWMACHINE.COM.VN](http://WWW.CASHEWMACHINE.COM.VN) | [WWW.CASHEWMACHINE.VN](http://WWW.CASHEWMACHINE.VN) | [WWW.CASHEWMACHINE.COM](http://WWW.CASHEWMACHINE.COM) | [WWW.MEKONGMACHINE.COM](http://WWW.MEKONGMACHINE.COM) | [WWW.CASHEWMACHINE.CI](http://WWW.CASHEWMACHINE.CI)

**MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH MEKONG MKTECH**

**Office Address:** No 81, Road 37, Dong Nam - Van Phuc Residential, Highway 13 Hiep Binh Phuoc Ward, Thu Duc Dist., HCMC, Vietnam  
**Factory Address:** No 589/38, Chieu Lieu Quarter, Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam  
**Tel:** +84-28-37262687 - **Fax:** +84-28-37268057 - **Mobile:** +84907668850 - **Skype:** dvtuyen  
**Email:** sales.mktech@gmail.com - **Facebook:** www.facebook.com/cashewmachinery

