

KLS Industries

Ankit Malhotra

9990283988

08368019915

Chander Mohan

9891263678

7042827479

A sister concern of : M/s. kasturi Lal & Sons

Kls_industries@yahoo.in

Pressure cooker Handles both inner lid and outer lid available.

Cookware complete range available.

Replacement market parts available.

Injection moulding parts of bakelite also available



Spare Parts

Double Screw Type Handle



OuterLid Pressure (Pressure Cooker)



Handles



Inner Lid Handle Pics



Knob Samples

Kadai Handle



Single Clamp Moulded Handle

Single Crew Handle



Steel clamp moulded handle

Single screw handle

Double screw type handle



Kadai Handle



Outer Lid Pressure Cooker Pictures



Inner Lid Handle Pics



Spare Parts



Knob Sample

Side handles

Double Hole Side (A)

Weight of the Product	60 gms
Surface finish	Matt
Production Capability	2500 pcs in 24 hrs.



Double Hole Side (B)

Weight of the Product	60 gms
Surface finish	Matt
Production Capacity	1500 pcs in 24 hrs.



Clip-On Side

Weight of the Product

100 gms

Surface finish

Matta

Production Capability

500 pcs in 24 hrs.



Single Screw Side

Weight of the Product	60 gms
Surface finish	Matt
Production Capability	1000 pcs in 24 hrs.



Kadai Handle heavy

Weight of the Product	80 gms
Surface finish	Matt
Production Capability	3200 pcs in 24 hrs.



Kadai Handle Light

Weight of the Product	50 gms
Surface finish	Matt
Production Capability	1600 pcs in 24 hrs.



Glossy Kadai Handle

Weight of the Product	90 gms
Surface finish	Glossy
Production Capability	1200 pcs in 24 hrs.



Eye Wire Kadai Handle

Size	Big	Medium	Small
Weight	75	60	50
Surface finish	Matt	Matt	Matt
Production capacity	1200 in 24 hours	4000 in 24 hours	2500 in 24 hours

Wire description

- # Stainless steel wire used in this.
- # Thickness is 5.5 mm
- # Usually we use drum polish wire but can be done buff and electroplating.
- # Both ends of wire are grinded



Finger Wire Kadai Handle

Size	Big	Small
Weight	85	75
Surface finish	Matt	Matt
Production capacity (24 hrs)	2800	1600



Wire description

- # Stainless steel wire used in this.
- # Thickness is 6 mm
- # Usually we use drum polish wire but can be done buff and electroplating.
- # Both ends of wire are grinded



**Rear
view**



**Front
view**

Heavy Kadai Handle

Wire description

- # Stainless steel wire used in this.
- # Thickness is 6 mm
- # Usually we use drum polish wire but can be done buff and electroplating.
- # Both ends of wire are grinded

Wire thickness of 5.5 mm is used in this model



Front view



Front view



Rear view



Rear view

Weight of the Product	80 gms
Surface finish	Matt
Production Capability	3200 pcs in 24 hrs.

Weight of the Product	60 gms
Surface finish	Matt
Production Capability	1600 pcs in 24 hrs.

Still continuing improvement

"The simple act of paying positive attention to people has a great deal to do with productivity."--Tom Peters



- Continuous improvement is still going on.....