





- · Multi Function Water Sprinkler Application With Anti Smog Gun
- · Truck Mounted Anti Smog Cannon Gun
- · Portable Anti Smog Gun
- · Trolley Mounted Anti Smog Gun
- · Static Anti Smog
- · Trolley Mounted Water Sprinkler Application
- Smog Tower
- · Air Pollution Control Equipment



www.switeckindia.co.in

Switeckindia

(f) Switeck India

+91-8882959755 +91-7533025517

SWITECK INDIA / VAIBHAV GROUP



www.switeckindia.com, www.switeckindia.in, www.switickindia.co.in





ANTI SMOG GUN Manual / Semi Automatic / Fully Automatic

(70-100 mtrs.)

Static/Trolley

	\sim		<i></i>	CL	/11	1 A	00
IV	10	ט	EL.	٦r	(IF	1A	SG

Electric power supply

Water storage Tank Location

Total Equipment Weight

Pump Location

Equipment Type (i.e., Trolley/post mounted etc.,)

,	
Cone Arrangement in front of Fan casing	CONICAL CASING
Canon Rotation	350 deg
Canon Rotation Mechanism	Hydraulic/Mechanical
Tilting Angle	60 Deg
Tilting Mechanism	Mechanical
Blower Capacity	40000 m3/hr
Blower drive	11.5 KW
Blower rpm	2800
Control Panel	YES
Pump Specifications	2.5M3@8BAR
Pump Drive, kw rating	4 Kw. (2 Phase)
Hose details	Oil resistant synthetic rubber single steel wire braid reinforcement.
Isolation valves	Ball& Globe Valve
Mist spray nozzles Nos.	18 Nos
Mist Spray nozzle specifications, if applicable	Hollow Cone 2-3 LPM @4-5 bar
Y-Strainer, if applicable	Yes
Water flow rate	1.5 LPM
Water tank	500 L

440V

Under Fog Cannon

Empty Weight 700 KG

In bullet Trolley

ANTI SMOG GUN Manual / Semi Automatic

40-50 Mtrs.	30 mtrs.
Trolley mounted	Trolley mounted
Conical Casing	Conical Casing
330 deg.	330 deg.
Hydraulic/Mechanical	Hydraulic / Mechanical
60 Deg	60 Deg
Mechanical	Mechanical
40000 M³/hr	30000 M³/hr.
7.5 Kw.	7.5 Kw.
2800	2300
YES	YES
2.M³ @8BAR	2.5M³ @8BAR
4 Kw. (3 Phase)	2 Kw. (3 Phase)
Oil resistant synthetic rubber single steel wire braid reinforcement	Oil resistant synthetic rubber single steel wire braid reinforcement.
Ball& Globe Valve	Ball & Globe Valve
15 Nos.	12 Nos.
Hollow Cone 2-3 LPM @4-5 bar	Hollow Cone 2-3 LPM @4-5 bar
Yes	Yes
1.5 LPM	1.5 LPM
500 L	500 L
440V	440V
	Trolley mounted Conical Casing 330 deg. Hydraulic/Mechanical 60 Deg Mechanical 40000 M³/hr 7.5 Kw. 2800 YES 2.M³ @8BAR 4 Kw. (3 Phase) Oil resistant synthetic rubber single steel wire braid reinforcement Ball& Globe Valve 15 Nos. Hollow Cone 2-3 LPM @4-5 bar Yes 1.5 LPM 500 L





Tractor Mounted Anti Smog Cannon Gun



SPECIFICATION :-

- Material Mild Steel / Stainless Steel.
- Working Pressure 45 LPM Nozzel 15.
- Water Tank Capacity 5000 Ltr.
- Spraying Water Ring Single Ring.
- Material Of Water Ring- Stainless Steel.
- Pump High Pressure Triplex Pump 400 PSI
- Cannon Gun Operation Motor with Gear Box.
- Electric Panel Semi Automatic.
- Electricity Alternater 25 KVA Run By Tractor



Jetting

High pressure jetting
Unit is capable
of de choking block &
overflow civil /
industrial drains and
sewer lines.

Air Pollution

Anti smog gun sprays nebulised water droplets in to the air and help dust particles settle down

Toilet Cleaning

Machine inbuilt the high pressure gun cleaning the public toilets

Horticulture

As per NGT guideline, ground water should not use in horticulture purpose due to water crises.

Model: SKITMASG

Capacity

Mounted on

Material

Drive

Pump

Nozzles

Cannon Gun Operation

Blowers RPM

Hydraulic Motor

Rotation

Control Panel

High Pressure Trigger Gun

Paint & Design

1KL upto 12KL

Truck Chessis

Mild Steel / Stainless Steel

Hydro Static

High Pressure Triplex Piston

Stainless Steel 304

Hydraulic / Pneumatic

2800 @ 4000 CFM

Denfoss or Equivalent

180°

Driver Cabin

50 Mtrs.

Customised

MULTI FUNCTION WATER SPRINKLER APPLICATION WITH ANTI SMOG GUN











Our Sales & Service Network In India



SWITECK INDIA

Corp. Off. : 2/17, A Block Rana Park, Siraspur,

Delhi- 110042.

Factory : Gali No. 15, Samaypur Bawana Road

Near Samaypur Badli Metro Station Delhi- 110042

Phone : +91-8882959755, 7533025517

E-mail : switeckindia@gmail.com,

info@switeckindia.com

Website: www.switeckindia.com, www.switeckindia.in www.switeckindia.co.in