COLOR PETROL PIPE (CODE : CP)			
INCH	MM	WEIGHT	METERS
1/2"	12	3.500 TO 4.000	30.000
5/8"	15	4.500 TO 5.000	30.000
3/4"	20	6.000 TO 7.000	30.000
1"	25	8.500 TO 9.500	30.000
1-1/4"	32	12.000 TO 14.500	30.000
1-1/2"	40	18.500 TO 19.500	30.000





LINING COLOR PETROL PIPE (CODE: L-CP)				
INCH	MM	WEIGHT	METERS	
1/2"	12	2.800 TO 3.200	30.000	
5/8"	15	3.800 TO 4.200	30.000	
3/4"	20	5.000 TO 5.500	30.000	
1"	25	7.500 TO 8.000	30.000	
1-1/4"	32	11.500 TO 12.500	30.000	
1-1/2"	40	17.500 TO 18.500	30.000	

SUPER IMPORTED PIPE (CODE : SP – IMP)			
INCH	MM	WEIGHT	METERS
1/2"	12	3.800 TO 4.000	30.000
5/8"	15	-	30.000
3/4"	20	6.000 TO 6.500	30.000
1"	25	9.000 TO 9.500	30.000
1-1/4"	32	-	30.000
1-1/2"	40	-	30.000





SPECIAL VIRGIN PIPR (CODE : SPV)			
INCH	MM	WEIGHT	METERS
1/2"	12	2.800 TO 3.200	30.000
5/8"	15	3.800 TO 4.200	30.000
3/4"	20	5.000 TO 5.300	30.000
1"	25	7.800 TO 8.200	30.000
1-1/4"	32	11.500 TO 12.500	30.000
1-1/2"	40	17.500 TO 18.500	30.000





Material Cristal Clear shining and smooth finishing

Application:

- Useful in Gardening
- Sanitary connection
 and Construction Sites

Advantage:

- Very Light in Weight hence Low Migration Property.
- Longer Shell life.
- Highly meets the International Standard of Quality.
- leack Proof and Durable Quality.

Wall Thickness:

• 1MM TO 6MM

- Available also in other Colors.
- Please ask the Company for Minimum Quantity.



- Special Size or coil Length to be Satisfied Upon Agreement with Tirupati Polyflex.
- All Technical data Available are subject to modification

METALIC PETROL PIPE (CODE : MPC HEAVY)			
INCH	MM	WEIGHT	METERS
1/2"	12	4.000 TO 4.200	30.000
5/8"	15	5.000 TO 5.200	30.000
3/4"	20	7.000 TO 7.500	30.000
1"	25	9.000 TO 9.500	30.000
1-1/4"	32	14.000 TO 14.500	30.000



METALIC PETROL PIPE (CODE : MPC EXTRA HEAVY)			
INCH	MM	WEIGHT	METERS
1/2"	12	5.000 TO 5.200	30.000
5/8"	15	6.000 TO 6.250	30.000
3/4"	20	9.000 TO 10.500	30.000
1"	25	10.000 TO 11.500	30.000

Material Cristal Clear shining and smooth finishing

Application:

- Useful in Gardening
- Sanitary connection and Construction Sites

Advantage:

- Very Light in Weight hence Low Migration Property.
- Longer Shell life.
- Highly meets the International Standard of Quality.
- leack Proof and Durable Quality.

Wall Thickness:

• 1MM TO 6MM

- Available also in other Colors.
- Please ask the Company for Minimum Quantity.









COLOR TRANSPARENT PIPE (CODE : CT)				
INCH	MM	WEIGHT	METERS	
1/2"	12	2.800 TO 3.200	30.000	
5/8"	15	3.800 TO 4.200	30.000	
3/4"	20	5.000 TO 5.300	30.000	
1"	25	7.800 TO 8.200	30.000	
1-1/4"	32	11.500 TO 12.500	30.000	
1-1/2"	40	17.500 TO 18.500	30.000	





COMMERCIAL PETROL PIPE (CODE : APP)			
INCH	MM	WEIGHT	METERS
1/2"	12	3.000 TO 3.200	30.000
5/8"	15	4.000 TO 4.200	30.000
3/4"	20	5.200 TO 5.500	30.000
1"	25	7.800 TO 8.200	30.000
1-1/4"	32	11.500 TO 12.500	30.000
1-1/2"	40	17.500 TO 18.500	30.000

METALIC PETROL PIPE (CODE : MPC)			
INCH	MM	WEIGHT	METERS
1/2"	12	2.800 TO 3.200	30.000
5/8"	15	3.800 TO 4.200	30.000
3/4"	20	5.000 TO 5.300	30.000
1"	25	7.800 TO 8.200	30.000
1-1/4"	32	11.500 TO 12.500	30.000
1-1/2"	40	17.500 TO 18.500	30.000





ZEBRA TRANSPARENT PIPE (CODE : CTZ)			
INCH	MM	WEIGHT	METERS
1/2"	12	2.800 TO 3.200	30.000
5/8"	15	3.800 TO 4.200	30.000
3/4"	20	5.000 TO 5.300	30.000
1"	25	7.800 TO 8.200	30.000
1-1/4"	32	11.500 TO 12.500	30.000
1-1/2"	40	17.500 TO 18.500	30.000





Specialized Virgin
 Material Cristal Shining
 And smooth Finishing.

Application:

- Useful in Gardening
- Sanitary Connection and Construction Sites.

Advantage:

- Very light in Weight hence low Migration property.
- Longer Shell life.
- Highly meets the international Standard of Quality.
- Leack Proof and Durable Quality.

Wall Thickness:

• 1MM To 6MM

- Available also in other colors.
- Please ask the company for minimum quantity



- Special size or coil length request to be satisfied upon agreement with tirupati polyflex.
- All Technical data available are subject to modification without prior notice.

BLACK ZEBRA PIPE (CODE : SP-CPZ)			
INCH	MM	WEIGHT	METERS
1/2"	12	4.000 TO 4.200	30.000
5/8"	15	5.000 TO 5.200	30.000
3/4"	20	6.000 TO 7.000	30.000
1"	25	8.500 TO 9.500	30.000
1-1/4"	32	12.000 TO 14.500	30.000
1-1/2"	40	17.500 TO 18.500	30.000





LINING PETROL PIPE (CODE : L - PCC)			
INCH	MM	WEIGHT	METERS
1/2"	12	2.800 TO 3.200	30.000
5/8"	15	3.800 TO 4.200	30.000
3/4"	20	5.000 TO 5.300	30.000
1"	25	7.800 TO 8.200	30.000
1-1/4"	32	11.500 TO 12.500	30.000
1-1/2"	40	17.500 TO 18.500	30.000

PURE PETROL PIPE (CODE - TPP)					
INCH	MM	WEIGHT	METERS		
1/2"	12	2.800 TO 3.200	30.000		
5/8"	15	3.800 TO 4.200	30.000		
3/4"	20	5.000 TO 5.300	30.000		
1"	25	7.800 TO 8.200	30.000		
1-1/4"	32	11.500 TO 12.500	30.000		
1-1/2"	40	17.500 TO 18.500	30.000		



Structure:

 Specialized Virgin Material Cristal Clear shining and smooth finishing

Application:

- Useful In Gardening.
- Sanitary Connection and Construction sites.

Advantage:

- Very light in weight hence low migration property.
- Longer shell life.
- Highly meets the International Standard property.
- Leack proof and Durable Quality.

Wall Thickness:

1MM To 6MM

- Available also in other colors.
- Please ask the company for minimum Quantity







- Special size or coil length request to be satisfied upon agreement with Tirupati Polyflex.
- All Technical data available are subject to modification without prior notice.

SMALL PETROL PIPE (CODE : PCC(S))					
INCH	MM	WEIGHT	METERS		
3/16"	5	1.500	30.000		
1/4"	6	1.900	30.000		
5/16"	8	2.500	30.000		
3/8"	10	3.500	30.000		
1/2"	12	2.800 TO 3.100	30.000		
5/8"	15	3.900 TO 4.100	30.000		
3/4"	20	5.000 TO 5.300	30.000		
1"	25	7.800 TO 8.200	30.000		
1-1/4"	32	11.500 TO 12.500	30.000		
1-1/2"	40	18.000 TO 19.000	30.000		





PVC WHITE TRANSPARENT PIPE (CODE : WT)					
INCH	MM	WEIGHT	METERS		
3/16"	5	0.600	30.000		
1/4"	6	0.950	30.000		
5/16"	8	1.200	30.000		
3/8"	10	2.000	30.000		
1/2"	12	2.800 TO 3.100	30.000		
5/8"	15	3.800 TO 4.100	30.000		
3/4"	20	5.000 TO 5.300	30.000		
1"	25	7.800 TO 8.200	30.000		
1-1/4"	32	11.500 TO 12.500	30.000		
1-1/2"	40	17.500 TO 18.500	30.000		



 Specialized Virgin Material Cristal Clear shining and smooth finishing

Application:

- Useful In Gardening.
- Sanitary Connection and Construction sites.

Advantage:

- Very light in weight hence low migration property.
- Longer shell life.
- Highly meets the International Standard property.
- Leack proof and Durable Quality.

Wall Thickness:

• 1MM To 6MM

- Available also in other colors.
- Please ask the company for minimum Quantity







- Special size or coil length request to be satisfied upon agreement with Tirupati Polyflex.
- All Technical data available are subject to modification without prior notice.