

About us

Client Satisfaction

We are a customer oriented firm offering high quality products to clients, based worldwide. Our company has been offering products that are reckoned for durability, efficacy and strength. Our uncompromising attitude towards quality products and services has enabled us to serve our clients in the best possible manner. We also offer customization facilities to our customers to make sure that our clients get what they want. Due to our this approach, we have been enjoying strong base of clients in India

Research & Development

Our fully fledged Research & Development unit is our strength. Our well-organized research and development unit is managed by knowledgeable team of researchers who always keep themselves abreast with the latest technological developments. They do innovation and development of new products to match the changing market.

G & Company introduces itself as one of the leading manufacturers of precast products. Established in 2005, G & Company has become the most popular and preferred company, providing International standards with greatest variety of precast concrete products. Manufactured under well managed team of qualified engineers with the most modern equipments and State of-the-art technology at 24 Pargans-Malancha, G & Company offers high quality product assurance under stringent quality norms satisfying the enormously increasing esthetical, economical and technical demand.

Range of products


- RCC Hume Pipes & Collars RCPC Manhole Covers & Gully Gratings Designer Interlocking Paver Blocks
- Kerb Channel
 Channel Bricks
 Designer Tiles
 Grass Pavers

Mission

- Commitment to provide continuous growth fuelled by innovation and hard work.
- Commitment to provide customer satisfaction beyond quality and delivery assurance.

Vision

- . To be the acknowledged leader in precast products. G & Company Ensures...
- · Permanent inspection of raw materials.
- Testing of samples before final delivery.
- Automation and process control of production.
- . Close cooperation with our esteemed customers.
- Assurance of prompt on-demand deliveries and services.
- · Measures to maintain and reinforce power of innovation.
- Promotion of quality awareness, motivation and qualification of staff.
- Constant quality monitoring of products through independent laboratories.
- Assurance of quickly available expertise and service ensuring maximum safety, quality & profitability.



Kerb Stone



Colours

i) Asian

ii) 6 Cavity

Grass Paver

RCC Hume Pipe

Ours is a company aiming noble aspirations for producing different goods of manufacturer stated here with:

NP2 Class with matching collar NP3 & NP4 Class flush joint (male-female) NP3 & NP4 Class spigot & socket end type

The company has embarked upon a new programme on those fields with adoption of latest technology to full satisfaction of our customers. It is one of the challenging jobs that we have undertaken with a band of enthusiastic technicians who have not only skill and competence but also a determined dedication to enhance the quality of materials.

The Raw material used always maintains a challenging standard ensuring durability after balanced curing to withstand adverse circumstances if any. Advanced testing facilities as per I.S. code 458:2003 are applied to meet the need of varying load capacity. Measurement of hydrostatic pressure of pipes is also an added benefit. Our excellent personnel of the company including laborers are always treated as most valuable to one & all. In this connection, it is pleasure to note that we are holders of ISO certificate. Incorporation of testing photos is the brochure reveals to the customers the marveled method that hastens to prove the intrinsic worth and readiness the unique endeavor of our company.

Test Facilities Equipment

- Three edge load bearing test equipment.
- Hydrostatic test equipment.
- Permeability test equipment.
- Cube testing equipment.
- ☐ Sieve testing equipment













List of our esteem Customers

Larsen & Toubro Limited (Infrastructure, Construction, RVNL)
Consolidated Construction Consortium LTD. (Metro Rail Project)
Gannon Dunkerley & Co. LTD
Emami Limited
Trans Tech Turnkerley Pvt. Ltd.
Simplex Infrastructures Limited
IQ City Infrastructures Pvt. Ltd.(Mani Group)
M/S Progressive Construction Co.
MBL Infrastructure Ltd, Kolkata
Zilla Panchayat of different districts.
Tantia Construction Ltd.







We have commitment to satisfy and fulfill the varied needs and expectations of customers in all possible ways. It is our sacred duty to:

- ☐ Provide standard products of high quality, to fulfill customers aspirations and satisfaction.
- ☐ Render valued services to the customer's delight.
- Improve the quality of goods as a continuous process keeping in view the environmental and occupational health including safety norms relating to our products, activities, premises and servics taken together.
- □ Foster a spirit of development and an invicible involvement of employees to boost the level of quality of our products resulting in earning the reputation and satisfying the dream of our most respectable customers.



NP2 Class with Matching collar Bore Dia Thickness Std. Length

| 150mm | 25mm | 2.0mtr |
|-------|--|--------|
| 225mm | 25mm | 2.0mtr |
| 300mm | 30mm | 2.5mtr |
| 450mm | 35mm | 2.5mtr |
| 600mm | 45mm | 2.5mtr |
| | A STATE OF THE PARTY OF THE PAR | |



NP3 & NP4 Class flush joint (male - female)

| Bore Dia | Thickness | Std. Lengtl |
|----------|-----------|-------------|
| 300mm | 40mm | 2.5mtr |
| 400mm | 75mm | 2.5mtr |
| 450mm | 75mm | 2.5mtr |
| 600mm | 85mm | 2.5mtr |
| 700mm | 85mm | 2.5mtr |
| 800mm | 95mm | 2.5mtr |
| 900mm | 100mm | 2.5mtr |
| 1000mm | 115mm | 2.5mtr |
| 1200mm | 120mm | 2.5mtr |
| | | |



NP3 & NP4 Class with spigot & socket end type

| Bore Dia | Thickness | Std. Length |
|----------|-----------|-------------|
| 150mm | 25mm | 2.0mtr |
| 200mm | 30mm | 2.0mtr |
| 250mm | 30mm | 2.0mtr |
| 300mm | 40mm | 2.5mtr |
| 400mm | 75mm | 2.5mtr |
| 450mm | 75mm | 2.5mtr |
| 500mm | 75mm | 2.5mtr |
| 600mm | 85mm | 2.5mtr |
| 700mm | 85mm | 2.5mtr |
| 800mm | 95mm | 2.5mtr |
| 900mm | 100mm | 2.5mtr |
| 1000mm | 115mm | 2.5mtr |
| 1100mm | 115mm | 2.5mtr |
| 1200mm | 120mm | 2.5mtr |
| 1400mm | 135mm | 2.5mtr |
| 1600mm | 140mm | 2.5mtr |
| 2000mm | 170mm | 2.5mtr |
| | | |

Specification : As per IS Code 458 : 2003

Diameter: 150 mm - 1600 mm dia

of various classes.


Standard Length: 2.5 mtr. (8 feet)

Curing method: Sinking method

Manhole & Gully Gratting









Colorado




Area / Tile :- 0.442 Sq.Ft 100 Sq.Ft :- 224 Pcs.

Cosmic Eye



Area / Tile :- 0.543 Sq.Ft 100 Sq.Ft :- 185 Pcs.





Cosmic



Area / Tile :- 0.543 Sq.Ft 100 Sq.Ft :- 185 Pcs.

Rectangular



1 Sq.mtr = 48 pcs.



Olympia



Area / Tile :- 0.636 Sq.Ft 100 Sq.Ft :- 157 Pcs.



Zigzag



Area / Tile :- 0.347 Sq.Ft 100 Sq.Ft :- 288 Pcs.



Dumbel



Area / Tile :- 0.416 Sq.Ft 100 Sq.Ft :- 240 Pcs.

Tuti Fruti




Area / Tile :- 1.0 Sq.Ft 100 Sq.Ft :- 100 Pcs. Thickness :- 25 mm



Square Dash



Size :- 200mm x 200mm ! Sq.mtr :- 24 pcs.



Oxford



Area / Tile :- 0.521 Sq.Ft 100 Sq.Ft :- 196 Pcs.

Kerb Stone




Grass Paver



400 x 400 mm Thickness :- 60/80/100mm 100 Sq. Ft :- 64 Pcs.








300 x 300 mm Area Tiles :- 1.00 Sq.Ft 100 Sq.ft :- 100 Pcs.

Tiles



Asian



300 x 300 mm

Area / Tiles:- 1.00 Sq.Ft 100 Sq.Ft :- 100 Pcs. Thickness :- 25 mm

6 Cavity



300 x 300 mm

Area / Tiles :- 1.00 Sq.Ft 100 Sq.Ft :- 100 Pcs. Thickness :- 25 mm



Colour Chart



^{*} Colour shown are indicative only & may not match with the actual product.

^{**} Pavers are subject to standard tolerance applicable to pre-cast concrete products.





Biswanathpur (Kaliani Bill), Taki Road, Ramnathpur, Deganga North 24 Parganas, W.B.

Mob :- 9874280204 / 9836904350 E-mail :- gandcompany2005@yahoo.in