



WE MAKE  
SPECIAL CHEF



**Arruthra**®  
FOOD MACHINES  
Quality never fails innovation



## DOUBLE DRUM MURUKKU MACHINE



Dimensions (l x b x h): 75" x 43" x 101"

- Twist Motor: 230 V, 50 Hz, 1 HP, IPh., with VFD - 02 Nos
- Hydraulic Motor: 230 V, 50 Hz, 2 HP, IPh.,
- Hopper Capacity: 15 Kg. – 02 Nos
- Productivity : 1 - 60 Kg./hr.
- Hydraulically operated, CNC Controller with touch screen.
- With 2 Die Plate (Customer preferable)
- With 4 AI handling plates

## CONVEYOR MODEL MURUKKU MACHINE

Dimension: 62"x67"x95"

- Twist Motor: 230 V, 50 Hz, 1 HP, IPh., with VFD
- Hydraulic Motor: 230 V, 50 Hz, 2 HP, IPh.,
- Conveyor Motor: Stepper motor
- Hopper Capacity: 15 Kg.
- Productivity: 1 - 30 Kg./hr.
- Hydraulically operated, HMI with touch screen
- With 1 Die Plate (Customer preferable)



## HEAVY DUTY MURUKKU MACHINE

Dimension: 62"x67"x95"

- Twist Motor: 230 V, 50 Hz, 1 HP, IPh., with VFD
- Hydraulic Motor: 230 V, 50 Hz, 2 HP, IPh.,
- Hopper Capacity: 15 Kg.
- Productivity: 1 - 30 Kg./hr.
- Hydraulically operated, HMI with touch screen
- With 1 Die Plate (Customer preferable)



## LIGHT DUTY MURUKKU MACHINE

Dimensions (l x b x h): 53" x 32" x 91"

- Twist Motor: 230 V, 50 Hz, 1 HP, IPh., with VFD
- Hydraulic Motor: 230 V, 50 Hz, 2 HP, IPh.,
- Hopper Capacity: 15 Kg.
- Productivity : 1 - 30 Kg./hr.
- Hydraulically and , CNC Controller with touch screen.
- With 1 Die Plate (Customer preferable)
- With 2 AI handling plates



**Our Key Features : Lubrication system | Weighing scale attached**

**VMC die plate's for perfect size & perfect shape for murukku | Touch Screen Option Available**



## COMPUTERISED MURUKKU MACHINE

- Dimension: 60"x49"x94"
- Motor: 230 V, 50 Hz, 2HP, 1Ph.,
- Hopper Capacity: 15 Kg.
- Productivity : 1 - 20 Kg./hr.
- Hydraulically and computerized operation.
- With 1 Die Plate (Customer preferable)
- With 2 AI handling plates



## THENKUZAL MURUKKU MAKING MACHINE –BIG

- Dimensions (l x b x h): 50" x 32" x 91"
- Motor: 230 V, 50 Hz, 1 HP, 1Ph.,
- Hopper Capacity: 15 Kg.
- Productivity : 1 - 30 Kg./hr.
- PLC Operated.
- With 1 Die plate - Customer preferable
- With 2 AI handling plate



## THENKUZAL MURUKKU MAKING MACHINE –SMALL

- Dimension: 62"x67"x95"
- Hydraulic Motor: 230 V, 50Hz, 1HP, 1Ph.,
- Hopper Capacity: 5 Kg.
- Productivity: 1 - 15 Kg./hr.
- Hydraulically operated
- With 1 Die Plate (Customer preferable)



## RING / SEEDAI MURUKKU MAKING MACHINE

Model Name	Ring Muruku Machine	Extruder Muruku Model
Capacity / Batch	Continues production	Hopper Capacity -2kg
Production Capacity / Hr	25kg / hr	35kg / hr
Operation	electrically and Manually	Hydraulically
Out put Machine	Ring, Seedai	Ring , Seedai, Seepu seedai , Heart Muruku
Weight	35 kg	55 kg
Motor	230 V, 50 Hz, 0.5HP,	230 V, 50 Hz, 0.5HP, 1Ph.



## NAMKEEN EXTRUDER MACHINE – HYDRAULICS

Model Name	Small	Medium	Heavy
Hopper Capacity	2kg	5kg	10kg
Production Capacity / Hr	10 kg / hr	25 kg / hr	40 kg / hr
Operation	Hydraulically	Hydraulically	Hydraulically
Motor	230 V, 50 Hz, 1 HP, 1Ph.	230 V, 50 Hz, 1.5 HP, 1Ph.	230 V, 50 Hz, 2 HP, 1Ph.



## NAMKEEN EXTRUDER MACHINE – MECHANICAL

Model Name	7" Namkeen Extruder	9" Namkeen Extruder
Capacity / Batch	Continues production	Continues production
Production Capacity / Hr	10 kg / hr	15 kg / hr
Operation	Electrically and Manually	Electrically and Manually
Out put Machine	Omapodi, Karasev, Ribbon Sev, Star Sev, and all	
Motor	230 V, 50 Hz, 0.5HP, 1Ph.	230 V, 50 Hz, 1HP, 1Ph.




## THATTAI MAKING MACHINE

Model Name	Thattai – Sheeter Machine
Conveyor Belt material	Food Grade
Production Capacity / Hr	60kg / hr
Operation	Electrically
Motor	230 V, 50 Hz, 1HP, 1Ph.
Die and belt width customization available	
Suitable for Maida Flour	

## SPECIAL TYPE THATTAI / ADHIRASAM MACHINE

Dimensions (l x b x h): 120" x 40" x 95"

- Motor : 230 V, 50 Hz, 1 HP, 1Ph.
- Hydraulic operated
- Hopper Capacity : 15 Kg
- Productivity : 30 to 400 Kg./day
- Suitable for Rice flour
- Also will produce Thattai Murukku



## ACHU MURUKU MAKING MACHINE

Model Name	Achu Muruku Machine
Achu Design	Customization
Achu Size Production	Customization
Capacity Operation	As per kadai size Pneumatically & PLC Operator
Motor	230 V, 50 Hz, 1/2 HP, 1Ph.,
2hp air compressor additionally required	



### CIRCULAR BATCH FRYER

Model Name	Circular Batch Fryer
Oil Capacity	From 30 lt onwards
Material Production	Food Grade
Capacity	Continues frying
Heating method	LPG / Diesel / Pellets
Temperature Control Drive	Attached



### BATCH FRYER

Model Name	Rectangular Batch Fryer
Oil Capacity	From 100 lt onwards
Material Production	Food Grade
Capacity	Continues frying
Heating method	LPG / Diesel / Pellets
Temperature Control Drive	Attached



### OIL DRYER

Capacity (in Ltrs)	Motor (Hp)	Phase	Attachment
10 lt	0.5 hp	Single / Three	-
10 lt –VFD	0.5 hp	Single / Three	With Variable Speed Control Drive
15 lt	1 hp	Single / Three	-
15 lt –VFD	1 hp	Single / Three	With Variable Speed Control Drive

Customization of size & Tilting option available

### DOUGH KNEADER

Capacity / Batch (in Kgs)	Motor (Hp)	Phase	Dimension
2	0.2	Single/ Three	14 " x 18" x 15"
5	0.5	Single/ Three	30" x 25" x 14"
10	1	Single/ Three	42" x 37" x 19"
15	1	Single/ Three	43" x 37 " x 21"
20	1.5	Single/ Three	46" x 41" x 26"
25	1.5	Single/ Three	48" x 42" x 28"
30	2	Single/ Three	48" x 42" x 26"
40	3	Three	51" x 45" x 27"
50	3	Three	51" x 45" x 27"





## SEMI AUTOMATIC CHAPATHI MACHINE

Dimensions (l x b x h): 120" x 28" x 50"

- Motor: 230V, 50 Hz, IHP, IPh.
- Boiling type: Through Electrical and LPG.
- Electric Heater: 2000 W.
- Productivity: 800 pcs/hr.



## UNCOOKED CHAPATHI MACHINE

Dimensions (l x b x h): 120" x 28" x 50"

- Motor: 230V, 50 Hz, IHP, IPh.
- Speed Control Drive Available
- Productivity: 1000 pcs/hr.
- Die Size 1" to 10" available



## CHAPATI BALL CUTTING MACHINE

Model	Ball Cutting Machine – Pneumatic
Type of Operation	PLC and Pneumatically operated.
Hopper Capacity	1Kg
Productivity	1200 pcs/hr.

1hp air compressor additionally required



## CHAPATI BALL PRESSING MACHINE

Model	Ball Pressing Machine – Mechanical Model
Type of Operation	Motorized
Heater	2000 W – Electrical heater
Productivity	800 pcs/hr.

## FULLY AUTOMATIC CHAPATHI MACHINE

Dimensions (l x b x h): 100" x 30" x 89"

- Fully cooked & Half cooked both available
- Motor: 230V, 50 Hz, IHP, IPh.,
- Boiling type : Through Electrical and LPG.
- Electric Heater: 2000 W.
- Productivity : 400 pcs/hr.
- Operation type : Pneumatic
- PLC controlled operation.



## CHAPATI BALL PRESSING MACHINE

Model	Ball Pressing Machine – Pneumatic	Hydraulic Double Ball Pressing Machine
Type of Operation	PLC and Pneumatically operated.	PLC & Hydraulically Operated
Motor / Air compressor -		230v , 50Hz, 1Hp, 1PH
Heater	2000 W – Electrical heater	4000 W – Electrical heater
Productivity	500 pcs/hr.	1000 pcs / hr
Chapathi Dia upto 12" available		



## COOLING CONVEYOR

- Type : Automatic
- Continues Production
  - Food Contact Area is Food Grade Material
  - Motor 0.5 HP 2Nos
  - Single Phase
  - Belt width can be customized

## APPALAM / PAPAD MAKING MACHINE

- Type :Automatic
- Could process up to 10 kg – 2000 kg / day
  - Variable Speed adjustable
  - Thickness & Diameter could be varied
  - Food contact area is food grade material



PRODUCTIVITY / DAY	CAPACITY	MOTOR & PHASE
100kg	10kg	1Hp, 1ph
200kg	25kg	1.5HP, 1ph
300kg	40kg	2Hp, 1ph
500kg	60kg	2Hp, 1 Ph
750kg	90kg	3Hp, 1Ph
900kg	110kg	3Hp, 1Ph
1200kg	140kg	4Hp, 3Ph
1500kg	180kg	5Hp, 3Ph



## DOUGH BLENDER

Capacity	Motor	Phase
10Kg -20Kg	2 Hp	Single
50Kg	2.5Hp	Single
100 kg	3Hp	Three
250Kg	5Hp	Three



## APPALAM EXTRUDER

- Type : Mechanical
- Power : 230 V , Single Phase.
  - Productivity : 50kg / hr
  - Motor: 2 hp with gear box



## WOODEN SHEETER

- Type : Mechanical
- Power : 230 V , Single Phase.
  - Productivity : Continues Production
  - Motor: 2 hp with gear box



### BATTER MIXER

Capacity	Motor (Hp)	Phase
50 ltrs / hr	0.5	Single / Three
100 ltrs / hr	1	Single / Three



### INSTANT RICE GRINDER

Capacity	Motor (Hp)	Phase
70kg / hr	1.5	Single/ Three
100kg / hr	2	Single/ Three



### TILTING GRINDER

Capacity	Motor (Hp)	Phase
5 ltrs	0.5	Single/ Three
7 ltrs	0.5	Single/ Three
10 ltrs	1	Single/ Three
15 ltrs	1.5	Single/ Three
20 ltrs	2	Single/ Three
25 ltrs	2.5	Single/ Three
30 ltrs	3	Three
40 ltrs	3.5	Three



### WET GRINDER

Capacity	Motor (Hp)	Phase
2 ltrs	0.5	Single/ Three
3 ltrs	0.5	Single/ Three
5 ltrs	0.5	Single/ Three
7 ltrs	1	Single/ Three
10 ltrs	1	Single/ Three



### GRINDER TYPE MIXING MACHINE

Capacity	Motor (Hp)	Phase
10 kgs	1HP	Single/ Three
15 Kgs	1.5HP	Single/ Three
35 Kgs	2HP	Single/ Three

- Fully SS Material
- Specially used for Murukku Flour Mixing, Idiyappam Flour mixing



## HEAVYDUTY SEVAI MAKING MACHINE

Available on different capacities

- System :Hydraulically Operator
- Production : 10 -100 kg / Hr
- Semi-automatic Machine

Capacity	Motor	Productivity/hr
2Kg	2Hp	10Kg
5Kg	2HP	20kg
10kg	3Hp	50kg



## IDIYAPPAM MAKING MACHINE -SMALL

SINGLE HOPPER IDIYAPPAM MACHINE:

- Dimension: 32"X31"X54"
- Hopper capacity: 2Kg,
- Motor capacity - 1 HP Motor
- Power source: 230V , Single Phase
- Productivity: 100 Pieces / Hr
- Hydraulically operated



## STEAM BOILERS

Highly suitable for Hotels, Hostels, Marriage Halls for Cooking Rice, Dal, Idly, Vegetables and to boil Milk, Sambar, etc.

Safety assured with valves and pressure gauge.



### JILEBI MAKING MACHINE

Type Heating	Pneumatic System
Type	Electrical Heater & Gas
Hopper Capacity	1Kg.
Compressor Capacity	2HP Air Compressor
Productivity	10- 30 kg / hr



### SEMI AUTOMATIC VADA MAKING MACHINE

Heating Through	LPG
Vada Size	: 20 & 40 gms
Productivity	: 100 - 200 pcs/ hr
Material	: Stainless Steel



### HALWA MAKING MACHINE

Power	230v single phase / three phase
Capacity	15kg & 35kg
Suitable	Halwa , Kova, Mysorepa
Heating Method	LPG
Additional	Tilting Option available



### PLANETARY MIXER

Capacity / Batch (ltr)	7	10	20	30	50	60
Motor (Hp)	0.5Hp	0.5Hp	1Hp	1Hp	2Hp	3Hp
Phase	Single/ Three					



### LEMON CUTTING MACHINE

Operation	Pneumatic
Capacity	1200 pcs / hr
food contact area is	food grade material
Cutting	2pcs , 4 pcs & 6 pcs available
Additional	1Hp air compressor additionally required



## POTATO PEELER

Model	10 kg	15kg	20 kg	25kg	30 kg and above
Motor Capacity	1 Hp	1hp	1.5hp	1.5 hp.	2 hp
Machine weight	45 kg	60 kg	70 kg	78 kg	85 kg



## POTATO CHIPS MAKING MACHINE

Capacity	150 -200 KG / hr
Motor	1hp , 1Ph
Material	Stainless Steel
Die Details	Lays Die, Finger Die , Slicer Die available



## TAPIOCA SLICER

Capacity	150 -300 KG / hr
Motor	2 hp, 1 ph
Material	Stainless Steel
Die Details	Lays Die, Finger Die , Slicer Die available



## ROASTER / COATING MACHINE

Heating Method	LPG
Bowl Capacity	From 5kg onwards
Material	SS
Type	Tilting Type & Open type
Material	SS – Food Grade

## VEGETABLE CUTTER MACHINE



SLICERS	GRATERS	DICERS	FRENCH FRIES	LAYS
1.2, 3mm & 6mm, 10mm & 15mm	3mm, 4mm, 5mm	10x10x10 15x15x15mm 20x20x15mm	3x3mm, 4x4mm 6x8mm, 6x10mm	2.5mm, 3.5mm

## BANANA SLICER





**SHAWARMA MACHINE**  
TYPE ELECTRIC & GAS



**GRILL MACHINE**  
CAPACITY 9 to 25 Birds



**2 in 1 PULVERIZER**  
CAPACITY : 2hp, 3hp,  
5hp etc..



**POPCORN MACHINE**  
Capacity 250gms 300gms  
500gms 1kg etc



**SUGARCANE JUICE  
MACHINE**  
Model : Electric & Diesel



**ELECTRIC KADAI**  
Capacity : 10Ltrs  
to 20 Ltrs



**DOMESTIC FLOUR MILL**  
Capacity 5 to 10 Kgs



**CHICKEN FEATHER  
CLEANER**  
Capacity 3 to 10 Birds



**DOUGH SHEETER**  
Thickness can be Adjustable  
according to customers need.



**MANGO JUICER**  
Capacity 30 to  
50kg / Hr



**RICE WASHER**  
Capacity 25kg & 50kg



**DEEP FRIER**  
Capacity 5 to 20 Ltr



**Dry Fruit Cutter**  
Capacity 100 -150kg / Hr



**GARLIC PEELER**  
Capacity 10-15Kg / Hr



**HEAVY DUTY MASALA  
GRINDER** Capacity : 300gms,  
500gms, 1000gms



**IDLY STEAMER**  
Capacity 6,8,10,12 Plates



**Factory :** Aishwarya Garden, Rajiv Gandhi Salai, Ganapathy, Coimbatore - 641006.

**Sales :** 98433 80909, 99433 80909, 99945 80909, 98433 80955 **Service :** 97862 80909

**Website :** www.arruthrafoodmachines.com **E-mail :** arruthrafoodmachines@gmail.com