



Table Model



Floor Model

PLATELET INCUBATOR/AGITATOR

Platelet Incubator/Agitator

'Aicil Platelet Incubator' is designed to store platelet concentrate in continuous motion for use in blood banks. The outer body made of mild steel powder coated; inner chamber is fabricated of stainless steel 304 grade. The system includes micro-controller based LCD graphic display which ensures crystal clear and accurate temperature value from long distance. Chamber mounting electrical outlet available for agitator. Forced air circulation inside the chamber for temperature uniformity. Glass window in the door for clear visibility inside the chamber.

'Aicil' Platelet Agitator is designed to store platelet bags with good ventilation and continuous motion. Steel plated sliding trays can be removed for cleaning as well as easy removal and loading of bags in the tray. Heavy duty bearing for smooth operation. Interface facility with Aicil incubator for auto stop when door open.

7days circular chart recorder

- CFC free PUF insulation.
- Audio-Visual alarm when the temperature deviates from the preset temperature.
- Agitator will stop when door open.
- LED lamp for chamber for internal visibility.

Model No.	API-24	API-48
Volume	125 Ltrs	200 Ltrs
Temperature	20°C	20°C
Temperature Controller	Digital display	Digital display
Temperature Recorder	7 days circular Chart	7 days circular Chart
Accommodating Capacity Acc.	One Agitator + 0.5°C	Two Agitator + 0.5°C
Power Supply	230 VAC 50 Hz	230 VAC 50 Hz

* GMP MODEL: Inside stainless steel 304, 0.8mm thick and outside stainless steel 304, 1.00mm thick.