MATERIAL SAFETY DATA SHEET

SODA ASH LIGHT (Sodium Carbonate, Anhydrous)

MSDS Ref. No.: 497-19-8 Date Approved: 09/10/2007

Revision No.: 6

1. PRODUCT AND COMPANY IDENTIFICATION PRODUCT NAME: Sodium Carbonate, Anhydrous

ALTERNATE PRODUCT NAME(S): Soda Ash, Sodium Carbonate Anhydrous

GENERAL USE: Glass manufacture, detergent manufacture, sodium chemicals and carbonate chemicals manufacture, pulp and paper, brine treatment, water hardness removal, pH adjustment in water or waste water, flue gas desulfurization, coal treatment, ion exchange resin regeneration.

This chemical is certified to ANSI/NSF Standard 60, Drinking Water Chemicals-Health Effects (as packaged in the original, unopened container). The maximum dosage level for this chemical is 150 mg/L

MANUFACTURER: YINGCHENG SHINDOO CHEMI-INDUSTRY CO.,LTD.

Add: No.77 Puyang Road, Yingcheng, Hubei

EMERGENCY TELEPHONE NUMBERS: 86-712-3245290

Fax No: 86-712-3224372

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- * White, odorless, granular solid.
- * Product is non-combustible.
- * Reacts with acids to release carbon dioxide gas and heat.
- * Irritating to the eyes and continuous contact may irritate the skin.
- * Not expected to be toxic to the environment, nor to aquatic organisms.

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

POTENTIAL HEALTH EFFECTS: Direct contact with the product causes irritation of the eyes and continuous contact may cause skin irritation (red, dry, cracked skin). Excessive levels of

airborne dust may irritate the mucous membranes and upper respiratory tract.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name CAS# Wt.% EC No. EC Class Sodium carbonate 497-19-8 99.8 207-838-8 Xi. R36

4. FIRST AID MEASURES

EYES: Immediately flush with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. See a medical doctor or ophthalmologist as necessary.

SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

INGESTION: Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

NOTES TO MEDICAL DOCTOR: While internal toxicity is low, irritant effects of high

concentrations may produce corneal opacities, and vesicular skin reactions in humans with abraded skin only.

Treatment is symptomatic and supportive.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water, water fog, carbon dioxide (CO2), dry chemical

FIRE / EXPLOSION HAZARDS: Not applicable

FIRE FIGHTING PROCEDURES: Wear full protective clothing and self-contained

breathing apparatus.

FLAMMABLE LIMITS: Not applicable

HAZARDOUS COMBUSTION PRODUCTS: Fumes of sodium oxide.

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

SENSITIVITY TO IMPACT: None

SENSITIVITY TO STATIC DISCHARGE: None

6. ACCIDENTAL RELEASE MEASURES

COMMENTS: PERSONAL PRECAUTIONS: Refer to Section 8 "Exposure Controls / Personal Protection".

CONTAINMENT: Prevent large quantities of this product from contacting vegetation or waterways; large spills could kill vegetation and fish.

CLEAN-UP: This product, if spilled, can be recovered and re-used if contamination does not present a problem. Vacuum or sweep up the material. If the spilled product is unusable due to contamination, consult state or federal environmental agencies for acceptable disposal procedures and locations. See Section 13 "Disposal Considerations".

NOTIFICATION REQUIREMENTS: Federal regulations do not require notification for spills of this product. State and local regulations may contain different requirements; consult local authorities.

7. HANDLING AND STORAGE

HANDLING: Use air conveying / mechanical systems for bulk transfer to storage. For manual handling o bulk transfer use mechanical ventilation to remove airborne dust from rail car, ship or truck. Use approved respiratory protection when ventilation systems are not available. Selection of respirators is based on the dust cloud generation. Keep material out of lakes, streams, ponds and sewer drains.

STORAGE: Store in a cool dry area, away from acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Where possible, provide general mechanical and/or local exhaust ventilation to prevent release of airborne dust into the work environment.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Appropriate eye and face protection equipment (ANSI Z87 approved) should be selected for the particular use intended for this material. Safety glasses with side shields are recommended.

RESPIRATORY: Whenever dust in the worker's breathing zone cannot be controlled with ventilation or other engineering means, workers should wear respirators or dust masks approved by Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

NIOSH/MSHA, EU CEN or comparable certification organization to protect them against airborne dust.

PROTECTIVE CLOTHING: Dry product is generally non-irritating to intact skin.

However, this product can be irritating where skin has been damaged and can create skin irritation after long exposures when moisture is present. Under such conditions, gloves and long-sleeved clothing are recommended to minimize skin contact.

COMMENTS:

ADDITIONAL EXPOSURE GUIDELINES:

Federal guidelines treat the ingredient(s) in this product as a nuisance dust, as no product-specific guidelines have been issued for exposure. As with all nuisance dusts, worker breating zone concentrations should be measured by validated sampling and analytical methods. The following limits (OSHA and MSHA) apply to this material:

Particulates Not Otherwise Regulated:

OSHA (PEL / TWA): 15 mg/m3 (total dust); 5 mg/m3 (resp fraction)

MSHA (PEL / TWA): 10 mg/m3 (total dust)

The information noted above provides general guidance for handling this product. Specific work environments and material handling practices will dictate the selection and use of personal protection equipment (PPE).

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Odorless

APPEARANCE: White, granular solid.

AUTOIGNITION TEMPERATURE: Not applicable

BOILING POINT: Decomposes

COEFFICIENT OF OIL / WATER: Not applicable

DENSITY / WEIGHT PER VOLUME: (g/ml) Dense Grades = 0.86 - 1.12; Light Grades = 0.70

- 0.90

EVAPORATION RATE: Not applicable (Butyl Acetate = 1)

FLASH POINT: Non-combustible FREEZING POINT: 851oC (1564oF) ODOR THRESHOLD: Not applicable OXIDIZING PROPERTIES: Not applicable

PERCENT VOLATILE: Not applicable

Page 4 of 10

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

pH: 11.4 (1% solution)

SOLUBILITY IN WATER: 33.2 % maximum SPECIFIC GRAVITY: 2.509 (water = 1)

VAPOR DENSITY: Not Applicable VAPOR PRESSURE: Not applicable 10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Contact with acids except under controlled conditions.

STABILITY: Stable

POLYMERIZATION: Will not occur

INCOMPATIBLE MATERIALS: Reacts with acids with release of large volumes of carbon dioxide gas and heat.

HAZARDOUS DECOMPOSITION PRODUCTS: Heated to decomposition, it emits fumes of sodium oxide.

COMMENTS:

Materials to Avoid: Aluminum powder, acids, fluorine, molten lithium

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Severe irritant (rabbit) [Toxicology 23:281 (1982)]

SKIN EFFECTS: Non-irritating to intact skin. Minor irritation may occur on abraded skin.

[Toxicol. Appl. Pharmacol. 31:481 (1975)]

DERMAL LD50: No data available for the product.

ORAL LD50: 4,090 mg/kg (rat) [RTECS 1986]

INHALATION LC50: 2.3 mg/l (2 h) (rat) [Environ, Res. 31:138 (1983)]

SENSITIZATION: 0.25% sodium carbonate: Non-sensitizing (human) [Toxicol. Appl.

Pharmacol. 31:481 (1975)] TARGET ORGANS: Eyes

ACUTE EFFECTS FROM OVEREXPOSURE: May cause severe irritation of the eyes, including corneal opacities. Dusts and mists may be irritating to the skin, mucous membranes and upper respiratory tract. No significant acute toxicological effects expected.

Page 5 of 10

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the

product.

CARCINOGENICITY:

NTP: Not listed IARC: Not listed OSHA: Not listed

OTHER: (ACGIH) Not listed

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: 96-hour LC50 = 265 - 565 mg/L (daphnia magnia) (low toxicity) 96-hour LC50 = 300 - 320 mg/L (bluegill sunfish) (low toxicity) CHEMICAL FATE INFORMATION: Biodegradability does not apply to inorganic

substances. No significant toxicity to aquatic organisms is expected.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: When this product is discarded or disposed of, as purchased, it is neither a characteristic nor a listed hazardous waste according to US Federal RCRA regulations (40 CFR 261). As a non-hazardous waste the material may be disposed of in a landfill in accordance with government regulations; check local or state regulations for applicable requirements prior to disposal. Any processing, usage, alteration, chemical additions to, or contamination of, the product may alter the disposal requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

PROPER SHIPPING NAME: Not regulated

PRIMARY HAZARD CLASS / DIVISION: Not applicable

UN/NA NUMBER: None LABEL(S): Not applicable

Page 6 of 10

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

PLACARD(S): Not applicable MARKING(S): Not applicable

ADDITIONAL INFORMATION: Hazardous Substance/RQ: Not applicable

49 STCC Number: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

ADDITIONAL INFORMATION: Not regulated

ADR - EUROPEAN AGREEMENT CONCERNING THE

INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

ADDITIONAL INFORMATION: Not regulated

INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) / INTERNATIONAL AIR

TRANSPORT ASSOCIATION (IATA)

ADDITIONAL INFORMATION: Not regulated

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370):

Immediate (Acute) Health Hazard

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs;

however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:

None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372): Not listed

Page 7 of 10

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND

LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):

Not listed

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA INVENTORY STATUS (40 CFR 710): Listed

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA)

RCRA IDENTIFICATION OF HAZARDOUS WASTE (40 CFR 261):

Waste Number: Refer to Section 13 "Disposal Considerations" for RCRA status.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):

Product Identification Number: Not applicable

Hazard Classification / Division: Toxic, Class D, Div. 2, Subdiv. B

Ingredient Disclosure List: Listed

E NUMBERS:

E 500

EU EINECS NUMBERS:

011-005-00-2

INTERNATIONAL LISTINGS

Australia (AICS): Listed

Korea: KE-31380 Japan (ENCS): (1)-164 Philippines (PICCS): Listed

China: Listed COMMENTS:

CLEAN WATER ACT (CWA) - SECTION 307 / 311

Not listed as a hazardous pollutant (40 CFR 116), nor as a toxic pollutant (40 CFR 401.15)

CLEAN AIR ACT (CAA) - SECTION 112

Not regulated under the chemical accident prevention provisoins (40 CFR 68)

Page 8 of 10

Sodium Carbonate, Anhydrous (497-19-8) Date: 01/26/2004

16. OTHER INFORMATION

HAZARD, RISK AND SAFETY PHRASE DESCRIPTIONS:

Sodium carbonate:

EC Symbols: Xi (Irritant)

EC Risk Phrases: R36 (Irritating to eyes.)

EC Safety Phrases: S2 (Keep out of the reach of children.)

S22 (Do not breathe dust.)

S26 (In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice)

HMIS

Health 2

Flammability 0

Physical Hazard 0

Personal Protection (PPE) B

Protection = B (Safety glasses and gloves)

HMIS = Hazardous Materials Identification System

Degree of Hazard Code:

4 = Severe

3 = Serious

2 = Moderate

1 = Slight

0 = Minimal

NFPA

Health 2

Flammability 0

Reactivity 0

Special None

No special requirements

NFPA = National Fire Protection Association

Degree of Hazard Code:

- 4 = Extreme
- 3 = High
- 2 = Moderate
- 1 = Slight
- 0 = Insignificant