

Rogue ET 200iP

TIG Welding Power Source



Rogue ET 200iP

Compact & Lightweight Design

Rogue's next-level technology gives precise, professional and consistent control for a smooth, stable performance every time. No other machine comes close to matching Rogue's strength. The ESAB DNA code gives great robustness locked in very compact housing.

The High-frequency TIG start ensures you do not experience failure on ignition. The advanced TIG controls including gas pre-flow, post flow, start current, end current helps deliver superior quality.

Rogue ET performs with exceptional arc characteristics, both in TIG and MMA modes. Its user adjustable Hot Start or Arc Force helps you match the best welding performance in MMA applications.

- Perfect heat input control with Pulse features
- Robust and rigid fiberglass-molded housing to withstand high impact
- Enclosure class IP23S suitable for both fabrication floor and site applications
- Large precise digital display


Visit esab.com for more information.

Industry or Process

- Food & Beverage
- Repair & Maintenance
- Civil Construction
- Agricultural Equipment
- Industrial and General Fabrication



Control Panel



Rogue ET 200iP

Specifications	
Mains Supply, V / Ph,Hz	230V ± 15% / 1, 50/60
Maximum Input Current, A	43
I _{1eff} , A	21.5
MMA Output Range, A	20-200
TIG Output Range, A	10-200
Open Circuit Voltage, V	63
Duty Cycle	MMA 200 A / 28 V @ 25% 129 A / 25.2 V @ 60% 100 A / 24 V @ 100%
	TIG 200 A / 18 V @ 25% 129 A / 15.2 V @ 60% 100 A / 14 V @ 100%
Protection Class	IP23S
Weight, Kg	8.7
Dimensions, mm	403 x 153 x 264

Ordering Information	
Description	Part Number
Rogue ET 200iP	0700500075

Rogue ET 200iP delivered with Power source with 3 m main cable and plug, shoulder strap, 4 m TIG Torch and 3 m return cable with clamp.



ESAB / esab.com

