



HANDYARC MIG

**WELDING HAS NEVER
BEEN SO EASY.**

HandyArc MIG 200i

MAG

WITHOUT
SHIELDING
GAS

MIG

WITH
SHIELDING
GAS

MMA

STICK
ELECTRODES





- Error indicator
- Power ON
- Wire Diameter Adjustment
- Weld plate thickness Adjustment
- Digital Display
- Current/ wire feed speed adjustment
- Voltage Adjustment
- VRD ON
- VRD OFF
- Function MIG (GMAW)
- Function MMA (SMAW)
- Function MAG (FCAW)
- Function Selection
- Encoder for all parameter adjustment



QUICKSET TECHNOLOGY, WELDING HAS NEVER BEEN SO EASY.



1

**SELECT WELDING
PROCESS**



2

**SELECT MIG/MAG
WIRE DIAMETER**



3

**SELECT WELDING
PLATE THICKNESS**





**UPTO 200MM
(5KG) MIG/ MAG
WIRE SPOOL**



**EURO TORCH
CONNECTION**



HandyArc MIG 200i

SPECIFICATION

Input Connection	220v(±) 10%, 1 Phase
Technology	IGBT (Inverter)
Process	MAG/ MIG/ MMA
OCV	82V
VRD Feature	Available
Weight	10.2kg
Dimensions	206.3 X 439.7 X 308 mm
Insulation Class	H
IP Class	IP21S

