



ESAB Cutting Blowpipes are well-balanced with rugged design and offer both Injector and Nozzle Mix design hand cutting torches. The forged brass construction of body and angle head ensure high strength and long life. Its precise valve design ensures smooth gas flow and fine gas control. The specially designed nozzles ensure non-turbulent efficient gas flow to provide smooth clean cuts with minimal kerf loss and long life. The strict quality assurance protocols enforces the highest level of priority on Safety and all products are BIS certified.

Model	Gas Service	Mixing Type	Cutting Capacity (mm)	Suitable Head Angle	Suitable length (mm)	Inlet Connection
CUTOGEN 5 Cutting Torch	Oxygen and Fuel (Acetylene/Propane)	Injector Mix	300	90°/180°	450/600/900/1200/1500/1800	3/8 BSP RH & LH M
NM Cutting Torch	Oxygen and Fuel (Acetylene/Propane)	Nozzle Mix	300	90°/75°	450/600	3/8 BSP RH & LH M

Metal Thickness (mm)	Injector Mix		Nozzle Mix	
	Oxy-Acetylene (Single Part & 2 Seat)	Oxy-LPG (Two Part & 2 Seat)	Oxy-Acetylene (Single Part & 3 Seat)	Oxy-LPG (Two Part & 3 Seat)
6	A-8 (1/32")	COOLEX 8 (1/32")	ANM-8 (1/32")	PNM-8 (1/32")
13	A-12 (3/64")	COOLEX 12 (3/64")	ANM-12 (3/64")	PNM-12 (3/64")
25 -100	A-16 (1/16")	COOLEX 16 (1/16")	ANM-16 (1/16")	PNM-16 (1/16")
150	A-20 (5/64")	COOLEX 20 (5/64")	ANM-20 (5/64")	PNM-20 (5/64")
200	A-24 (3/32")	LPG P 24 (3/32")	ANM-24 (3/32")	PNM-24 (3/32")
300	A-32 (1/8")	LPG P 32 (1/8")	ANM-32 (1/8")	PNM-32 (1/8")