



GO ROGUE

WITH RULE-DEFYING MMA/TIG PERFORMANCE.

BREAK AWAY FROM CONVENTION WITH THE RULE-DEFYING ROGUE.

The days of entry-level mediocrity are over. With unconventional features, unprecedented performance, and an all-new industrial design, Rogue ushers in a new era of welding capability that will force you to rethink everything you expect from a portable MMA/TIG machine at this price point. Are you ready to go rogue?

ENTRY-LEVEL PERFORMANCE.

Rogue's next-level technology gives you precise, professional and consistent control for a smooth, stable performance every time. In MMA adjustable hot start and arc force helps for easy arc start and prevent electrode sticking. In TIG High-frequency TIG start with controls features like gas pre-flow, post-flow, start current, end current helps to deliver superior quality performance. Never before has an entry-level welder been packed with such high-quality performance.







PACIC POWER.

Throw away your preconceptions about welders in this class- Rogue's power stacks up against machines twice its price. In MMA Power Fact Control (PFC) technology allows for a highly efficient and steady arc that is resistant to power fluctuations which runs on 115V to 230V with 200 A, Rogue has the strength to crush jobs on thicker materials.

UNDERWHELMING STRENGTH.

No other machine at this price point comes close to matching Rogue's strength. Its robust and rigid fiberglass-moulded housing is built to withstand impact after impact, in the shop or in the field. Rogue is durable and weather resistant, with an IP23S rating for use in tough outdoor applications. Like every ESAB machine, Rogue comes with our industry-leading one-year warranty for unbeatable peace of mind. Goodbye, cheaply constructed welders.





POOR USABILITY.

Rogue has been tested in laboratories around the world to ensure it rises to global performance and usability standards. Its easy-to-use interface contains a large, precise digital display that can be easily read from up to 25 m away.



SPECIFICATIONS			
Product Specifications	Rogue ES200i PRO		Rogue ET 200iP
PFC Module	Yes		No
Input Voltage	230V ± 15%	115V ± 15%	230V ± 15%
Maximum Input Current	30 A	29 A	43A
Input Power	6.9 KVA	3.3 KVA	6 KVA
I1eff	15 A	14.5 A	21.5 A
MMA Output Range	20-200 A	20-110 A	20-200 A
TIG Output Range	10-200 A	10-140 A	10-200 A
Open Circuit Voltage	78 V		63 V
Duty Cycle	MMA 200 A/28 V @ 25% 129 A/25.2 V @ 60% 100 A/24 V @ 100%	MMA 110 A/24.4 V @ 25% 70 A/22.8 V @ 60% 55 A/22.2 V @ 100%	MMA 200 A/28 V @ 25% 129 A/25.2 V @ 60% 100 A/24 V @ 100%
	TIG 200 A/18 V @ 25% 129 A/15.2 V @ 60% 100 A/14 V @ 100%	TIG 140 A/15.6 V @ 25% 90 A/13.6 V @ 60% 70 A/12.8 V @ 100%	TIG 200 A/18 V @ 25% 129 A/15.2 V @ 60% 100 A/14 V @ 100%
Generator	7 kVA	4 kVA	7 kVA
Weight	8.2 kg		8.7 kg
Dimensions	403 x 153 x 264 mm		403 x 153 x 264 mm
Protection Class	IP23S		IP23S
ORDERING INFORMATION			
Model Number	0700500074		0700500075







Rogue ES 200i Pro - Power source with 3 m main cable and plug. shoulder strap, electrode holder and 3 m return cable with clamp.



Rogue ET 200iP - Power source with 3m main cable and plug, shoulder strap, 4m Tig Torch and 3m return cable with clamp.

UNRIVALLED SERVICE AND SUPPORT.

Rogue, like every ESAB machine, is backed by our commitment to superior customer service and support. Our skilled customer service department is prepared to quickly answer any questions, address problems, and help with maintenance and upgrading of machines.

For more information on Rogue, visit esab.com/rogue.

1-YEAR WARRANTY.

ESAB's industry-leading service and support means that if customers do need help, they will be protected by the most comprehensive warranty in the business.



THE MACHINES AND METALS YOU NEED.

When choosing a top-performing welding machine, you should also choose top-performing ESAB filler metals to maximise your investment. Learn more by visiting esab.com/fillermetals.



Registered and Head Office:

ESAB India Limited

13, 3rd Main Road, Industrial Estate, Ambattur, Chennai - 600 058. Tel: +91(0) 44 4228 1100, Fax: +91(0) 44 4228 1150 Email: info@esab.co.in

esabindia.com











XA00221897 / INDIA / English / 05-02-21. ESAB reserves the right to alter specifications without