



ISO 9001:2015 CERTIFIED COMPANY

# Jamdagni Safety India Co.

Think Safety, Think Jamdagni  
India's Largest Manufacturer Co.  
for Road Safety Products



**SAFETYINDIA™**



# ISO 9001:2015 CERTIFIED CO.



## CERTIFICATE

### JAMDAGNI SAFETY INDIA CO.

Plot No-143/632, Near Sun Dharam Kanta,  
Kanjhawala Industrial Area, Delhi, 110081, India

has been assessed and found to be in conformance to the requirements of

### ISO 9001:2015 Quality Management System

Supply of Road Safety Personal Equipment Industrial Chemicals and  
Lubricant Oil

Certificate Number: IMS-QM-2100-911604001

Date of initial registration	16-04-2021
Date of this certificate	16-04-2021
Certificate Expiry	15-04-2022*
Recertification Due	15-04-2024

\*After successfully completion of Annual Surveillance Audit, New Certificate will be issued.  
Registration deemed cancelled, if annual surveillance audit does not conduct.



Auth Sign

## IMS CERTIFICATIONS

Accreditation by QABCB, 196 Rose Street. Edinburgh. United Kingdom. EH2 4AT

M: +91 9899954899, E-Mail : [imscertdelhi@gmail.com](mailto:imscertdelhi@gmail.com), Website : [www.imscertifications.com](http://www.imscertifications.com)

# IEC CERTIFICATE

Application Status

Page 1 of 2



भारत सरकार

GOVERNMENT OF INDIA

वाणिज्य एवं उद्योग मंत्रालय

MINISTRY OF COMMERCE AND INDUSTRY

OFFICE OF ZONAL DIRECTOR GENERAL OF FOREIGN TRADE

मंडलीय संयुक्त महानिदेशक विदेश व्यापार का कार्यालय

CENTRAL LICENSING AREA, 'A' WING NEW DELHI-110002

आयातक-निर्यातक कोड (आईईसी) का प्रमाणपत्र

CERTIFICATE OF IMPORTER-EXPORTER CODE (IEC)

(This is a computer generated certificate. The authenticity of this document may be verified by clicking on 'View Your IEC' in the website of DGFT i.e. <http://dgft.gov.in>)

- |    |  |  |
|----|--|--|
| 1. | नाम/Name   | JAMDAGNI SAFETY INDIA CO   |
| 2. | पता/Address  | D-182, 1ST FLOOR,<br>PEERA GARHI CHOWK, ROHTAK ROAD<br>NEW DELHI WEST DELHI 110087                               |
| 3. | उस व्यक्ति का नाम व पदनाम जिनका फोटो ग्राफ अपलोड किया गया है। Name and Designation of the signatory applicant whose photograph has been uploaded | <br>ROHIT KUMAR<br>PROPRIETOR |
| 4. | ब्रांच/डिवीजन/इकाई का पता, यदि कोई हो। Address of the Branch/Div./Unit if any  | Branches<br>NIL  |
| 5. | आईईसी संख्या IEC Number  | 0516927248   |
| 6. | जारी करने की तिथि/Date Of Issue  | 14.06.2016   |
| 7. | स्थाई खाता सं. (पैन)/PAN   | CLAPK9911M   |

स्थान: /Place : New Delhi

(B.P.Meena)

दिनांक: /Date : 14.06.2016

विदेश व्यापार विकास अधिकारी/Foreign Trade Development Officer

[Issued From File.No./FPO/05/04/130/83389/AM17/ ] से दिनांक dated 14.06.2016

टिप्पणी/Note: 1. आईईसी धारक के नाम, पता एवं संविधान में किसी भी परिवर्तन के मामले में आईईसी धारक इसी बीच अनुसंगिक परिवर्तन की तारीख से 90 दिन की अवधि के बाद आईईसी के माई आयात-निर्यात करने का पत्र नहीं होगा। जब तक ऐसे परिवर्तन को संबंधित लाइसेंसिंग अधिकारी के पास आईईसी में प्रविष्ट करने हेतु प्रस्तुत। In case of any change in the Name/Address or Constitution of IEC holder, the IEC holder shall cease to be eligible to Import or against the IEC after expiry of 90 days from the date of such a change unless in the meantime, the consequential changes are effected in the IEC by the concerned Licensing Authority.

भारत सरकार/Government of India

<http://164.100.78.104:8080/dgftiec/ApplicationStatusDetails.jsp?docCode=HTM/PIECL/1....> 6/14/2016

# Certificate of Registration

This is to Certify that  
Environmental Management System of

## JAMDAGNI SAFETY INDIA CO.

PLOT NO -143/632, NEAR SUN DHARAM KANTA, KANJHAWALA INDUSTRIAL AREA,  
NORTH WEST DELHI- 110081, DELHI, INDIA

has been assessed and found to conform to the requirements of

### ISO 14001:2015

for the following scope :

MANUFACTURER OF VARIOUS KINDS OF ROAD SAFETY AND PERSONAL  
SAFETY PRODUCTS

Certificate No	: 22EEFR37	Issuance Date	: 18/02/2022
Initial Registration Date	: 18/02/2022		
Date of Expiry	: 17/02/2025		
1st Surve. Due	: 18/01/2023	2nd Surve. Due	: 18/01/2024



*Demu..*  
Director

**Magnitude Management Services Pvt. Ltd**

B-55, Lower Ground Floor, Sector 02, Noida-201301, U.P, India

e-mail: [info@mmscertification.com](mailto:info@mmscertification.com), website: [www.mmscertification.com](http://www.mmscertification.com)

\* Subject to Successful Surveillance Audit in case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn.

Certificate Verification: Please Re-check the validity of certificate at <http://www.mmscertification.com/clients.aspx> or [www.mmscertification.com](http://www.mmscertification.com) at Active Clients.  
Certificate is the property of Magnitude Management Services Pvt. Ltd. and shall be returned immediately when demanded.

# RUBBER SPEED BREAKER




**Code :** JS 001 RSB Diamond  
**Size :** 500L x 350W x 50H mm  
**End cap :** 350W x 175L x 50H mm



**Code :** JS 002 RSB Trapiziam  
**Size :** 500L x 350W x 50H mm  
**End cap :** 350W x 175L x 50H mm



**Code :** JS 003 Rubber Speed Breaker  
**Size :** 500L x 415W x 50H mm  
**End cap :** 415W x 175L x 50H mm



**Code :** JS 005 RSB Star  
**Size :** 250 x 350 x 50 mm



**Code :** JS 006 RSB Arrow  
**Size :** 500L x 400W x 50H mm  
**End cap :** 400W x 175L x 50H mm


# RUBBER SPEED BREAKER




**Code :** JS 007 RSB  
**Size :** 500L x 415W x 75H mm  
**End cap :** 415W x 180L x 75H mm



**Code :** JS 008 RSB Arrow  
**Size :** 500L x 415W x 75H mm  
**End cap :** 415W x 180L x 75H mm



**Code :** JS 009 Rubber Cable Protector  
**Size :** 500 x 470 x 50 mm



**Code :** JS 010 RSB Diamond  
**Size :** 500 x 425 x 75 mm



**Code :** JS 011 Rubber Rumbler Strip  
**Size :** 500 x 125 x 25 mm

# ABS/PE SPEED BREAKERS



**Code :** JS 012 ABS Speed Breaker  
**Size :** 250 X 350 X 50 mm




**Code :** JS 013 ABS Speed Breaker  
**Size :** 500 X 375 X 50 mm




**Code :** JS 014 ABS Speed Breaker  
**Size :** 750 X 250 X 75 mm



**Code :** JS 015 ABS Speed Breaker  
**Size :** 500 X 425 X 75 mm



**Code :** JS 016 ABS Rumbler Strip  
**Size :** 500 X 130 X 25 mm



**Code :** JS 017 ABS End Cap

# RUBBER CORNER GUARD



**Code :** JS 018 Round Shape  
Rubber Corner Guard  
**Size :** 1200 x 100 x 100 x 15 mm



**Code :** JS 019 Round Shape  
Rubber Corner Guard  
**Size :** 900 x 100 x 100 x 25 mm



**Code :** JS 020 Round Shape  
Rubber Corner Guard  
**Size :** 1000 x 100 x 100 x 15 mm



**Code :** JS 021 L Shape  
Rubber Corner Guard  
**Size :** 1000 x 100 x 100 x 8 mm



**Code :** JS 022 L Shape  
Rubber Corner Guard  
**Size :** 800 x 100 x 100 x 8 mm







# RUBBER DOCK BUMPER / RUBBER WHEEL CHOCK / PARKING BLOCK



**Code :** JS 023 Rubber Dock Bumper  
**Size :** 450 x 240 x 100 mm



**Code :** JS 024 Rubber Wheel Chock  
**Size :** 225 x 150 x 113 mm



**Code :** JS 025 Rubber Wheel Chock  
**Size :** 250 x 170 x 182 mm



**Code :** JS 026 Rubber Truck Wheel Chock  
**Size :** 325 x 200 x 225 mm



**Code :** JS 027 Rubber Parking Block  
**Size :** 500 x 165 x 125 mm



**Code :** JS 028 Rubber Parking Block  
**Size :** 600 x 120 x 100 mm

# SAFETY CONE



**Code :** JS 029 Safety Cone  
**Size :** 750H x Base 380 x 380 mm  
**Weight :** 1.2 Kg. Per Pc.



**Code :** JS 030 Safety Cone  
**Size :** 750H x Base 380 x 380 mm  
**Weight :** 3.5 Kg. Per Pc.



# PLASTIC SIGN BOARD / ROAD BARRIER



**Code :** JS 033 Barrier  
**Size :** 1500 x 400 x 950 mm



**Code :** JS 034 Barrier  
**Size :** 1000 x 500 x 800 mm




**Code :** JS 035 Sign Post  
**Size :** 1 Mt.  
**Weight :** 3.0 Kg. Per Pc.

SPRING POST / PLASTIC ROAD STUD / Q MANAGER / CONVEX MIRROR



**Code :** JS 037 Spring Post  
**Size :** 750 / 1000 mm  
**Base :** 200 x 200 mm



**Code :** JS 038 Plastic Road Stud  
**Size :** 102 x 90 x 14 mm



**Code :** JS 039 Q Manager  
**Size :** 1 Mtr  
**Base :** 320 x 320 mm



**Code :** JS 040 Convex Mirror



Dia (inch)	Dia (cm)
18"	45
24"	60
32"	80
40"	100



**Code :** JS 042 Aluminum Studs  
**Dimensions:** 100 mm X 100 mm X 20 mm  
**Material:** Aluminum Alloy Pressure Die Casted  
**Reflector:** Prismatic Reflector (Two way reflective)  
**Weight:** L 280/H 350 Grams  
**Colors :** Yellow, Red & White Reflector



**Code :** JS 043 Solar Studs  
**Dimensions:** 128 mm X 134 mm X 23 mm  
**Electronics:** Solar Panel 3.25 V/ 130 mA  
**Battery:** 1.2 V/ 1800 mAh NiMh  
**LED's:** 6 Nos. (Super Luminosity LED)  
**Weight:** L 300/H 400 Grams  
**Visibility:** 400 mtrs  
**Flashing Rate:** Around 60 to 100 times per minute as required  
**Colour:** Red, Yellow, Green  
**Reflector:** Prismatic Reflector (Two way reflective)  
**Material:** Polycarbonate, Aluminium  
**Weight:** 720 Grams

**Code :** JS 044 Solar Delineator  
**Dimensions:** Dia 80 mm X H 90 mm (Omni Directional)  
**Electronics:** Solar Panel 2.4 V/ 205 mA  
**Battery:** 1.2 V/ 1600 mAh NiMh LED's:  
6 Nos. (Super Luminosity LED)  
**Visibility:** 500 mtrs  
**Flashing Rate:** Around 60 to 100 times per minute as required  
**Colour:** Red, Yellow, White  
**Material:** Polycarbonate, ABS



**Code :** JS 045 Solar Blinker  
**Dimensions:** Dia 80 mm X H 90 mm (Omni Directional)  
**Electronics:** Solar Panel 2.4 V/ 205 mA  
**Battery:** 1.2 V/ 1600 mAh NiMh LED's:  
6 Nos. (Super Luminosity LED)  
**Visibility:** 500 mtrs  
**Flashing Rate:** Around 60 to 100 times per minute as required  
**Colour:** Red, Yellow, White  
**Material:** Polycarbonate, ABS

## SPECIFICATION OF SOLAR BLINKER



- CERTIFICATION : CE , ISO CERTIFIED
- LOAD POWER: 12
- IP RATING: IP65
- COLOR: AMBER / RED
- MATERIAL: METAL POWDER COATED
- BATTERY BACKUP: 48 HOURS
- BATTERY: 7AH EXIDE BATTERY
- DUSK TO DAWN OPERATIONS: AS PER ORDER
- SYSTEM VOLTAGE: 12V
- VIEW DISTANCE: 500MTR
- WORKING HOURS: 24HOURS
- LIGHTING TYPE: SOLAR
- 216 LED 5mm EACH
- 10AMP CHARGE CONTROLLER
- 20WATT SOLAR PANEL (MNRE APPROVED)

\*300mm SOLAR BLINKER WITH 7AH EXCIDE BATTERY AND 20 WATT SOLAR PANEL

**Code :** JS 045 Solar Blinker

**Dimensions:** Dia 80 mm X H 90 mm (Omni Directional)

**Electronics:** Solar Panel 2.4 V/ 205 mA **Battery:** 1.2 V/ 1600 mAh NiMh **LED's:** 6 Nos. (Super Luminosity LED) **Visibility:** 500 mtrs

**Flashing Rate:** Around 60 to 100 times per minute as required

**Colour:** Red, Yellow, White

**Material:** Polycarbonate, ABS





**Code :** JS 043 Solar Studs

**Dimensions:** 128 mm X 134 mm X 23 mm **Electronics:** Solar Panel 3.25 V/ 130 mA **Battery:** 1.2 V/ 1800 mAh NiMH

**LED's:** 6 Nos. (Super Luminosity LED) **Weight:** L 300/H 400 Grams **Visibility:** 400 mtrs

**Flashing Rate:** Around 60 to 100 times per minute as required

**Colour:** Red, Yellow, Green

**Reflector:** Prismatic Reflector (Two way reflective)

**Material:** Polycarbonate, Aluminium

**Weight:** 720 Grams



**Plastic Wheel chock**  
**Code-** JS-RWC-025  
**Size-** 250\*170\*182 mm  
**Weight-** 6 kg Approx



**Rubber Dock Bumper**  
**Code-** JS-RDB-D-028  
**Size-** 460\*220\*200  
**Weight-** 3 kg Approx




**Spring Post Bollard**  
**Code-** JS-SPRINGPOST-PU  
**Height-** 750 mm  
**Base-** 200\*200 mm





**Rubber Speed Breaker**  
Size- 250\*350\*50 mm



**Rubber Rumbler**  
Size- 500\*125\*25 mm





**SAFETY INDIA**™



## **Jamdagni Safety India Co.**

Factory : Kh. No. 581/143, Ground Floor, Kanjawla Industries Area, Delhi-110081

Website : [www.jamdagnisafetyindia.com](http://www.jamdagnisafetyindia.com) •

Email : [jamdagnisafetyindia@gmail.com](mailto:jamdagnisafetyindia@gmail.com)

Phone : 7838062224, 7838062225, 9215865655,