










SPARE PARTS CATALOGUE
RUILONG PLUS
(4LZ-6.0P)

Content		
No.	Description	Page No.
1	2.2m Header And Conveyor Spare Parts	1-7
2	2.36m Header And Conveyor Spare Parts	8-14
3	Thresher Spare Parts	15-22
4	Chassis Spare Parts	23-25
5	GrainTank Spare Parts	26-29
6	Other Spare Parts	30-33
7	Cabin Spare Parts	34-35
8	Small Grain Tank Spare Parts	36-37
9	85 Gear Box Spare Parts	38-41
10	4G33TC Engine Spare Parts	42-46
11	45CC HST Spare Parts	47-49
12	Standard Parts	50-55













2.2m Header And Conveyor Spare Parts

<p>1</p>  <p>Reel Belt (C2700) Code:W2.5E-01XCP-01-18 Weight(kg):0.8</p>	<p>2</p>  <p>Frame Assy,Header Code:W3.5-01A-01D-01-00 Size(mm):2430*700*800 Weight(kg):104</p>	<p>3</p>  <p>Header Auger Weld Code:W2.5E-01D-01-02B-01-00 Size(mm):L:2200 W:500 Φ:300 Weight(kg):52.4</p>
<p>4</p>  <p>Plate Weld Code:W2.5E-01M-01-05-01-00 Size(mm):845*890*24 Weight(kg):5.3</p>	<p>5</p>  <p>Eccentric Plate Weld Code:W2.5E-01M-01-05-02-00 Size(mm):845*890*24 Weight(kg):4.9</p>	<p>6</p>  <p>Plate Weld Code:W2.5E-01M-01-05-14-00 Size(mm):845*890*24 Weight(kg):5.3</p>
<p>7</p>  <p>Reel Bar Weld(I) Code:W2.0B-01B-01-05Q-06-00 Size(mm):L:2140 Teeth:17 L(teeth):240 Weight(kg):8.3</p>	<p>8</p>  <p>Reel Bar Weld(II) Code:W2.0B-01B-01-05Q-15-00 Size(mm):L:2140 Teeth:18 L(teeth):240 Weight(kg):8.5</p>	<p>9</p>  <p>Reel Spring Teeth(Left-Handed) Code:W2.5E-01M-01-05-06-02 Size(mm):280*85*34 Φ:6 Weight(kg):0.1</p>
<p>10</p>  <p>Shaft Weld,Middle Code:W2.0B-01B-01-05D-17-00 Size(mm):2340*185*170 Weight(kg):11.95</p>	<p>11</p>  <p>Shaft Seat Assy,Right Code:W2.0B-01B-01-05Q-03-00 Size(mm):200*125*110 Φ:55 φ:45 Weight(kg):1.5</p>	<p>12</p>  <p>Belt Pulley Weld,Reel Code:W2.5E-01XCP-01-05-03-00 Size(mm):Φ280 φ:25 H:32 Weight(kg):3</p>













2.2m Header And Conveyor Spare Parts

<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">13</div>  <p>Eccentric Plate, Adjusting Code:W2.0B-01B-01-05Q-11-00 Size(mm):220*220*32 Φ:60 φ:54 Weight(kg):1</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">14</div>  <p>Nylon Seat Code:W2.0B-01B-01-05Q-13 Size(mm):65*16*45 Weight(kg):0.01</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">15</div>  <p>Eccentric Roller Assy Code:W2.0B-01B-01-05Q-12-00 Size(mm):L:55 Φ:45 φ:36 Weight(kg):0.24</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">16</div>  <p>Shaft Seat Weld, Left Code:W2.0B-01B-01-05Q-07-00 Size(mm):Φ:285 φ:45 H:55 Weight(kg):2</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">17</div>  <p>Bearing Seat, Header Auger Code:W2.0-01-01-02-14 Size(mm):125*75*23 Φ:75 Weight(kg):0.4</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">18</div>  <p>Seat Weld, Adjusting Code:W2.5E-01M-01-02-16-00 Size(mm):260*100*25 Weight(kg):0.6</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">19</div>  <p>Active Shaft Weld Code:W2.0B-01B-01-02-03-00 Size(mm):550*Φ20 Weight(kg):3.7</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">20</div>  <p>Seat, Telescopic Teeth Code:W2.0-01-01-02-07-01 Size(mm):62*45*26 φ:25 Weight(kg):0.05</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">21</div>  <p>Guide Sleeve, Telescopic Teeth Code:W2.0-01-01-02A-11 Size(mm):62*45*26 φ:25 Weight(kg):0.05</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">22</div>  <p>Bearing Seat CY205 Code:CY205 Size(mm):Φ:95 φ:49 H:10 Weight(kg):0.09</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">23</div>  <p>Slider, Header Auger Code:WD.1.4-06 Size(mm):80*42*31 Weight(kg):0.36</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">24</div>  <p>Eccentric Adjusting Shaft Code:W2.5E-01D-01-02A-13 Size(mm):850*Φ25 Weight(kg):3.2</p>

2.2m Header And Conveyor Spare Parts

<p>25</p>  <p>Shaft, Telescopic Teeth Code:W2.5E-01B-01-02A-05 Size(mm):999.5*Φ25 Weight(kg):2.9</p>	<p>26</p>  <p>Arm Radial A Code:W2.0-01-01-02-04 Size(mm):L:125 W:26 Φ(big):66 φ(big):52 Φ(small):40 φ(small):20 Weight(kg):0.5</p>	<p>27</p>  <p>Rod, Telescopic Teeth Code:W2.0-01-01-02A-07-02 Size(mm):220*Φ15 Weight(kg):0.2</p>
<p>28</p>  <p>Chain Wheel Weld Code:W2.5E-01B-01-02D-03-00 Size(mm):Φ:220 φ:100 H:35 Teeth:29;52 Weight(kg):2.45</p>	<p>29</p>  <p>Arm Radial Code:W.1.4-06 Size(mm):110*45*30 Φ:25 Weight(kg):0.39</p>	<p>30</p>  <p>Spring, Header Clutch Return Code:WL7B-07-05-15 Size(mm):125*Φ30 Knots:13 Weight(kg):0.15</p>
<p>31</p>  <p>Nylon Sleeve B Code:W2.5E-01B-01-22 Size(mm):60*30*50 Weight(kg):0.01</p>	<p>32</p>  <p>Nylon Sleeve A Code:W2.5E-01B-01-21 Size(mm):50*25*40 Weight(kg):0.01</p>	<p>33</p>  <p>Tension Pulley Assy Code:W2.5E-01B-01-15-00 Size(mm):85*Φ70 Weight(kg):0.32</p>
<p>34</p>  <p>Tension Pulley Assy Code:W2.5E-01B-01-11-00 Size(mm):65*Φ70 Weight(kg):0.32</p>	<p>35</p>  <p>Chain Code:08B-1×114 Joints:114 Weight(kg):1</p>	<p>36</p>  <p>Chain Code:08B-1×98 Joints:98 Weight(kg):0.9</p>

2.2m Header And Conveyor Spare Parts

<p style="text-align: right; font-weight: bold;">37</p>  <p>Conveyor Teeth, Left Code: W2.0-01-01-03G-18 Size(mm): 135*70*2 Weight(kg): 0.29</p>	<p style="text-align: right; font-weight: bold;">38</p>  <p>Conveyor Teeth, Right Code: W2.5E-01D-01-03-01 Size(mm): 1215*68*2.5 Weight(kg): 0.9</p>	<p style="text-align: right; font-weight: bold;">39</p>  <p>Cutter Bar Assy, Blade Fixed Code: W2.5E-01D-01-03-03-00A Size(mm): 2350*115*50 Blades: 29+0.5+0.5 Weight(kg): 5.9</p>
<p style="text-align: right; font-weight: bold;">40</p>  <p>Bar, Blade Fixed Code: W2.0B-01B-01-03G-02 Size(mm): 2405*40*40 Weight(kg): 6.6</p>	<p style="text-align: right; font-weight: bold;">41</p>  <p>Blade Guide B Code: W2.0-01-01-03G-04 Size(mm): 155*105*40 Weight(kg): 0.55</p>	<p style="text-align: right; font-weight: bold;">42</p>  <p>Blade Guide C Code: W2.0-01-01-03G-05 Size(mm): 172*155*40 Weight(kg): 1</p>
<p style="text-align: right; font-weight: bold;">43</p>  <p>Blade Code: W2.0-01-01-03G-03-05 Size(mm): 85*75*1.8 Weight(kg): 0.07</p>	<p style="text-align: right; font-weight: bold;">44</p>  <p>Cleaning Blade Code: W2.0-01-01-03-03-03 Size(mm): 85*42*2 Weight(kg): 0.04</p>	<p style="text-align: right; font-weight: bold;">45</p>  <p>Rivet Code: 5*24 Size(mm): Φ5 Weight(kg): 0.01</p>
<p style="text-align: right; font-weight: bold;">46</p>  <p>Friction Plate Code: W2.0-01-01-03G-06 Size(mm): 70*35*2 Weight(kg): 0.06</p>	<p style="text-align: right; font-weight: bold;">47</p>  <p>Friction Plate Code: W2.0-01-01-03G-08 Size(mm): 105*35*2 Weight(kg): 0.09</p>	<p style="text-align: right; font-weight: bold;">48</p>  <p>Reel Pulley Assy, Speed Changing Code: W2.5E-01XCP-01-04A-01-00 Size(mm): Φ150 φ:22 H:40 Weight(kg): 1.6</p>

2.2m Header And Conveyor Spare Parts

<p>49</p>  <p>Shaft Weld, Frame Code:W2.0B-01B-01-04-04-00 Size(mm):L:2370 Φ:30 Weight(kg):6.85</p>	<p>50</p>  <p>Spring Code:W3.5-01AC-01-04-09 Size(mm):65*Φ30 Knots:8 Weight(kg):0.05</p>	<p>51</p>  <p>Chain Wheel Weld Code:W2.5E-01B-01-04-11-00 Size(mm):40*Φ230 Weight(kg):2</p>
<p>52</p>  <p>Belt Pulley Code:W2.5E-01XCP-01-04-01-02 Size(mm):Φ:150 φ:35 H:36 Weight(kg):1</p>	<p>53</p>  <p>Tension wheel Code:W2.5E-01XCP-01-04-08-01 Size(mm):Φ:95 φ:45 H:36 Weight(kg):0.15</p>	<p>54</p>  <p>Tension Arm Weld Code:W3.5-01AC-01-04-08-01-00 Size(mm):175*105*60 φ:20 Weight(kg):0.65</p>
<p>55</p>  <p>Rotary Axis Code:W2.5E-01B-01-04-08A-02 Size(mm):110*Φ20 Weight(kg):0.12</p>	<p>56</p>  <p>Bearing Code:W2.0-01-01-07-05-00 Size(mm):105*55*25 φ:20 Weight(kg):0.45</p>	<p>57</p>  <p>Upper Connecting Rod Weld Code:W2.0-01-01-07-06-00 Size(mm):L:755 Φ(upper):70 Φ(lower):30 Weight(kg):2</p>
<p>58</p>  <p>Upper Cutter Swing Lever Code:W2.0-01-01-07-01-02 Size(mm):160*135*60 Φ:45 Weight(kg):1.2</p>	<p>59</p>  <p>Pin Shaft Code:W2.0-01-01-07-01-09 Size(mm):70*Φ13 Weight(kg):0.07</p>	<p>60</p>  <p>Mandrel Code:W2.0-01-01-07-01-03 Size(mm):L:70 Φ:20 φ:10 Weight(kg):0.06</p>

2.2m Header And Conveyor Spare Parts

<p>61</p>  <p>Pendulum Shaft Code:W2.0-01-01-07-01-01 Size(mm):L:135 Φ(upper):15 Φ(middle):20 Φ(lower):15 Weight(kg):0.25</p>	<p>62</p>  <p>Eccentric Crank Weld Code:W2.5E-01B-01-07-02-02A-00 Size(mm):120*105*105 Teeth:23 Weight(kg):2</p>	<p>63</p>  <p>Shaft, Swing Rod Code:W2.5E-01D-01-07-02-05A Size(mm):L:375 Φ:35 φ:30 Weight(kg):2.35</p>
<p>64</p>  <p>Nylon Tension Wheel Code:WD.1F.33-02 Size(mm):Φ:65 φ:47 H:32 Weight(kg):0.05</p>	<p>65</p>  <p>Conveyor Weld Code:W3.5H-01-02-01A-00 Size(mm):L:1650 W(max):1205 W(shell):560 H:560 Weight(kg):96.2</p>	<p>66</p>  <p>Belt, Conveyor (B3201/3175) Code:W3.5H-01-02-11A Weight(kg):0.58</p>
<p>67</p>  <p>Conveyor Chain Assy Code:W3.5H-01-02-09-00 Size(mm):3180*455 Plates:14 Weight(kg):27.1</p>	<p>68</p>  <p>Conveyor Chain Code:W3.5-01A-02-09-01 (2060-84) Size(mm):3160*70*25 Weight(kg):4.2</p>	<p>69</p>  <p>Shaft Sleeve Code:W2.5E-01B-02-40 Size(mm):40*Φ80 Weight(kg):0.1</p>
<p>70</p>  <p>Chain Wheel, Conveyor Code:W2.5E-01B-02-04Y Size(mm):Φ(upper&lower):60 φ(upper&lower):40 Φ:170 H:55 Teeth:13 Weight(kg):2.35</p>	<p>71</p>  <p>Belt Pulley, Upper Shaft Code:W2.5E-01B-02-32 Size(mm):Φ:330 φ:40 H:55 Weight(kg):5.5</p>	<p>72</p>  <p>Sleeve Weld Code:W2.5E-01B-02-06A-00 Size(mm):L:3216 Φ:130 H:80 Weight(kg):1.25</p>

2.2m Header And Conveyor Spare Parts

<p>73</p>  <p>Upper Shaft Code:W2.5E-01B-02-05Y Size(mm):L:910 Φ(upper):16 Φ(lower):16 Φ(middle):40 Weight(kg):7.5</p>	<p>74</p>  <p>Spring Code:W2.0-01-02-05-01 Size(mm):124*Φ30 Knots:15 Weight(kg):0.16</p>	<p>75</p>  <p>Short Shaft Code:W2.5E-01B-02Y-02-04A Size(mm):L:88 W:35 Φ:24 Weight(kg):0.2</p>
<p>76</p>  <p>Hanging Plate Code:W2.5E-01B-02Y-09-03 Size(mm):L:455 W:45 H:25 Weight(kg):1</p>	<p>77</p>  <p>Adjust Bolt Welding Code:W2.5E-01B-02Y-02-03-00 Size(mm):L:150 Φ(upper):25 φ:12 Weight(kg):0.14</p>	<p>78</p>  <p>Arm Weld Code:W2.5E-01B-02-02-01-00 Size(mm):L:400 Φ:205 W:40 H:45 Weight(kg):1.5</p>
<p>79</p>  <p>Passive Wheel Shaft Code:W2.5E-01B-02-02-02 Size(mm):465*Φ28 Weight(kg):2</p>	<p>80</p>  <p>Passive Wheel Code:W2.5E-01B-02-02-03-00 Size(mm):405*Φ195 Weight(kg):10.5</p>	






2.36m Header And Conveyor Spare Parts

1	2	3
<p>Reel Belt (C2700) Code:W2.5E-01XCP-01-18 Weight(kg):0.8</p>	<p>Frame Assy.Header Code:W3.5D-01D-01-01C-00 Size(mm):2580*700*670 Weight(kg):108</p>	<p>Header Auger Weld Code:W3.5D-01D-01-02-01-00 Size(mm):L:2330 W:500 Φ:300 Weight(kg):55</p>
4	5	6
<p>Plate Weld Code:W2.5E-01M-01-05-01-00 Size(mm):845*890*24 Weight(kg):5.3</p>	<p>Eccentric Plate Weld Code:W2.5E-01M-01-05-02-00 Size(mm):845*890*24 Weight(kg):4.9</p>	<p>Plate Weld Code:W2.5E-01M-01-05-14-00 Size(mm):845*890*24 Weight(kg):5.3</p>
7	8	9
<p>Reel Bar Weld(I) Code:W3.5D-01D-01-05-06-00 Size(mm):L:2290 Teeth:18 L(teeth):240 Weight(kg):8.8</p>	<p>Reel Bar Weld(II) Code:W3.5D-01D-01-05-15-00 Size(mm):L:2290 Teeth:19 L(teeth):240 Weight(kg):9</p>	<p>Reel Spring Teeth(Left-Handed) Code:W2.5E-01M-01-05-06-02 Size(mm):280*85*34 Φ:6 Weight(kg):0.1</p>
10	11	12
<p>Shaft Weld,Middle Code:W3.5D-01D-01-05-17-00 Size(mm):2465*185*170 Weight(kg):12.1</p>	<p>Shaft Seat Assy,Right Code:W2.0B-01B-01-05Q-03-00 Size(mm):200*125*110 Φ:55 φ:45 Weight(kg):1.5</p>	<p>Belt Pulley Weld,Reel Code:W2.5E-01XCP-01-05-03-00 Size(mm):Φ:280 φ:25 H:32 Weight(kg):3</p>













2.36m Header And Conveyor Spare Parts

<p>13</p>  <p>Eccentric Plate, Adjusting Code:W2.0B-01B-01-05Q-11-00 Size(mm):220*220*32 Φ:60 φ:54 Weight(kg):1</p>	<p>14</p>  <p>Nylon Seat Code:W2.0B-01B-01-05Q-13 Size(mm):65*16*45 Weight(kg):0.01</p>	<p>15</p>  <p>Eccentric Roller Assy Code:W2.0B-01B-01-05Q-12-00 Size(mm):L:55 Φ:45 φ:36 Weight(kg):0.24</p>
<p>16</p>  <p>Shaft Seat Weld, Left Code:W2.0B-01B-01-05Q-07-00 Size(mm):Φ:285 φ:45 H:55 Weight(kg):2</p>	<p>17</p>  <p>Bearing Seat, Header Auger Code:W2.0-01-01-02-14 Size(mm):125*75*23 Φ:75 Weight(kg):0.4</p>	<p>18</p>  <p>Seat Weld, Adjusting Code:W2.5E-01M-01-02-16-00 Size(mm):260*100*25 Weight(kg):0.6</p>
<p>19</p>  <p>Active Shaft Weld Code:W2.0B-01B-01-02-03-00 Size(mm):L:550 Φ:120 Φ(middle):32 φ:25 Weight(kg):3.7</p>	<p>20</p>  <p>Seat, Telescopic Teeth Code:W2.0-01-01-02-07-01 Size(mm):62*45*26 φ:25 Weight(kg):0.05</p>	<p>21</p>  <p>Guide Sleeve, Telescopic Teeth Code:W2.0-01-01-02A-11 Size(mm):62*45*26 φ:25 Weight(kg):0.05</p>
<p>22</p>  <p>Bearing Seat CY205 Code:CY205 Size(mm):Φ:95 φ:49 H:10 Weight(kg):0.09</p>	<p>23</p>  <p>Slider, Header Auger Code:WD.1.4-06 Size(mm):80*42*31 Weight(kg):0.36</p>	<p>24</p>  <p>Eccentric Adjusting Shaft Code:W3.5D-01-01-02-13 Size(mm):925*Φ25 Weight(kg):3.5</p>

2.36m Header And Conveyor Spare Parts

<div style="text-align: right; font-weight: bold; font-size: 12px;">25</div>  <p style="font-size: 10px; margin-top: 10px;">Shaft, Telescopic Teeth Code:W2.5E-01B-01-02A-05 Size(mm):999.5*Φ25 Weight(kg):2.9</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">26</div>  <p style="font-size: 10px; margin-top: 10px;">Arm Radial A Code:W2.0-01-01-02-04 Size(mm):L:125 W:26 Φ(big):66 φ(big):52 Φ(small):40 φ(small):20 Weight(kg):0.5</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">27</div>  <p style="font-size: 10px; margin-top: 10px;">Rod, Telescopic Teeth Code:W2.0-01-01-02A-07-02 Size(mm):220*Φ15 Weight(kg):0.2</p>
<div style="text-align: right; font-weight: bold; font-size: 12px;">28</div>  <p style="font-size: 10px; margin-top: 10px;">Chain Wheel Weld Code:W2.5E-01B-01-02D-03-00 Size(mm):Φ:220 φ:100 H:35 Teeth:29;52 Weight(kg):2.45</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">29</div>  <p style="font-size: 10px; margin-top: 10px;">Arm Radial Code:W.1.4-06 Size(mm):110*45*30 Φ:25 Weight(kg):0.39</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">30</div>  <p style="font-size: 10px; margin-top: 10px;">Spring, Header Clutch Return Code:WL7B-07-05-15 Size(mm):125*Φ30 Knots:13 Weight(kg):0.15</p>
<div style="text-align: right; font-weight: bold; font-size: 12px;">31</div>  <p style="font-size: 10px; margin-top: 10px;">Nylon Sleeve B Code:W2.5E-01B-01-22 Size(mm):60*30*50 Weight(kg):0.01</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">32</div>  <p style="font-size: 10px; margin-top: 10px;">Nylon Sleeve A Code:W2.5E-01B-01-21 Size(mm):50*25*40 Weight(kg):0.01</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">33</div>  <p style="font-size: 10px; margin-top: 10px;">Tension Pulley Assy Code:W2.5E-01B-01-15-00 Size(mm):85*Φ70 Weight(kg):0.32</p>
<div style="text-align: right; font-weight: bold; font-size: 12px;">34</div>  <p style="font-size: 10px; margin-top: 10px;">Tension Pulley Assy Code:W2.5E-01B-01-11-00 Size(mm):65*Φ70 Weight(kg):0.32</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">35</div>  <p style="font-size: 10px; margin-top: 10px;">Chain Code:08B-1×114 Joints:114 Weight(kg):1</p>	<div style="text-align: right; font-weight: bold; font-size: 12px;">36</div>  <p style="font-size: 10px; margin-top: 10px;">Chain Code:08B-1×98 Joints:98 Weight(kg):0.9</p>

2.36m Header And Conveyor Spare Parts

<p>37</p>  <p>Conveyor Teeth, Left Code: W3.5D-01D-01-03-18 Size(mm): 500*67*3 Teeth: 8 Weight(kg): 0.27</p>	<p>38</p>  <p>Conveyor Teeth, Right Code: W3.5D-01-01-03-04 Size(mm): 1280*67*3.3 Teeth: 20 Weight(kg): 1</p>	<p>39</p>  <p>Cutter Bar Assy, Blade Fixed Code: W3.5D-01D-01-03-03-00 Size(mm): 2500*860*49 Blades: 31+0.5+0.5 Weight(kg): 6.5</p>
<p>40</p>  <p>Bar, Blade Fixed Code: W3.5D-01D-01-03-02 Size(mm): 2550*40*40 Weight(kg): 6.5</p>	<p>41</p>  <p>Blade Guide B Code: W2.0-01-01-01-03G-04 Size(mm): 155*105*40 Weight(kg): 0.55</p>	<p>42</p>  <p>Blade Guide C Code: W2.0-01-01-01-03G-05 Size(mm): 172*155*40 Weight(kg): 1</p>
<p>43</p>  <p>Blade Code: W2.0-01-01-01-03G-03-05 Size(mm): 85*75*1.8 Weight(kg): 0.07</p>	<p>44</p>  <p>Cleaning Blade Code: W2.0-01-01-01-03-03-03 Size(mm): 85*42*2 Weight(kg): 0.04</p>	<p>45</p>  <p>Rivet Code: 5*24 Size(mm): Φ5 Weight(kg): 0.01</p>
<p>46</p>  <p>Friction Plate Code: W2.0-01-01-01-03G-06 Size(mm): 70*35*2 Weight(kg): 0.06</p>	<p>47</p>  <p>Friction Plate Code: W2.0-01-01-01-03G-08 Size(mm): 105*35*2 Weight(kg): 0.09</p>	<p>48</p>  <p>Reel Pulley Assy, Speed Changing Code: W2.5E-01XCP-01-04A-01-00 Size(mm): Φ: 150 φ: 22 H: 40 Weight(kg): 1.6</p>

2.36m Header And Conveyor Spare Parts

<p>49</p>  <p>Shaft Weld, Frame Code:W3.5D-01D-01-04-04-00 Size(mm):L:2515 Φ:30 Weight(kg):6.65</p>	<p>50</p>  <p>Spring Code:W3.5-01AC-01-04-09 Size(mm):65*Φ30 Knots:8 Weight(kg):0.05</p>	<p>51</p>  <p>Chain Wheel Weld Code:W2.5E-01B-01-04-11-00 Size(mm):40*Φ230 Weight(kg):2</p>
<p>52</p>  <p>Belt Pulley Code:W2.5E-01XCP-01-04-01-02 Size(mm):Φ:150 φ:35 H:36 Weight(kg):1</p>	<p>53</p>  <p>Tension wheel Code:W2.5E-01XCP-01-04-08-01 Size(mm):Φ:95 φ:45 H:36 Weight(kg):0.15</p>	<p>54</p>  <p>Tension Arm Weld Code:W3.5-01AC-01-04-08-01-00 Size(mm):175*105*60 φ:20 Weight(kg):0.65</p>
<p>55</p>  <p>Rotary Axis Code:W2.5E-01B-01-04-08A-02 Size(mm):110*Φ20 Weight(kg):0.12</p>	<p>56</p>  <p>Bearing Code:W2.0-01-01-07-05-00 Size(mm):105*55*25 φ:20 Weight(kg):0.45</p>	<p>57</p>  <p>Upper Connecting Rod Weld Code:W2.0-01-01-07-06-00 Size(mm):L:755 Φ(upper):70 Φ(lower):30 Weight(kg):2</p>
<p>58</p>  <p>Upper Cutter Swing Lever Code:W2.0-01-01-07-01-02 Size(mm):160*135*60 Φ:45 Weight(kg):1.2</p>	<p>59</p>  <p>Pin Shaft Code:W2.0-01-01-07-01-09 Size(mm):70*Φ13 Weight(kg):0.07</p>	<p>60</p>  <p>Mandrel Code:W2.0-01-01-07-01-03 Size(mm):L:70 Φ:20 φ:10 Weight(kg):0.06</p>

2.36m Header And Conveyor Spare Parts

<p>61</p>  <p>Pendulum Shaft Code:W2.0-01-01-07-01-01 Size(mm):L:135 Φ(upper):15 Φ(middle):20 Φ(lower):15 Weight(kg):0.25</p>	<p>62</p>  <p>Eccentric Crank Weld Code:W2.5E-01B-01-07-02-02A-00 Size(mm):120*105*105 Teeth:23 Weight(kg):2</p>	<p>63</p>  <p>Shaft, Swing Rod Code:W3.5D-01D-01-07-02-05 Size(mm):L:450 Φ:35 φ:28 Weight(kg):3</p>
<p>64</p>  <p>Nylon Tension Wheel Code:WD.1F.33-02 Size(mm):Φ:65 φ:47 H:32 Weight(kg):0.05</p>	<p>65</p>  <p>Conveyor Weld Code:W3.5H-01-02-01A-00 Size(mm):L:1650 W(max):1205 W(shell):560 H:560 Weight(kg):96.2</p>	<p>66</p>  <p>Belt, Conveyor (B3201/3175) Code:W3.5H-01-02-11A Weight(kg):0.58</p>
<p>67</p>  <p>Conveyor Chain Assy Code:W3.5H-01-02-09-00 Size(mm):3180*455 Plates:14 Weight(kg):27.1</p>	<p>68</p>  <p>Conveyor Chain Code:W3.5-01A-02-09-01 (2060-84) Size(mm):3160*70*25 Weight(kg):4.2</p>	<p>69</p>  <p>Shaft Sleeve Code:W2.5E-01B-02-40 Size(mm):40*Φ80 Weight(kg):0.1</p>
<p>70</p>  <p>Chain Wheel, Conveyor Code:W2.5E-01B-02-04Y Size(mm):Φ(upper&lower):60 φ(upper&lower):40 Φ:170 H:55 Teeth:13 Weight(kg):2.35</p>	<p>71</p>  <p>Belt Pulley, Upper Shaft Code:W2.5E-01B-02-32 Size(mm):Φ:330 φ:40 H:55 Weight(kg):5.5</p>	<p>72</p>  <p>Sleeve Weld Code:W2.5E-01B-02-06A-00 Size(mm):L:3216 Φ:130 H:80 Weight(kg):1.25</p>





2.36m Header And Conveyor Spare Parts

<p>73</p>  <p>Upper Shaft Code:W2.5E-01B-02-05Y Size(mm):L:910 Φ(upper):16 Φ(lower):16 Φ(middle):40 Weight(kg):7.5</p>	<p>74</p>  <p>Spring Code:W2.0-01-02-05-01 Size(mm):124*Φ30 Knots:15 Weight(kg):0.16</p>	<p>75</p>  <p>Short Shaft Code:W2.5E-01B-02Y-02-04A Size(mm):L:88 W:35 Φ:24 Weight(kg):0.2</p>
<p>76</p>  <p>Hanging Plate Code:W2.5E-01B-02Y-09-03 Size(mm):L:455 W:45 H:25 Weight(kg):1</p>	<p>77</p>  <p>Adjust Bolt Welding Code:W2.5E-01B-02Y-02-03-00 Size(mm):L:150 Φ(upper):25 φ:12 Weight(kg):0.14</p>	<p>78</p>  <p>Arm Weld Code:W2.5E-01B-02-02-01-00 Size(mm):L:400 Φ:205 W:40 H:45 Weight(kg):1.5</p>
<p>79</p>  <p>Passive Wheel Shaft Code:W2.5E-01B-02-02-02 Size(mm):465*Φ28 Weight(kg):2</p>	<p>80</p>  <p>Passive Wheel Code:W2.5E-01B-02-02-03-00 Size(mm):405*Φ195 Weight(kg):10.5</p>	













Thresher Spare Parts

<p>1</p>  <p>Thresher Cover Weld Code:W2.5K-02HBF-07-01-00 Size(mm):2125*890*300 Weight(kg):69.5</p>	<p>2</p>  <p>Thresher Components Code:W2.5K-02S-02-00-00 Size(mm):2050*Φ620 Weight(kg):78.9</p>	<p>3</p>  <p>Threshing Rack Weld Code:W3.5H-02HB-01A-00 Size(mm):2320*1140*1290 Weight(kg):247</p>
<p>4</p>  <p>Rear Concave Screen Weld Code:W2.5-02G-01-06A-00 Size(mm):755*630*130 Weight(kg):14.4</p>	<p>5</p>  <p>Front Concave Screen Weld Code:W2.5-02G-01-04A-00 Size(mm):755*630*130 Weight(kg):14.4</p>	<p>6</p>  <p>Feeding Auger Code:W2.5K-02S-02-02-00B-00 Size(mm):Φ(upper):485 Φ(lower):460 W:600 H:275 Weight(kg):18.8</p>
<p>7</p>  <p>Rack Weld B Code:W2.5K-02S-02-04-00A Size(mm):L:1690 W:140 Φ:30 Teeth width(mm):75 Teeth:25 Weight(kg):7</p>	<p>8</p>  <p>Rack Weld A Code:W2.5K-02S-02-03-00A Size(mm):L:1690 W:140 Φ:30 Teeth width(mm):7 Teeth:12 Weight(kg):6</p>	<p>9</p>  <p>Shaft Weld Code:W2.5K-02S-02-01-00A Size(mm):L:2050 Φ(side):445 Φ(middle):60 Weight(kg):31.8</p>
<p>10</p>  <p>Front Panel Weld Code:W2.5-02-01-02-05-00 Size(mm):Φ:470 φ:56 H:27 Weight(kg):3.5</p>	<p>11</p>  <p>Bearing Block, Rear Code:W2.5-02-01-02-12 Size(mm):L:118 Φ(upper):93 φ(upper):80 φ(lower):43 H:40 Weight(kg):1.3</p>	<p>12</p>  <p>Vibrating Screen Assy Code:W3.5H-02HA-13-01-00 Size(mm):1610*840*315 Weight(kg):73.5</p>

Thresher Spare Parts

<p>13</p>  <p>Sieve Assy, Upper A Code:W3.5H-02HA-13-01-02-00 Size(mm):780*380*130 Weight(kg):4.95</p>	<p>14</p>  <p>Upper, Sieve Assy B Code:W3.5H-02HA-13-01-10-00 Size(mm):760*380*68 Weight(kg):5.6</p>	<p>15</p>  <p>Sieve Weld, Rear Code:W2.5K-02HG-13-01-41-0 Size(mm):765*300*65 Weight(kg):1.45</p>
<p>16</p>  <p>Shaft, Driving Vibrating Screen Code:W2.5-02B-02-13-02-01 Size(mm):L:1000 Φ:28 Weight(kg):4.4</p>	<p>17</p>  <p>Belt Pulley, Vibrating Sieve Code:W2.5K-02HB-13-02-07-00 Size(mm):Φ:230 φ:24 H:40 Weight(kg):1.5</p>	<p>18</p>  <p>Grain Lifting Chain Code:W2.5K-02PB-10A-15 Joints:42 Weight(kg):0.4</p>
<p>19</p>  <p>Guide Plate (Shake Screen) Code:W2.5-02-02-05-06A Size(mm):115*100*25 Weight(kg):0.43</p>	<p>20</p>  <p>Frame Weld, Fan Code:W2.5-02B-02-05-07-00 Size(mm):520*280*280 Φ:60 Weight(kg):6</p>	<p>21</p>  <p>Fan Shaft Code:W2.5P-02-02-05-01 Size(mm):L:1150 Φ(middle):40 Φ(upper&lower):15 Weight(kg):9.5</p>
<p>22</p>  <p>Belt Pulley, Fan Code:W2.5C-02-02-05-06A Size(mm):Φ:270 φ:50 H:90 Weight(kg):8.75</p>	<p>23</p>  <p>Blade, Fan Code:W2.5K-02HX-05-08 Size(mm):805*120*20 Weight(kg):0.9</p>	<p>24</p>  <p>Belt Pulley Code:W2.5-02B-02-05-16 Size(mm):Φ:200 φ:55 H:80 Weight(kg):4.5</p>




Thresher Spare Parts

<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">25</div>  <p>Driven Bevel Gear Code:W2.5-02A-01-17-10 Size(mm):Φ:140 φ:32 H:30 Teeth:29 Weight(kg):1.9</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">26</div>  <p>Active Bevel Gear Code:W2.5-02A-01-17-06 Size(mm):Φ:92 φ:42 H:34 Teeth:19 Spline:30 Weight(kg):0.8</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">27</div>  <p>Pulley, Auxiliary Code:W2.5K-02P-01A-17-04 Size(mm):Φ:26 φ(lower):40 H(lower):55 H(upper):50 Weight(kg):7.6</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">28</div>  <p>Driven Bevel Gear Code:W2.5-02S-01-17-07 Size(mm):Φ:92 φ:32 H:30 Teeth:19 Spline:26 Weight(kg):0.9</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">29</div>  <p>Driven Shaft Code:W2.5-02S-01-17-09 Size(mm):L:280 Φ(upper&lower):35 Φ(middle):50 Weight(kg):2.8</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">30</div>  <p>Housing Weld, Impurity Lifting Auger Code:W3.5H-02HB-11B-01-01-00 Size(mm):L:910 W:175 Φ:100 Weight(kg):8.1</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">31</div>  <p>Auger Weld, Impurity Code:W3.5H-02-11-01-07-00 Size(mm):L:935 W:117 Φ:95 φ:25 Weight(kg):5.9</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">32</div>  <p>Bearing Seat (II) Code:W2.5-02-02-11-04 Size(mm):60°90°90 Φ:63 φ(upper):51 φ(lower):55 Weight(kg):0.6</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">33</div>  <p>Belt Pulley, Impurity Code:W2.5K-02HB-11-05 Size(mm):40°Φ180 φ:20 Weight(kg):1.3</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">34</div>  <p>Chain, Impurity Auger Code:W2.5-02-02-11-06 (415S-1-48) Joints:48 Weight(kg):0.35</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">35</div>  <p>13 Chain Wheel II Code:W2.0-02-11-10 Size(mm):Φ:60 φ:12 H:32 Teeth:13 Weight(kg):0.1</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">36</div>  <p>14 Chain Wheel Code:W2.0-02-11-07 Size(mm):Φ:62 φ:20 H:26 Teeth:14 Weight(kg):0.1</p>



Thresher Spare Parts

37	38	39
		
Bearing Seat (#2 argue) Code:WD-150A-03A.05.10-03 Size(mm):95*95*22 Weight(kg):0.35	Impurity Gearbox Code:W2.5-02-02-11-01-09-00 Size(mm):160*110*90 Weight(kg):1.4	Input Shaft Code:WD-150A-03A.05.10.01-01 Size(mm):L:155 Φ(upper&lower):15 Φ(middle):25 Weight(kg):0.29
40	41	42
		
Bevel Gear Code:WD-150-03.05.10.01-03 Size(mm):Φ:40 φ:15 H:15 Teeth:16 Weight(kg):0.1	Bevel Gear Code:WD-150-03.05.10.01-04 Size(mm):Φ:40 φ:15 H:24 Teeth:16 Weight(kg):0.12	Housing Weld, Re-threshing Code:W3.5H-02HB-11-03-01-00 Size(mm):W:335 Φ:275 φ:250 H:140 Weight(kg):3.5
43	44	45
		
Inner Plate, Re-thresher Code:W3.5H-02HB-11-03-03 Size(mm):260*225*100 Weight(kg):0.5	Cover Weld, Observe Code:W3.5H-02HB-11-03-02-00 Size(mm):L:258 W:117 Weight(kg):1.2	Horizontal Auger Weld, Grain Code:W2.5A-02B-02-10-02-00 Size(mm):L:1215 H:115 Φ(upper):20 Φ(middle):30 Φ(lower):25 Weight(kg):8.1
46	47	48
		
Grain Horizontal Bearing Seat Code:W2.5P-02-02-10-07 Size(mm):Φ:64 φ:44 H:70 Weight(kg):0.65	Belt Pulley, Grain Auger Code:W2.5K-02HB-10-06 Size(mm):32.5*Φ:245 Weight(kg):2.15	Tension Pulley Combination Code:W2.5K-02HB-56-28A-01-00 Size(mm):35*Φ:125 Weight(kg):0.8

Thresher Spare Parts

49	50	51
		
<p>Tension Arm Weld Code:W2.5K-02HB-10-05-01-00 Size(mm):265*195*45 φ:52 Weight(kg):1.1</p>	<p>Tension Spring (threshing) Code:W2.5-02-02-10-08A Size(mm):L:140 W:40 Φ:30 Knots:18 Weight(kg):0.3</p>	<p>Horizontal Auger Assy,impurity Code:W3.5H-02-11-02-01-00 Size(mm):L:1110 W:170 Φ:95 φ:25 Weight(kg):8.2</p>
52	53	54
		
<p>Plate I Code:W3.5H-02-11A-02-02 Size(mm):99*70.5*5 Weight(kg):0.2</p>	<p>Plate II Code:W3.5H-02-11A-02-03 Size(mm):100*70*4 Weight(kg):0.25</p>	<p>Vertical Lifting Auger Weld,Grain Code:W3.5H-02-10-01-03-00 Size(mm):L:1675 W:125 Φ:35 Weight(kg):5.6</p>
55	56	57
		
<p>Housing Weld, Vertical Lifting Auger Code:W3.5H-02HB-10S-01-02-00 Size(mm):L:1460 W:510 Φ:135 Weight(kg):14.8</p>	<p>Wearing Plate Code:W2.5K-02PX-10-01-04 Size(mm):400*115*1 Weight(kg):0.3</p>	<p>Gearbox Assy Code:L1.8A-03-02-03-00 Size(mm):185*130*110 Weight(kg):3</p>
58	59	60
		
<p>Tension Chain Wheel Combination Code:L1.8A-03-02-04-00 Size(mm):Φ:60 H:55 Teeth:14 Weight(kg):0.5</p>	<p>Chain Wheel (15) Code:L1.8A-03-02-03-01 Size(mm):Φ:65 φ:24 H:30 Teeth:15 Weight(kg):0.3</p>	<p>Driving Chain Wheel (17 Teeth) Code:L1.8A-03-02-01-04A Size(mm):Φ:74 φ:22.5 H:30 Teeth:17 Weight(kg):0.3</p>


Thresher Spare Parts

<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">61</div>  <p>Tension Chain Wheel Code:L1.8A-03-02-04-03 Size(mm):Φ(lower):60 φ(lower):22 φ(upper):34 H:19 Teeth:14 Weight(kg):0.3</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">62</div>  <p>Bevel Gear Code:L1.8A-03-04-03-05 Size(mm):Φ:60 φ:24 H:28 Teeth:20 Weight(kg):0.3</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">63</div>  <p>Shaft, Chain Wheel Code:L1.8A-03-04-03-03 Size(mm):L:110 Φ(lower&upper):24 Φ(middle):30 Weight(kg):0.4</p>
<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">64</div>  <p>Bevel Gear Code:W2.5-02G-02-10-01-04 Size(mm):Φ:64 φ:20 H:50 Teeth:20 Weight(kg):0.3</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">65</div>  <p>Main Clutch Tension Assy Code:W2.5C-02-02-22C-00 Size(mm):330*130*130 Weight(kg):4.7</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">66</div>  <p>Main Clutch Tension Wheel Code:W2.5C-02-02-22C-01 Size(mm):90*Φ125 Weight(kg):1.7</p>
<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">67</div>  <p>Left Pull Plate Weld Code:W2.5C-02-02-22C-07-00 Size(mm):300*90*30 Weight(kg):0.45</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">68</div>  <p>Arm Weld, Left Code:W2.5C-02-02-22C-04-00 Size(mm):250*75*23 Weight(kg):0.55</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">69</div>  <p>Arm Weld, Right Code:W2.5C-02-02-22C-05-00 Size(mm):250*75*115 Weight(kg):0.67</p>
<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">70</div>  <p>Shaft Code:W2.5C-02-02-22C-06 Size(mm):91*Φ20 Weight(kg):0.2</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">71</div>  <p>Right Pull Plate Weld Code:W2.5C-02-02-22C-08-00 Size(mm):305*91*30 Weight(kg):0.4</p>	<div style="text-align: center; background-color: #D3D3D3; padding: 2px;">72</div>  <p>Grain Bottom Plate Weld Code:W2.5K-02PC-06-00 Size(mm):730*160*30 Weight(kg):2</p>

Thresher Spare Parts

73	74	75
		
<p>Impurity Seat Code:W2.5-02-02-07 Size(mm):730*145*30 Weight(kg):1.76</p>	<p>Square Four-Way Weld Code:W2.5K-02PB-10A-01-01-00 Size(mm):270*255*205 Φ(big):140 Φ(middle):135 Φ(small):120 Weight(kg):4.6</p>	<p>Belt Pulley Code:W3.5H-02HA-12-02 Size(mm):Φ:120 φ:46 H:60 Weight(kg):1.8</p>
76	77	78
		
<p>Spring (Rocking) Code:W2.5K-02HB-12-09 Size(mm):170*Φ20 Knots:15 Weight(kg):0.05</p>	<p>Tension Frame Weld Code:W2.5K-02HB-12-03-00 Size(mm):195*50*35 Weight(kg):0.4</p>	<p>Wind Shield Combination Code:W2.5K-02HX-11-00 Size(mm):460*170*15 Weight(kg):1</p>
79	80	81
		
<p>Tension Bolt Code:W2.5K-02S-09-01 Size(mm):195*Φ8 Weight(kg):0.08</p>	<p>Tension Pulley Assy Code:W2.5K-02SA-09A-01A-00 Size(mm):65*Φ:120 Weight(kg):1.4</p>	<p>Tension Arm Weld Code:W2.5K-02SA-09B-02-00 Size(mm):225*110*40 Weight(kg):0.85</p>

Thresher Spare Parts

82	83	84
 <p>Tension Wheel Combination Code:W2.5-02B-01G-17-18-01-00 Size(mm):265*185*85 Weight(kg):1.5</p>	 <p>Spring Code:W2.5-02-01-10-03 Size(mm):107*Φ:16 Knots:38 Weight(kg):0.03</p>	 <p>Belt, Active Transmission, Fan (4HB1490) Code:W2.5C-02-02-05-10A Weight(kg):1.15</p>
 <p>Fan-gearbox Belt (C2508) Code:W3.5-02-36 Weight(kg):0.8</p>	 <p>Fan-Auger-Transition Drive Belt (C3259) Code:W2.5K-02HB-36 Weight(kg):1.05</p>	 <p>Reverse SB Belt (SB1195) Code:W2.5-02S-01-38 Weight(kg):0.2</p>
 <p>Gearbox - Upper Shaft 2HB Belt (2HB1490) Code:W2.5-02S-01A-37 Weight(kg):0.7</p>		




Chassis Spare Parts

<p>1</p>  <p>Track Code:W3.5H-03A-30 Size(mm):550*90*56 Weight(kg):203</p>	<p>2</p>  <p>Chassis Weld Code:W3.5H-03K(E)-01-00 Size(mm):3160*2035*1050 Weight(kg):725</p>	<p>3</p>  <p>Gearbox Assy Code:W3.5H-03A-02-05-00 Size(mm):1380*340*600 Weight(kg):139</p>
<p>4</p>  <p>Guide Rail Weld, Rear Code:WD.4FE.33 Size(mm):640*45*55 H(rail):30 Weight(kg):4.4</p>	<p>5</p>  <p>Guide Rail Weld, Front Code:W2.5D-03-32-00 Size(mm):595*35*55 H(rail):30 Weight(kg):4.7</p>	<p>6</p>  <p>Support Roller Weld Code:W2.5DX-03C-06-01-00 Size(mm):Φ:185 φ:65 H:80 Weight(kg):2.7</p>
<p>7</p>  <p>Shaft Code:WD.4MC.32-06 Size(mm):L:295 Φ:30 φ:10 Weight(kg):0.7</p>	<p>8</p>  <p>Oil Seal Assy Code:W1.8-33-06-04-00A Size(mm):Φ:70 φ:40 H:14 Weight(kg):0.3</p>	<p>9</p>  <p>Spacer Code:W2.5DX-03C-06-05-00 Size(mm):20*Φ30 φ:25 Weight(kg):0.05</p>
<p>10</p>  <p>Outer Cover Code:W2.5DX-03C-06-10 Size(mm):Φ:71 φ:29 H:4 Weight(kg):0.11</p>	<p>11</p>  <p>Spacer Code:W1.8-33-06-02 Size(mm):Φ:32 φ:20 H:5 Weight(kg):0.01</p>	<p>12</p>  <p>Cover Code:W2.5DX-03C-06-03-00 Size(mm):30*Φ65 Weight(kg):0.06</p>

Chassis Spare Parts

13	14	15
		
Balance Roller Weld Code:W2.5DX-03C-07-01-00 Size(mm):Φ:140 H:85 H(wheel):40 Weight(kg):2	Tension Wheel Code:WD.4MC.27-01 Size(mm):Φ:280 φ:70 H:120 Wheel Height(mm):50 Weight(kg):8.7	Adjusting Screw Code:WD.4FE.27-03 Size(mm):L:335 H:45 Φ:23 Weight(kg):0.8
16	17	18
		
Tension Frame Weld Code:W5.0-03X-27-02-00 Size(mm):550*145*95 Weight(kg):8.05	Limit Plate Weld Code:WD.4FE.27.1 Size(mm):67*47*36 φ:24 Weight(kg):0.3	Tension Shaft Code:W2.5DA-03B-27-08 Size(mm):L:200 Φ(upper&lower):14 Φ(middle):30 Weight(kg):0.8
19	20	21
		
Spacer Code:L18X.4.27-03 Size(mm):Φ:42 φ:30 H:30 Weight(kg):0.07	Cover Code:L18X.4.29-02 Size(mm):Φ:85 φ:30 H:8.5 Weight(kg):0.16	Oil Seal Combination Code:W2.5DA-03H-27-06-00B Size(mm):Φ:78 φ:29 H:18 Weight(kg):0.15
22	23	24
		
Limit Plate Code:WD.4FE.27-04 Size(mm):56*50*3 Weight(kg):0.05	Special Gasket Code:W1.8-33-06-07 Size(mm):4*Φ35 Weight(kg):0.03	Hold Roller Weld Code:WD.4ME.28.1 Size(mm):Φ:145 φ:62 H:80 Weight(kg):2.1

Chassis Spare Parts

<p>25</p>  <p>Tension Pulley Assy Code:W2.5K-02SA-09A-01A-00 Size(mm):Φ:120 φ:40 H:66 Weight(kg):1.4</p>	<p>26</p>  <p>Plate Weld Code:W2.5DA-03H-17C-08-00 Size(mm):285*115*35 Weight(kg):0.75</p>	<p>27</p>  <p>Rod Weld Code:W2.5DA-03H-17A-06-00 Size(mm):L:240 W:35 Φ:11 Weight(kg):0.2</p>
<p>28</p>  <p>Tension Arm Weld Code:W3.5H-03B-17-01-00 Size(mm):210*53*130 Φ(upper):20 Φ(lower):55 φ(lower):45 Weight(kg):0.95</p>	<p>29</p>  <p>Spring Code:W2.5DA-03H-17A-05A Size(mm):80*Φ32 Knots:10 Weight(kg):0.15</p>	<p>30</p>  <p>Nylon Sleeve Code:W2.5DA-03H-17B-10 Size(mm):L:56 W:33 Φ(upper):22 Φ(lower):17 φ:12 Weight(kg):0.01</p>
<p>31</p>  <p>Tension Shaft Code:W2.5D-03-10-02 Size(mm): L:115 Φ(upper):20 φ(upper):30 Φ(lower):15 Weight(kg):0.25</p>	<p>32</p>  <p>Belt Pulley Code:W2.5C-03D-10-06 Size(mm):Φ:138 φ:30 H:65 Weight(kg):2.95</p>	<p>33</p>  <p>Driving Chain Wheel Code:WD.4MC.2-01C Size(mm):Φ:250 φ:42 Teeth:8 Teeth width(mm):36 H:60 Weight(kg):6.1</p>
<p>34</p>  <p>Flange Code:W2.5E-03B-10-01-00 Size(mm):243*125*135 φ(upper):70 φ(lower):42 Weight(kg):3.7</p>	<p>35</p>  <p>Spline Shaft Code:WD.4M.10-02 Size(mm):L:285 Φ(upper):20 Φ(middle):35 Φ(lower):25 Splines:18 Weight(kg):1.6</p>	<p>36</p>  <p>Joint Belt, Walking (9J-5-1605) Code:W2.5DA-03H-31 Weight(kg):0.85</p>













Grain Tank Spare parts

<p>1</p>  <p>Grain Tank Weld Code:W3.5H-04HX-01-00 Size(mm):1730*1430*1640 Tank(1430*1000*1540) Weight(kg):118</p>	<p>2</p>  <p>Unloading Auger A Code:W2.5B-04BX-04-01-00 Size(mm):1985*Φ165 Φ:60 Weight(kg):13.4</p>	<p>3</p>  <p>Unloading Auger B Code:W2.5B-04BX-04B-02-00 Size(mm):1735*Φ165 Φ:60 Weight(kg):10.05</p>
<p>4</p>  <p>Grain Unloading Auger Housing Weld A Code:W2.5B-04BX-04D-03-00B Size(mm):1815*Φ180 Weight(kg):26.4</p>	<p>5</p>  <p>Grain Unloading Auger Housing Weld B Code:W2.5F-04A-04B-04-00 Size(mm):1725*335*185 Φ:185 Weight(kg):19</p>	<p>6</p>  <p>Upper Box A Code:W2.5B-04BX-03-02-01 Size(mm):φ(big):270 φ(small):175 360*330*250 Weight(kg):16.2</p>
<p>7</p>  <p>Upper Box B Code:W2.5B-04BX-03-01-01 Size(mm):360*280*390 Φ1(side):340 Φ2(side):260 Weight(kg):19.5</p>	<p>8</p>  <p>Middle Short Auger Weld Code:W2.5B-04BX-03-03-00 Size(mm):230*255*255 Weight(kg):2.95</p>	<p>9</p>  <p>Bevel Gear Code:W2.5B-04BX-11-01-03 Size(mm):Φ:60 φ:20 H:35 Teeth:15 Weight(kg):0.35</p>
<p>10</p>  <p>Belt (C1850) Code:W2.5B-04-32 Weight(kg):0.65</p>	<p>11</p>  <p>Chain Code:10A-40 Size(mm):Joints:40 Weight(kg):0.6</p>	<p>12</p>  <p>Lifting Auger Weld Code:W3.5H-04HX-02-02-00 Size(mm):1770*Φ162 Weight(kg):12</p>

Grain Tank Spare parts

<p>13</p>  <p>Lifting Auger Housing Weld Code:W3.5H-04HX-02-01B-00 Size(mm):L:1345 Φ:190 φ:180 W:250 Weight(kg):20.8</p>	<p>14</p>  <p>Square Cross Code:W2.5B-04HX-02A-04-00C Size(mm):390*360*260 φ(big):190 φ(middle):135 φ(small):72 Weight(kg):14.4</p>	<p>15</p>  <p>Gear Box Code:W2.5B-04BX-02H-05-01 Size(mm):138*125*110 φ(lower):63.5 φ(left side):60 φ(right side):69 Weight(kg):1.85</p>
<p>16</p>  <p>Chain Wheel 10A×15 Code:W2.5B-04HX-02A-07 Size(mm):Φ:84 φ:20 H:30 Teeth:15 Weight(kg):0.35</p>	<p>17</p>  <p>Transmission Shaft Code:W2.5B-04BX-02H-05-02 Size(mm):L:185 Φ(middle):25 Φ(upper&lower):21 Weight(kg):0.63</p>	<p>18</p>  <p>Bevel Gear Code:W2.5B-04HX-02A-05-03 Size(mm):Φ(upper):60 φ(upper):20 φ(lower):30 H:36 Teeth:15 Weight(kg):0.33</p>
<p>19</p>  <p>Spacer Code:W2.5B-04BX-02H-05-03 Size(mm):Φ(upper):32 φ(upper):24 Φ(lower):34 φ(lower):24 H:32 Weight(kg):0.05</p>	<p>20</p>  <p>Driving Gear Code:W2.5B-04BX-12-06 Size(mm):Φ:58 φ:19 H:31 Teeth:12 Tooth width(mm):20 Weight(kg):0.3</p>	<p>21</p>  <p>Chain Box Weld Code:W2.5B-04HX-22A-01-00 Size(mm):L:355 W:255 φ(upper&lower):50 H:70 Weight(kg):2.4</p>
<p>22</p>  <p>Chain Cover Code:W2.5B-04HX-22A-02 Size(mm):340*190*18 Weight(kg):0.45</p>	<p>23</p>  <p>Small Bevel Gear Code:W2.5B-04-10-06 Size(mm):Φ:65 φ:20 H:30 Teeth:20 Weight(kg):0.25</p>	<p>24</p>  <p>Belt Pulley Weld Code:W2.5B-04HX-17B-04-00 Size(mm):Φ:220 φ:22 H:45 Weight(kg):1.9</p>


Grain Tank Spare parts

25	26	27
		
Bearing Block Code:W2.5B-04-10-04 Size(mm):Φ:85 φ:52 H:30 Weight(kg):0.64	Big Bevel Gear Code:W2.5B-04-10-02 Size(mm):Φ:122 φ:20 H:35 Teeth:40 Weight(kg):0.6	Gear Shaft Code:W2.5B-04HX-17B-03 Size(mm):L:235 Φ(upper):25 Φ(middle):29 Φ(lower):23 Weight(kg):1
28	29	30
		
Cover Weld Code:W3.5-04HX-21-01-00 Size(mm):1335*135*130 Weight(kg):5.2	Eccentric Sleeve Code:W2.5B-04CD-05-02 Size(mm):L:41 Φ:35 φ:21 Weight(kg):0.2	Spring, Grain Unloading Code:W2.5B-04CY-12B-03B Size(mm):L:130 W:43 Φ:30 knots:13 Weight(kg):0.18
31	32	33
		
Connecting Rod, Lower Code:W3.5H-04BX-03-01B Size(mm):850*Φ7.5 Weight(kg):0.35	Handle Rod Assy, Grain Unloading Code:W2.5B-04CY-12B-01-00 Size(mm):250*130*80 Weight(kg):0.5	Tension Arm Weld Code:W2.5B-04CM-02-02-01-00A Size(mm):300*80*90 Weight(kg):1.05
34	35	36
		
Tension Wheel Riveted Code:W2.5B-04CM-02-02-03-00 Size(mm):45*Φ115 Weight(kg):0.4	Bearing(1620) Code:W2.5-02G-02-32-02 Size(mm):12*Φ23 Weight(kg):0.01	Grain Unloading Auger Weld Code:W3.5-04HX-11-01-00 Size(mm):L:1685 W:140 Φ(upper&lower):22.5 Φ:40 Weight(kg):11.25

Grain Tank Spare parts

37		
 <p>Chain Wheel 10A×22 Code:W2.5B-04HX-11-02 Size(mm):Φ:120 φ:22 H:30 Teeth:22 Weight(kg):0.65</p>		

Other Spare Parts

<p>1</p>  <p>Air Filter Code:K35C9 Size(mm):Φ200 φ:100 H:390 Weight(kg):1.45</p>	<p>2</p>  <p>HST Filter Code:W2.5M-05M-18-01-X Size(mm):170*Φ65 Weight(kg):0.3</p>	<p>3</p>  <p>Switch Code:T500-S Size(mm):60*30*10 Weight(kg):0.05</p>
<p>4</p>  <p>Spherical Plain Bearing Code:SQ10C-RS Size(mm):57*48*32 Weight(kg):0.04</p>	<p>5</p>  <p>Sensor, Auger Speed Code:WD-150-07.03.01 Size(mm):280*85*55 Weight(kg):0.25</p>	<p>6</p>  <p>Filter Code:WD.4FE.8-02 Size(mm):Φ70 φ:58 H:180 Weight(kg):0.02</p>
<p>7</p>  <p>Cylinder, Header Code:W3.5-05-01-00ML Size(mm):L:550 Φ:54 φ:35 Weight(kg):7.85</p>	<p>8</p>  <p>Cylinder, Header Code:W3.5-05-02-00M Size(mm):L:550 Φ:45 φ:28 Weight(kg):5.4</p>	<p>9</p>  <p>Cylinder, Reel Code:W2.5F-05-10-00B Size(mm):L:250 Φ:40 φ:25 Weight(kg):1.6</p>
<p>10</p>  <p>Cylinder, Grain Unloading Code:W2.5DD-05GX-02-00ED Size(mm):L:330 W:90 Φ(cylinder):50 Weight(kg):6.25</p>	<p>11</p>  <p>Canopy Code:W2.0-13-03A Size(mm):1065*860*140 Weight(kg):4</p>	<p>12</p>  <p>Belt Pulley, Engine Code:W2.5C-03D-05G-02 Size(mm)Φ(upper):160 Φ(lower):215 φ(upper):130 φ(lower):130 Weight(kg):9.9</p>

Other Spare Parts

13		14		15	
<p>Multifunctional Slide Valve Code:W2.5DD-05DC-17-01C Size(mm):230*230*125 Weight(kg):8.2</p>	<p>Grain Unloading Valve Code:W2.5DD-05DC-16-01 Size(mm):185*110*78 Weight(kg):3.3</p>	<p>Reel Valve Code:W2.5DD-05DC-15-01 Size(mm):185*85*80 Weight(kg):2.8</p>	<p>Involute Gear Pump Code:W2.5DD-05DC-09-00E Size(mm):150*118*90 Φ:18 Splines:11 Weight(kg):3.7</p>	17	
<p>Bearing PHSA10 Code:W2.5DA-07E-04-21L Size(mm):L:75 Φ:30 φ:10 Weight(kg):0.05</p>	<p>Filter Code:W2.5DD-05DB-01-03A Size(mm):L:150 Φ:45 φ:25 Weight(kg):0.05</p>	<p>Bearing PHSA10 Code:W2.5DA-07E-04-21R Size(mm):L:75 Φ:30 φ:10 Weight(kg):0.05</p>	<p>Combination Instrument Code:W2.5DA-06X-G2-2A Size(mm):275*106*62 Weight(kg):0.6</p>	21	
<p>Motor Code:W2.5B-04BX-12-03B-01 Size(mm):340*120*120 Weight(kg):10.2</p>	<p>Combination Switch Code:W2.5C-06-01-20-00 Size(mm):270*122*70 Weight(kg):0.15</p>	<p>Alarm, Grain Tank Code:W2.5DA-05-01-20-02 Size(mm):260*70*40 Weight(kg):0.32</p>	<p>Center Control Box (12V) Code:W2.5C-06-01-19-00 Size(mm):178*122*70 Weight(kg):0.45</p>	24	


Other Spare Parts

25  Main Power Switch Code:JK861 Size(mm):175*110*90 Weight(kg):0.35	26  HST Oil Filter Code:W2.5M-05M-18-01 Size(mm):294*130*115 Weight(kg):3.2	27  Starting Cable Assy Code:JK430 Size(mm):480*40*40 Weight(kg):0.35
28  Switch Code:T500 Size(mm):60*30*15 Weight(kg):0.05	29  Throttle Wire Code:W2.5-07-08-05-00 Size(mm):1300*Φ5 Weight(kg):0.18	30  Reverse Wire Code:W2.5-07-05-04-00 Size(mm):2500*Φ8 Weight(kg):0.65
31  Breaking Wire Code:W2.5H-07-03-04-00 Size(mm):900*Φ8 Weight(kg):0.5	32  Flameout Wire Code:W2.0-07-02-08-00 Size(mm):1350*Φ6 Weight(kg):0.2	33  Sensor, Rotating Speed Code:W2.0-06-01-16-00 Size(mm):155*Φ25 Weight(kg):0.1
34  Sensor, Water Temperature Code:W2.0-06-01-15-00 Size(mm):45*Φ22 Weight(kg):0.04	35  Steering Cylinder Code:W2.0-05-33-01 Size(mm):180*128*70 Weight(kg):3.2	36  Reverse Horn Switch Code:JK635A Size(mm):300*Φ28 Weight(kg):0.1

Other Spare Parts

37	38	39
		
<p>Sensor, Grain Tank Code:JCK-1 Size(mm):300*Φ96 Weight(kg):0.13</p>	<p>Horn (12V) Code:DL128G/DL129G Size(mm):118*90*40 Weight(kg):0.22</p>	<p>Electronic Sensor, Oil Pressure Code:W2.0-06-01-18-00 Size(mm):50*Φ24 Weight(kg):0.06</p>
40	41	42
		
<p>Preheat Starting Relay (12V) Code:JD155 Size(mm):250*70*50 Weight(kg):0.2</p>	<p>Motor Module Code:W2.5B-04BX-12-03D-02 Size(mm):160*145*45 Weight(kg):0.9</p>	<p>Self-dusting Air Filter Code:K35C9-A Size(mm):470*325*640 Weight(kg):8.8</p>
43	44	45
		
<p>Fuel Tank Weld Code:W3.5H-09A-02B-03-00 Size(mm):755*520*512 Weight(kg):25.6</p>	<p>Radiator Code:W2.5DA-03FK-11-01-00 Size(mm):760*585*220 Weight(kg):24.6</p>	<p>Hydraulic Oil Tank Code:W2.5X-05A-01-01-00 Size(mm):455*340*350 Weight(kg):11.5</p>



Cabin Spare Parts

<p>1</p>  <p>HST Oil Filter Code:W2.5M-05M-25-01 Size(mm):305*115*115 Weight(kg):7.5</p>	<p>2</p>  <p>Thermostat Code:03020256 Size(mm):430*105*64 Weight(kg):0.2</p>	<p>3</p>  <p>Compressor Code:W2.5-20K-60-07-01-00A Size(mm): 210*Φ110 Weight(kg):8</p>
<p>4</p>  <p>Instrument Code:W3.5C-06X-G3-26 Size(mm):250*80*55 Weight(kg):0.45</p>	<p>5</p>  <p>Cooling Fan Code:W2.5C-20K-06-01A-04 Size(mm):65*Φ255 Weight(kg):1.6</p>	<p>6</p>  <p>Evaporator Assembly Code:W2.5-20K-60-01-00 Size(mm):810*780*200 Weight(kg):32</p>
<p>7</p>  <p>Header Clutch Cable Code:W2.5E-07-05A-07-00 Size(mm):2460*Φ10 Weight(kg):0.67</p>	<p>8</p>  <p>Lock Code:WCM.2C-46 Size(mm):230*95*90 Weight(kg):0.32</p>	<p>9</p>  <p>Electronic Hand Throttle Code:W3.5-09A-01YC-03 Size(mm):545*70*60 Weight(kg):0.12</p>
<p>10</p>  <p>Reel Unloading Controller Code:W2.5C-06BN-01-06A Size(mm):355*125*70 Weight(kg):0.35</p>	<p>11</p>  <p>Two-way Solenoid Valve Code:W2.5DD-05DK-21-01 Size(mm):235*200*180 Weight(kg):14.8</p>	<p>12</p>  <p>Combination Switch Code:W2.5C-06-01-20-00 Size(mm):250*100*60 Weight(kg):0.1</p>

Cabin Spare Parts

13	14	15
		
<p>Main Handle Code:W2.5DA-07-02-28 Size(mm):740*70*60 Weight(kg):0.35</p>	<p>Unloading Cable Combination Code:W2.5E-07-05A-08-00 Size(mm):142*Φ10 Weight(kg):0.2</p>	<p>Starter Assembly Code:4G33-300000F Size(mm):270*200*100 Weight(kg):7.15</p>

Small Grain Tank Spare Parts (2 Collections)

1	2	3
		
<p>Chassis Frame Code:W2.5DX-03N-01-00 Size(mm):3150*1965*967 Weight(kg):635</p>	<p>Threshing Frame Code:W3.5H-02PD-01-00 Size(mm):2320*1150*1270</p>	<p>Collection Tank Code:W2.5-04G-02YG-00 Size(mm):1305*730*740</p>
4	5	6
		
<p>Fuel Tank Weld Code:W2.5DA-03H-04-02-00SP Size(mm):525*475*800 Weight(kg):29.3</p>	<p>Grain Lifting Auger Code:W3.5H-02PD-10-01-03-00 Size(mm):1680*Φ130 Weight(kg):11.8</p>	<p>Grain Lifting Auger Housing Code:W3.5H-02PD-10S-01-02-00 Size(mm):1480*Φ140 Weight(kg):14.7</p>
7		
		
<p>Rear Support Frame Code:W2.5-04G-05YG-00 Size(mm):960*610*1105</p>		













Small Grain Tank Spare Parts (3 Collections)

<p style="font-weight: bold; font-size: 1.2em;">1</p>  <p>Chassis Frame Code:W3.5H-03HA-01-00 Size(mm):3495*1990*1038 Weight(kg):689</p>	<p style="font-weight: bold; font-size: 1.2em;">2</p>  <p>Threshing Frame Code:W3.5H-02HA-01A-00 Size(mm):2310*1150*1300</p>	<p style="font-weight: bold; font-size: 1.2em;">3</p>  <p>Collection Tank Code:W2.5-04G-02YD-00 Size(mm):1730*830*1150</p>
<p style="font-weight: bold; font-size: 1.2em;">4</p>  <p>Fuel Tank Weld Code:W2.5DA-09KQ-03-01-00 Size(mm):525*400*920 Weight(kg):29.3</p>	<p style="font-weight: bold; font-size: 1.2em;">5</p>  <p>Grain Lifting Auger Code:W3.5H-02HA-10A-01-03-00 Size(mm):1730*Φ130 Weight(kg):12</p>	<p style="font-weight: bold; font-size: 1.2em;">6</p>  <p>Grain Lifting Auger Shell Code:W3.5H-02HA-10A-01-02-00 Size(mm):1645*Φ140 Weight(kg):15</p>
<p style="font-weight: bold; font-size: 1.2em;">7</p>  <p>Rear Support Frame Code:W2.5-04G-05YD-00 Size(mm):1020*510*1135</p>		



85 Gearbox Spare Parts

<p>1</p>  <p>Right Rock Assy Code:ZKB40-206a-401-2-00S Size(mm):70*65*50 Weight(kg):0.25</p>	<p>2</p>  <p>Friction Fork Rod Code:ZKB85-206-400-1-01 Size(mm):230*65*30 Weight(kg):0.75</p>	<p>3</p>  <p>Bearing Code:KRV22 Size(mm):φ:10 Φ:22 H:12 Weight(kg):0.05</p>
<p>4</p>  <p>Left Rock Assy Code:ZKB40-206a-401-1-00S Size(mm):70*65*50 Weight(kg):0.25</p>	<p>5</p>  <p>Right Housing Of Gearbox Code:ZKB85-306-002J Size(mm):600*340*115 Weight(kg):22.9</p>	<p>6</p>  <p>Speed-shifting Shaft Code:ZKB65-106-500-1a Size(mm):85*65*25 Weight(kg):0.2</p>
<p>7</p>  <p>Shaft Sleeve Code:ZKB40-106-500-02 Size(mm):φ:10 Φ:15 H:20 Weight(kg):0.1</p>	<p>8</p>  <p>Auxiliary Speed-shifting Fork Rocker Code:ZKB40-106-500-2b Size(mm):150*20*20 Weight(kg):0.15</p>	<p>9</p>  <p>Gear Shift Fork Code:ZKB60-106-500-01 Size(mm):80*65*65 Weight(kg):0.2</p>
<p>10</p>  <p>Side Shifting Fork Spring Code:ZKB40-106-500-03b Size(mm):23*Φ5 Weight(kg):0.04</p>	<p>11</p>  <p>Gear Shifter Shaft Code:ZKB85-106-500-04 Size(mm):153*Φ12 Weight(kg):0.2</p>	<p>12</p>  <p>Housing Plate Code:ZKB65-306-003 Size(mm):530*350*1 Weight(kg):0.1</p>

85 Gearbox Spare Parts

<p>13</p>  <p>Left Housing Of Gearbox Code:ZKB85-306-001J Size(mm):600*340*120 Weight(kg):18.5</p>	<p>14</p>  <p>Gear Code:ZKB85-307a-001 Size(mm):φ:23 Φ:60 H:40 Teeth:17 Tooth Width(mm):22 Weight(kg):0.4</p>	<p>15</p>  <p>Header Gear Code:ZKB85-301a-002 Size(mm):φ:20 Φ:80 H:18 Teeth:23 Tooth Wφth:20 Weight(kg):0.5</p>
<p>16</p>  <p>Header Shaft Code:ZKB85-301-001 Size(mm):180*Φ28 Weight(kg):0.8</p>	<p>17</p>  <p>Speed-Shifting Gear Code:ZKB85-301a-003 Size(mm):φ:20 Φ:90 H:60 Teeth:19,22,22 Tooth Width(mm):18*3 Weight(kg):1.15</p>	<p>18</p>  <p>Collar Code:ZKB60-302-005 Size(mm):φ:32 Φ:40 H:25 Weight(kg):0.1</p>
<p>19</p>  <p>Gear I Code:ZKB85-302a-002 Size(mm):φ:30 Φ:90 H:35 Teeth:28 Tooth Width(mm):16 Weight(kg):0.5</p>	<p>20</p>  <p>Speed-shifting Shaft Code:ZKB85-302-001 Size(mm):180*Φ28 Weight(kg):0.11</p>	<p>21</p>  <p>Gear III Code:ZKB60-302a-004 Size(mm):φ:31 Φ:70 H:35 Teeth:19 Tooth Width(mm):20 Weight(kg):0.5</p>
<p>22</p>  <p>Gear II Code:ZKB85-302a-003 Size(mm):φ:30 Φ:80 H:35 Teeth:25 Tooth Width(mm):16 Weight(kg):0.5</p>	<p>23</p>  <p>Steering Clutch Gear&Shaft Code:ZKB85-203-100 Size(mm):300*Φ135 Teeth:41 Weight(kg):4.1</p>	<p>24</p>  <p>Steering Gear Code:ZKB80-303-002,012 Upper Size(mm):φ:52 Φ:68 Lower Size(mm):φ:33 Φ:76 Length(mm):108 Weight(kg):1.1</p>













85 Gearbox Spare Parts

25	26	27
		
<p>Inner Shaft Ring Code:ZKB80-303-006 Size(mm):φ40 Φ:50 H:2.5 Weight(kg):0.01</p>	<p>Steering Spring Code:ZKB80-009 Size(mm):95*Φ45 Weight(kg):0.15</p>	<p>External Shaft Ring Code:ZKB80-303-005 Size(mm):φ40 Φ:50 H:2.5 Weight(kg):0.01</p>
28	29	30
		
<p>Idle Wheel Code:ZKB80-304-1-00 Size(mm):φ:40 Φ:163 H:60 Teeth(upper):16 Teeth(Lower):39 Weight(kg):2.9</p>	<p>Sleeve Code:ZKB80-304-004 Size(mm):φ:40 Φ:55 H:35 Weight(kg):0.2</p>	<p>Idle Shaft Code:ZKB80-304-001 Size(mm):190*φ40 Weight(kg):1.8</p>
31	32	33
		
<p>Clasp Code:ZKB65-303-010a Size(mm):300*Φ2 Weight(kg):0.01</p>	<p>Thrust Collar Code:ZKB80-303-007a Size(mm):φ:68 Φ:110 H:5 Weight(kg):0.2</p>	<p>Pressure Plate Code:ZKB75-303-009 Size(mm):φ:80 Φ:120 H:3 Weight(kg):0.15</p>
34	35	36
		
<p>Inner Friction Sheet Code:ZKB80-303-004a Size(mm):φ:53 Φ:110 H:2 Weight(kg):0.01</p>	<p>External Friction Sheet Code:ZKB75-303-003 Size(mm):φ:80 Φ:110 H:2 Weight(kg):0.04</p>	<p>Brake Box Gasket Code:ZKB65-306-010 Size(mm):Φ170*1 Weight(kg):0.01</p>













85 Gearbox Spare Parts

<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">37</div>  <p>Brake Box Cover Code:ZKB80-306-009a Size(mm):Φ180*90 Weight(kg):2</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">38</div>  <p>Paper Gasket Of Half Shaft Code:ZKB65-12-01L Size(mm):Φ140*1 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">39</div>  <p>Half Shaft Right Arm Code:ZKB65a-W3.5H-205-600B1G1 Size(mm):φ:60 Φ:157 L:470 Weight(kg):7.6</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">40</div>  <p>Right Shaft Code:ZKB65-W3.5H-305-002 Left Size(mm):Teeth:20 Φ:53 Right Size(mm):Teeth:18 φ:30 Φ:50 Length(mm):640 Weight(kg):9.4</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">41</div>  <p>Gasket Of Half Shaft Code:ZKB65-12-14LK Size(mm):Φ155*30 Weight(kg):0.8</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">42</div>  <p>Collar Code:ZKB65-305-008 Size(mm):φ:20 Φ:60 H:10 Weight(kg):0.2</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">43</div>  <p>Driving Gear Code:ZKB80-305a-004 Size(mm):φ:47 Φ:180 H:45 Teeth:39 Weight(kg):3.5</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">44</div>  <p>Half Shaft Left Arm Code:ZKB65a-W3.5H-205-500BG Size(mm):φ:60 Φ:157 L:448 Weight(kg):7.1</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">45</div>  <p>Left Shaft Code:ZKB65-W3.5H-305-001 Left Size(mm):Teeth:18 φ:30 Φ:50 Right Size(mm):Teeth:20 Φ:53 Length(mm):625 Weight(kg):9.4</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">46</div>  <p>Sleeve Code:ZKB65-305-003a Size(mm):φ:52 Φ:60 H:20 Weight(kg):0.02</p>		

4G33TC Engine Spare Parts

<p>1</p>  <p>Intake Valve Code:4B28TC-020008-1 Size(mm):Φ(upper):42 Φ(lower):8 H:120 Weight(kg):0.09</p>	<p>2</p>  <p>Exhaust Valve Code:4B28TC-020007-1 Size(mm):Φ(upper):40 Φ(lower):8 H:120 Weight(kg):0.09</p>	<p>3</p>  <p>Guide Valve Spring Code:N85-02001-2 Size(mm):Φ:30 φ:10 H:10 Weight(kg):0.03</p>
<p>4</p>  <p>Cylinder Head Locating Sleeve Code:N85-03017 Size(mm):Φ:16 φ:13 H:15 Weight(kg):0.01</p>	<p>5</p>  <p>Cylinder Head Long Bolt Code:N85-03015-2 Size(mm):Φ(upper):20 Φ(lower):10 H:125 Weight(kg):0.07</p>	<p>6</p>  <p>Valve Spring Code:N85-02003-1/2 Size(mm):1, 45*Φ30 2, 45*Φ22 Weight(kg):0.07</p>
<p>7</p>  <p>Flywheel Bolt Code:N85-06006H Size(mm):Φ(upper):10 Φ(lower):25 H:45 Weight(kg):0.04</p>	<p>8</p>  <p>Crankshaft Pulley Bolt Code:4L88-060007A Size(mm):60*Φ55 Weight(kg):0.21</p>	<p>9</p>  <p>Locating Sleeve Of Gear Chamber Code:N85-03001 Size(mm):Φ:12 φ:9 H:15 Weight(kg):0.01</p>
<p>10</p>  <p>Main Bearing (Kit) Code:4L68-030006&4L68-030008 Size(mm):L:76 W:38 H:23 Weight(kg):0.1</p>	<p>11</p>  <p>Crankshaft Thrust Piece (Kit) Code:4B28V16-030010&4B28V16-030009 Size(mm):92*40*30 Weight(kg):0.1</p>	<p>12</p>  <p>Connecting Rod Bearing Kit Code:4G33TC-053000 Size(mm):65*35*22 Weight(kg):0.07</p>



4G33TC Engine Spare Parts

<p>13</p>  <p>Oil Pan Gasket Code:N485Q-11001 Size(mm):520*260*2 Weight(kg):0.05</p>	<p>14</p>  <p>Thermostat Shell Gasket Code:N85Q-17004 Size(mm):116*68*1 Weight(kg):0.01</p>	<p>15</p>  <p>Intake Pipe Gasket Code:ZN490QA-02005 Size(mm):418*65*1 Weight(kg):0.02</p>
<p>16</p>  <p>Exhaust Pipe Gasket Code:4L88-020006 Size(mm):75*46*1 Weight(kg):0.01</p>	<p>17</p>  <p>Cylinder Head Gasket Code:4L88-030013D Size(mm):465*180*1.5 Weight(kg):0.15</p>	<p>18</p>  <p>Gear Chamber Cover Gasket Code:N85T-12003 Size(mm):450*270*1 Weight(kg):0.02</p>
<p>19</p>  <p>All Gasket Code:4G33TC Size(mm):520*260*2 Weight(kg):0.9</p>	<p>20</p>  <p>Inner Skeleton Rotating Shaft Lip Seal Ring Code:DL85*110*12B/P Size(mm):Φ:110 φ:85 H:12 Weight(kg):0.15</p>	<p>21</p>  <p>Inner Skeleton Rotating Shaft Lip Seal Ring Code:DR52*72*12 Size(mm):Φ:72 φ:52 H:12 Weight(kg):0.03</p>
<p>22</p>  <p>Respirator Oil Outlet Pipe Connection Code:4L88-190007 Size(mm):225*Φ18 Weight(kg):0.05</p>	<p>23</p>  <p>Oil Return Pipe Code:4L68-150002 Size(mm):Φ:10 φ:5 H:260 Weight(kg):0.02</p>	<p>24</p>  <p>High Pressure Tubing Kit Code:4G33-140000 Size(mm):L:380 Weight(kg):0.5</p>

4G33TC Engine Spare Parts

<p>25</p>  <p>Piston Cooling Nozzle Code:4G33-037000 Size(mm):1, 100*25*20 2, 28*Φ20 Weight(kg):0.05,0.04</p>	<p>26</p>  <p>Drain Switch Code:4L68-032000 Size(mm):70*46*20 Weight(kg):0.1</p>	<p>27</p>  <p>Valve Lifter Code:4G33V16-070003 Size(mm):Φ(upper):15 Φ(lower):30 H:50 Weight(kg):0.09</p>
<p>28</p>  <p>Hydraulic Pump Gear Code:N85T-04011D Size(mm):Φ:35 φ:18 H:60 Spline:11 Teeth:28 Tooth width(mm):15 Weight(kg):0.63</p>	<p>29</p>  <p>Timing Idler Gear Code:4L88-040005A Size(mm):Φ:115 φ:45 H:22 Teeth:53 Tooth width(mm):18 Weight(kg):0.94</p>	<p>30</p>  <p>Camshaft Timing Gear Code:4L88-040007A Size(mm):Φ:125 φ:35 H:30 Teeth:56 H(Teeth):16 Weight(kg):0.8</p>
<p>31</p>  <p>Crankshaft Timing Gear Code:4L88-040006A Size(mm):Φ:55 φ:36 H:32 Teeth:28 Weight(kg):0.3</p>	<p>32</p>  <p>Fuel Pump Timing Gear Code:4L88-040001A Size(mm):Φ:125 φ:50 H:20 Teeth:56 Weight(kg):0.8</p>	<p>33</p>  <p>Oil Pump Gear Code:4G33TC-130007B Size(mm):Φ:65 φ:12 H:12 Teeth:29 Tooth width(mm):8 Weight(kg):0.2</p>
<p>34</p>  <p>Oil Pump Driving Gear Code:4G33TC-040010 Size(mm):Φ:90 φ:38 H:20 Teeth:41 Weight(kg):0.35</p>	<p>35</p>  <p>Five Supporting Code:4G33TC Size(mm):/ Weight(kg):8.8</p>	<p>36</p>  <p>Piston Pin Code:4G33TC-050004A Size(mm):Φ:32 φ:15 H:76 Weight(kg):0.39</p>

4G33TC Engine Spare Parts

<p>37</p>  <p>Cylinder Liner Code:4G33-030003 Size(mm):Φ:100 H:180 Weight(kg):0.85</p>	<p>38</p>  <p>Piston Ring Kit Code:4G33TC Size(mm):1,Φ:100 φ:92 H:2.5 2,Φ:100 φ:92 H:5 3,Φ:100 φ:92 H:3 Weight(kg):0.05</p>	<p>39</p>  <p>Piston Code:4G33TC-050001A Size(mm):Φ:95 φ(side):32 H:87 Weight(kg):0.81</p>
<p>40</p>  <p>Connecting Rod Parts Code:4G33TC-052001B Size(mm):245*95*35 φ(upper):62 φ(lower):32 Weight(kg):1.23</p>	<p>41</p>  <p>Crankshaft Code:600*185*130 Size(mm):4G33TC-060004AZZ Weight(kg):24</p>	<p>42</p>  <p>Camshaft Code:4G33V16-070001B Size(mm):490*Φ45 Weight(kg):4</p>
<p>43</p>  <p>Water Pump Code:4G33TC-082000A Size(mm):240*185*150 Weight(kg):3.5</p>	<p>44</p>  <p>Oil Pump Parts Code:4G33TC-131000B Size(mm):100*68*85 Weight(kg):1.3</p>	<p>45</p>  <p>Supercharger Code:4G33TC-341000ZZ Size(mm):200*165*160 Weight(kg):4.9</p>
<p>46</p>  <p>Starter Assembly Code:4G33-300000C Size(mm):270*200*100 Weight(kg):7.15</p>	<p>47</p>  <p>Fuel Injection Pump Code:4G33TC-181000Z Size(mm):310*220*160 Weight(kg):7</p>	<p>48</p>  <p>Alternator Code:4G33TC-290000C Size(mm):200*140*175 Weight(kg):6.14</p>


4G33TC Engine Spare Parts

<p>49</p>  <p>Injector Parts Code:4G33TC-251000 Size(mm):145*60*43 Weight(kg):0.2</p>	<p>50</p>  <p>Oil Pan Welded Parts Code:4L88-111000F Size(mm):525*340*210 Weight(kg):5.3</p>	<p>51</p>  <p>Diesel Oil Pre-filter Assy(Electron Pump) Code:4G33TC-280000W Size(mm):310*165*125 Weight(kg):2.8</p>
<p>52</p>  <p>Diesel Oil Filter (New) Code:4G33TC-281000W Size(mm):220*Φ110 Weight(kg):1</p>	<p>53</p>  <p>Diesel Filter Assembly Code:N485-28000 Size(mm):170*150*100 Weight(kg):0.83</p>	<p>54</p>  <p>Oil Filter Code:4L88-261100A Size(mm):100*Φ96 Weight(kg):0.55</p>
<p>55</p>  <p>Diesel Oil Pre-filter Code:4G33TC-281000V Size(mm):190*Φ96 Weight(kg):0.65</p>	<p>56</p>  <p>Diesel Filter Code:N485-28100 Size(mm):Φ:70 φ:35 H:86 Weight(kg):0.08</p>	<p>57</p>  <p>Engine Code:4G33TC-2019050 Size(mm):693.5*494*778 Weight(kg):280</p>

45CC HST Spare Parts





HST INPUT ASSY			
1	2	3	4
			
Needle Bearing Code:25*33*30 Size(mm):Φ:33 φ:25 H:30 Weight(kg):0.15 1 piece/set	Oil Seal Code:25*35*6 Size(mm):Φ:35 φ:25 H:6 Weight(kg):0.02 1 piece/set	Shaft(pump) Code:WHST40-04B Size(mm):Φ(lower):20 Φ(upper):24 H:230 Spline: 18 Weight(kg):0.9 1 piece/set	Ring 25 Code:φ25 Size(mm):Φ:25 H:2 Weight(kg):0.01 1 piece/set
HST OUTPUT ASSY			
1	2	3	4
			
Needle Bearing Code:25*33*30 Size(mm):Φ:33 φ:25 H:30 Weight(kg):0.15 1 piece/set	Oil Seal Code:25*35*6 Size(mm):Φ:35 φ:25 H:6 Weight(kg):0.02 1 piece/set	Shaft(motor) (Old Type) Code:WHST40-06B Size(mm):Φ(lower):30.5 Φ(upper):25 H:222.5 Spline: 18 Weight(kg):0.9 1 piece/set	Ring 30 Code:φ30 Size(mm):Φ:30 H:2 Weight(kg):0.01 1 piece/set
5	6	7	
			
Positioning Seat Code:WHST45-05 Size(mm):Φ:62 φ:30 H:12.5 Weight(kg):0.1 1 piece/set	Shaft(motor) (New Type) Code:WHST40-06X Size(mm):Φ(lower):30.5 Φ(upper):25 H:222.5 Spline: 18 Weight(kg):0.9 1 piece/set	Positioning Seat Code:WHST40-05X Size(mm):Φ:62 φ:30 H:9.5 Weight(kg):0.06 1 piece/set	
TURING ASSY (PUMP)			
1	2	3	4
			
Plunger Assembly Code:WHST45-08-7 Size(mm):Φ:18 H:55 Weight(kg):0.05 9 pieces/set	Plunger Assembly Code:WHST45-08-4 Size(mm):Φ:90 φ42 H:3 Weight(kg):0.45 1 piece/set	Plunger Assembly Code:WHST40-08-5B Size(mm):Φ(upper):35 Φ(lower):45 H:17 Weight(kg):0.25 1 piece/set	Pin Code:WHST40-08-6 Size(mm):32*Φ2 Weight(kg):0.02 3 pieces/set
5	6	7	8
			
Housing Code:WHST45-08-1 Size(mm):φ(lower):36 φ(upper):25 Φ:96 H:73 Weight(kg):1.48 1 piece/set	Spring Seat Code:WHST40-08-3 Size(mm):Φ:36 H:1 Weight(kg):0.02 2 pieces/set	Spring(Housing) Code:WHST40-08-2 Size(mm):50*Φ35 Weight(kg):0.02 1 piece/set	Ring 37 Code:φ37 Size(mm):Φ:37 H:2 Weight(kg):0.01 1 piece/set


45CC HST Spare Parts

9	
Assignment Plate(Pump) Code:WHST40-03 Size(mm):Φ90 φ:28 H:5 Weight(kg):0.15 1 piece/set	





TURING ASSY (MOTOR)

1	2	3	4
			
Plunger Assembly Code:WHST45-08-7 Size(mm):Φ:18 H:55 Weight(kg):0.05 9 pieces/set		Plunger Assembly Code:WHST40-08-4 Size(mm):Φ:90 φ42 H:3 Weight(kg):0.45 1 piece/set	
		Plunger Assembly Code:WHST40-08-5B Size(mm):Φ(upper):35 Φ(lower):45 H:17 Weight(kg):0.25 1 piece/set	
		Pin Code:WHST40-08-6 Size(mm):32*Φ2 Weight(kg):0.02 3 pieces/set	

5	6	7	8
			
Housing Code:WHST45-08-1 Size(mm):φ(lower):36 φ(upper):25 Φ:96 H:73 Weight(kg):1.48 1 piece/set		Spring Seat Code:WHST40-08-3 Size(mm):Φ:36 H:1 Weight(kg):0.02 2 pieces/set	
		Spring(Housing) Code:WHST40-08-2 Size(mm):50*Φ35 Weight(kg):0.02 1 piece/set	
		Ring 37 Code:φ37 Size(mm):Φ:37 H:2 Weight(kg):0.01 1 piece/set	

9	
Assignment Plate(Motor) Code:WHST40-07 Size(mm):Φ90 φ:28 H:5 Weight(kg):0.15 1 piece/set	

CHARGE PUMP ASSY

1	2	3	4
			
Charge Pump Housing Code:WHST40-13A-01 Size:123*88*50 φ:57 Weight(kg):1.5 1 piece/set		O Ring Code:69*2.65 Size:2.65*Φ69 Weight(kg):0.02 1 piece/set	
		Charge Pump Gear (Outer) Code:WHST40-13A-02 Size:Φ:60 H:16 Weight(kg):0.1 1 piece/set	
		Charge Pump Gear (Inner) Code:WHST40-13A-03 Size:φ:20 Φ:42 H:16 Weight(kg):0.05 1 piece/set	

45CC HST Spare Parts

OTHER PARTS			
1	2	3	4
			
HST	Stem	Charge Spring	Spring(Relief)
Code:W2.0-03(R)-03B-01-00	Code:WHST40-02-2	Code:WHST40-02-3	Code:WHST40-02-6
Size:292*280*205	Size:16*Φ13	Size:18*Φ12	Size:28*Φ12
Weight(kg):28	Weight(kg):0.01 1 piece/set	Weight(kg):0.01 1 piece/set	Weight(kg):0.06 2 pieces/set
5	6	7	8
			
Relief Valve Assy	Shoe Plate	Swash Plate(m)	Swash Plate(p)
Code:WHST40-02-9	Code:WHST40-09	Code:WHST40-10	Code:WHST45-11
Size:65*Φ18	Size:Φ:90 φ40 H:4	Size:Φ:100 φ45 H:45	Size:290*113*60 Φ:105 φ:45
Weight(kg):0.05 2 pieces/set	Weight(kg):0.1 2 pieces/set	Weight(kg):1.1 1 piece/set	Weight(kg):2 1 piece/set

Standard Parts

<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">1</div>  <p>Bearing Code:5211 Size(mm):φ55 Φ:100 H:33.4 Weight(kg):1.2</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">2</div>  <p>Bearing Code:6002-2RS Size(mm):Φ:32 φ:15 H:9 Weight(kg):0.03</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">3</div>  <p>Bearing Code:6004 Size(mm):φ:20 Φ:42 H:12 Weight(kg):0.07</p>
<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">4</div>  <p>Bearing Code:6005-2RS Size(mm):Φ:47 φ:25 H:12 Weight(kg):0.08</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">5</div>  <p>Bearing Code:6006-2RS Size(mm):Φ:55 φ:30 H:13 Weight(kg):0.11</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">6</div>  <p>Bearing Code:6007-2RS Size(mm):Φ:62 φ:35 H:14 Weight(kg):0.15</p>
<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">7</div>  <p>Bearing Code:6008-RS Size(mm):Φ:68 φ:40 H:15 Weight(kg):0.2</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">8</div>  <p>Bearing Code:6012-2RS Size(mm):Φ:95 φ:60 H:18 Weight(kg):0.38</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">9</div>  <p>Bearing Code:6202-2RS Size(mm):Φ:35 φ:15 H:11 Weight(kg):0.04</p>
<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">10</div>  <p>Bearing Code:6203-2RS Size(mm):Φ:40 φ:17 H:12 Weight(kg):0.07</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">11</div>  <p>Bearing Code:6204-2RS Size(mm):Φ:47 φ:20 H:14 Weight(kg):0.1</p>	<div style="text-align: center; background-color: #cccccc; font-weight: bold; margin-bottom: 5px;">12</div>  <p>Bearing Code:6205-2RS Size(mm):Φ:52 φ:25 H:15 Weight(kg):0.15</p>

Standard Parts

<p>13</p>  <p>Bearing Code:6209-2RS Size(mm):Φ85 φ:45 H:19 Weight(kg):0.41</p>	<p>14</p>  <p>Bearing Code:6210-2RS Size(mm):Φ90 φ:50 H:20 Weight(kg):0.45</p>	<p>15</p>  <p>Bearing Code:6301-2RS Size(mm):Φ37 φ:12 H:12 Weight(kg):0.05</p>
<p>16</p>  <p>Bearing Code:6304-2RS Size(mm):Φ52 φ:20 H:15 Weight(kg):0.14</p>	<p>17</p>  <p>Bearing Code:6305-2RS Size(mm):Φ62 φ:25 H:17 Weight(kg):0.23</p>	<p>18</p>  <p>Bearing Code:6306-2RS Size(mm):Φ72 φ:35 H:19 Weight(kg):0.34</p>
<p>19</p>  <p>Bearing Code:6307-2RS Size(mm):Φ80 φ:35 H:21 Weight(kg):0.45</p>	<p>20</p>  <p>Bearing Code:6308-2RS Size(mm):Φ90 φ:40 H:23 Weight(kg):0.64</p>	<p>21</p>  <p>Bearing Code:6310 Size(mm):φ:50 Φ:110 H:27 Weight(kg):1.1</p>
<p>22</p>  <p>Bearing Code:NJ2207E Size(mm):φ:35 Φ:72 H:23 Weight(kg):0.41</p>	<p>23</p>  <p>Bearing Code:NJ305E Size(mm):φ:25 Φ:62 H:17 Weight(kg):0.25</p>	<p>24</p>  <p>Oil Seal Code:B30X45X10 Size(mm):Φ:45 φ:30 H:10 Weight(kg):0.02</p>

Standard Parts

<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">25</div>  <p>Oil Seal Code: B38X52X12 Size(mm): Φ52 Φ38 H:12 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">26</div>  <p>Oil Seal Code: FB42x20x10 Size(mm): Φ20 Φ42 H:10 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">27</div>  <p>Oil Seal Code: FB55x75x8 Size(mm): Φ55 Φ75 H:8 Weight(kg):0.02</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">28</div>  <p>Oil Seal Code: MC60x90x18 Size(mm): Φ60 Φ90 H:18 Weight(kg):0.01</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">29</div>  <p>Key Code: A5X25 Size(mm): 25*5*5 Weight(kg):0.01</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">30</div>  <p>Key Code: A5X28 Size(mm): 28*5*5 Weight(kg):0.01</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">31</div>  <p>Key Code: A6X22 Size(mm): 22*5*6 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">32</div>  <p>Key Code: A7X30 Size(mm): 30*7*7 Weight(kg):0.03</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">33</div>  <p>Key Code: A8X20 Size(mm): 20*8*7 Weight(kg):0.02</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">34</div>  <p>Key Code: A8X25 Size(mm): 25*8*7 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">35</div>  <p>Key Code: A8X28 Size(mm): 28*8*7 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">36</div>  <p>Key Code: A8X32 Size(mm): 32*8*7 Weight(kg):0.02</p>







Standard Parts

<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">37</div>  <p>Key Code:A8×45 Size(mm):45*8*7 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">38</div>  <p>Key Code:A8×50 Size(mm):50*8*7 Weight(kg):0.03</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">39</div>  <p>Key Code:A10×32 Size(mm):32*10**8 Weight(kg):0.03</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">40</div>  <p>Key Code:A10X56 Size(mm):56*10*8 Weight(kg):0.05</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">41</div>  <p>Key Code:A12×40 Size(mm):40*12*8 Weight(kg):0.04</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">42</div>  <p>Key Code:C6X25 Size(mm):25*6*6 Weight(kg):0.02</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">43</div>  <p>Key Code:C8×25 Size(mm):25*8*7 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">44</div>  <p>Key Code:C8×28 Size(mm):28*8*7 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">45</div>  <p>Key Code:C8X30 Size(mm):30*8*7 Weight(kg):0.02</p>
<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">46</div>  <p>Key Code:C8×32 Size(mm):32*8*7 Weight(kg):0.02</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">47</div>  <p>Key Code:C8×36 Size(mm):36*8*7 Weight(kg):0.03</p>	<div style="text-align: right; font-weight: bold; margin-bottom: 5px;">48</div>  <p>Key Code:C8×40 Size(mm):40*8*7 Weight(kg):0.03</p>

Standard Parts

<p>49</p>  <p>Pin Code:1.6×16 Size(mm):16*Φ1.6 Weight(kg):0.01</p>	<p>50</p>  <p>Cotter Pin Code:2*22 Size(mm):22*Φ2 Weight(kg):0.03</p>	<p>51</p>  <p>Pin Code:2.5*20 Size(mm):20*Φ:2.5 Weight(kg):0.01</p>
<p>52</p>  <p>Cotter Pin Code:2.5*26 Size(mm):26*Φ2.5 Weight(kg):0.03</p>	<p>53</p>  <p>Cotter Pin Code:3.2×20 Size(mm):20*Φ3.2 Weight(kg):0.01</p>	<p>54</p>  <p>Cotter Pin Code:3.2*24 Size(mm):24*Φ3.2 Weight(kg):0.03</p>
<p>55</p>  <p>Cotter Pin Code:3.2×28 Size(mm):28*Φ3.2 Weight(kg):0.01</p>	<p>56</p>  <p>Pin Code:3.2×30 Size(mm):30*Φ3.2 Weight(kg):0.01</p>	<p>57</p>  <p>Cotter Pin Code:5*40 Size(mm):40*Φ5 Weight(kg):0.02</p>
<p>58</p>  <p>Pin Shaft Code:B8×26 Size(mm):26*Φ8 Weight(kg):0.02</p>	<p>59</p>  <p>Pin Shaft Code:B10×20 Size(mm):20*Φ10 Weight(kg):0.02</p>	<p>60</p>  <p>Hinge Pin Code:B10×48 Size(mm):48*Φ10 Weight(kg):0.04</p>

Standard Parts

<p style="text-align: center; margin: 0;">61</p>  <p>Hinge Pin Code: B12×40 Size(mm): 40*Φ12 Weight(kg): 0.04</p>	<p style="text-align: center; margin: 0;">62</p>  <p>Hinge Pin Code: B20×70 Size(mm): 70*Φ20 Weight(kg): 0.2</p>	<p style="text-align: center; margin: 0;">63</p>  <p>Ring 25 Code: φ25 Size(mm): Φ:25 H:2 Weight(kg): 0.01</p>
<p style="text-align: center; margin: 0;">64</p>  <p>Ring 30 Code: φ30 Size(mm): Φ:30 H:2 Weight(kg): 0.01</p>	<p style="text-align: center; margin: 0;">65</p>  <p>Ring 37 Code: φ37 Size(mm): Φ:37 H:2 Weight(kg): 0.01</p>	<p style="text-align: center; margin: 0;">66</p>  <p>O ring Code: 69*2.65 Size: 2.65*Φ69 Weight(kg): 0.02</p>