







85 Gearbox Spare parts

 Bearing Code:KRV22 Size(mm):ϕ:10 Φ:22 H:12 Weight(kg):0.05	 Sleeve Code:ZKB85-305-003a Size(mm):ϕ:43 Φ:53 H:30 Weight(kg):0.2	 Shaft Sleeve Code:ZKB40-106-500-02 Size(mm):ϕ:10 Φ:15 H:20 Weight(kg):0.1
 Side Shifting Fork Spring Code:ZKB40-106-500-03b Size(mm):23*Φ5 Weight(kg):0.04	 Auxiliary Speed-shifting Fork Rocker Code:ZKB40-106-500-2b Size(mm):150*20*20 Weight(kg):0.15	 Left Rock Assy Code:ZKB40-206a-401-1-00S Size(mm):125*95*63 Weight(kg):0.35
 Right Rock Assy Code:ZKB40-206a-401-2-00S Size(mm):125*95*63 Weight(kg):0.3	 Gear Shift Fork Code:ZKB60-106-500-01 Size(mm):80*65*65 Weight(kg):0.2	 Collar Code:ZKB60-302-005 Size(mm):ϕ:32 Φ:40 H:25 Weight(kg):0.1
 Gear III Code:ZKB60-302a-004 Size(mm):ϕ:31 Φ:70 H:35 Teeth:19 Tooth Width(mm):20 Weight(kg):0.5	 Speed-shifting Shaft Code:ZKB65-106-500-1a Size(mm):85*65*25 Weight(kg):0.2	 PaperGasket of HalfShaft Code:ZKB65-12-01L Size(mm):Φ140*1 Weight(kg):0.02



13  Gasket of Half Shaft Code: ZKB65-12-14LK Size(mm): $\Phi 155 \times 30$ Weight(kg): 0.8	14  Clasp Code: ZKB65-303-010a Size(mm): $300 \times \Phi 2$ Weight(kg): 0.01	15  Sleeve Code: ZKB65-305-003a Size(mm): $\phi 52 \ \Phi 60 \ H:20$ Weight(kg): 0.02
16  Collar Code: ZKB65-305-008 Size(mm): $\phi 20 \ \Phi 60 \ H:10$ Weight(kg): 0.2	17  Housing Plate Code: ZKB65-306-003 Size(mm): $530 \times 350 \times 1$ Weight(kg): 0.1	18  Brake Box Gasket Code: ZKB65-306-010 Size(mm): $\Phi 170 \times 1$ Weight(kg): 0.01
19  Half Shaft Left Arm Code: ZKB65a-W3.5H-205-500BG Size(mm): $\phi 60 \ \Phi 157 \ H:448$ Weight(kg): 7.1	20  Half Shaft Right Arm Code: ZKB65a-W3.5H-205-600B1G1 Size(mm): $\phi 60 \ \Phi 157 \ H:470$ Weight(kg): 7.6	21  Left Shaft Code: ZKB65-W3.5H-305-001 Left Size(mm): Teeth: 18 $\phi 30 \ \Phi 50$ Right Size(mm): Teeth: 20 $\Phi 53$ Length(mm): 625 Weight(kg): 9.4
22  Right Shaft Code: ZKB65-W3.5H-305-002 Left Size(mm): Teeth: 20 $\Phi 53$ Right Size(mm): Teeth: 18 $\phi 30 \ \Phi 50$ Length(mm): 640 Weight(kg): 9.4	23  External Friction Sheet Code: ZKB75-303-003 Size(mm): $\phi 80 \ \Phi 110 \ H:2$ Weight(kg): 0.04	24  Pressure Plate Code: ZKB75-303-009 Size(mm): $\phi 80 \ \Phi 120 \ H:3$ Weight(kg): 0.15



25  Steering Spring Code:ZKB80-009 Size(mm):95*Φ45 Weight(kg):0.15	26  Inner Friction Sheet Code:ZKB80-303-004a Size(mm):φ:53 Φ:110 H:2 Weight(kg):0.01	27  External Shaft Ring Code:ZKB80-303-005 Size(mm):φ:40 Φ:50 H:2.5 Weight(kg):0.01
28  Inner Shaft Ring Code:ZKB80-303-006 Size(mm):φ:40 Φ:50 H:2.5 Weight(kg):0.01	29  Thrust Collar Code:ZKB80-303-007a Size(mm):φ:68 Φ:110 H:5 Weight(kg):0.2	30  Steering Gear Code:ZKB80-303-002,012 Upper Size(mm):φ:52 Φ:68 Lower Size(mm):φ:33 Φ:76 Length(mm):108 Weight(kg):1.1
31  Idle Shaft Code:ZKB80-304-001 Size(mm):190*φ40 Weight(kg):1.8	32  Sleeve Code:ZKB80-304-004 Size(mm):φ:40 Φ:55 H:35 Weight(kg):0.2	33  Idle Wheel Code:ZKB80-304-1-00 Size(mm):φ:40 Φ:163 H:60 Teeth(upper):16 Teeth(Lower):39 Weight(kg):2.9
34  Speed-shifting Shaft Code:ZKB85-302-001 Size(mm):180*Φ28 Weight(kg):0.11	35  Brake Box Cover Code:ZKB80-306-009a Size(mm):Φ180*90 Weight(kg):2	36  Gear Shifter Shaft Code:ZKB85-106-500-04 Size(mm):153*Φ12 Weight(kg):0.2




37  Steering Clutch Gear&Shaft Code:ZKB85-203-100 Size(mm):300*Φ135 Teeth:41 Weight(kg):4.1	38  Single-piece wet rubbing fork lever Code:ZKB85-206-400-1-01 Size(mm):85*60*25 Weight(kg):0.2	39  Header Shaft Code:ZKB85-301-001 Size(mm):180*Φ28 Weight(kg):0.8
40  Header Gear Code:ZKB85-301a-002 Size(mm):φ:20 Φ:80 H:18 Teeth:23 Tooth Width(mm):20 Weight(kg):0.5	41  Speed-shifting Gear Code:ZKB85-301a-003 Size(mm):φ:20 Φ:90 H:60 Teeth:19,22,22 Tooth Width(mm):18*3 Weight(kg):1.15	42  Driving Gear Code:ZKB80-305a-004 Size(mm):φ:47 Φ:180 H:45 Teeth:39 Weight(kg):3.5
43  Gear I Code:ZKB85-302a-002 Size(mm):φ:30 Φ:90 H:35 Teeth:28 Tooth Width(mm):16 Weight(kg):0.5	44  Gear II Code:ZKB85-302a-003 Size(mm):φ:30 Φ:80 H:35 Teeth:25 Tooth Width(mm):16 Weight(kg):0.5	45  Gear Code:ZKB85-307a-001 Size(mm):φ:23 Φ:60 H:40 Teeth:17 Tooth Width(mm):22 Weight(kg):0.4
46  Left Housing of Gearbox Code:ZKB85-306-001J Size(mm):600*340*120 Weight(kg):18.5	47  Right Housing of Gearbox Code:ZKB85-306-002J Size(mm):600*340*115 Weight(kg):22.9	



45CC HST Spare parts

HST INPUT ASSY			
1	2	3	4
			
Needle bearing	Oil seal	Shaft(pump)	Ring 25
Code:25*33*30	Code:25*35*6	Code:WHST40-04B	Code:φ25
Size(mm):Φ:33 φ:25 H:30	Size(mm):Φ:35 φ:25 H:6	Size(mm):Φ(lower):20 Φ(upper):24 H:230	Size(mm):Φ:25 H:2
		Spline: 18	
Weight(kg):0.15	Weight(kg):0.02	Weight(kg):0.9	Weight(kg):0.01
HST OUTPUT ASSY			
1	2	3	4
			
Needle bearing	Oil seal	Shaft(pump)	Ring 30
Code:25*33*30	Code:25*35*6	Code:WHST40-06B	Code:φ30
Size(mm):Φ:33 φ:25 H:30	Size(mm):Φ:35 φ:25 H:6	Size(mm):Φ(lower):33 Φ(upper):24 H:225	Size(mm):Φ:30 H:2
		Spline: 18	
Weight(kg):0.15	Weight(kg):0.02	Weight(kg):0.9	Weight(kg):0.01
TURING ASSY (PUMP)			
1	2	3	4
			
Plunger assembly	Plunger assembly	Plunger assembly	Pin
Code:WHST45-08-7	Code:WHST45-08-4	Code:WHST40-08-5B	Code:WHST40-08-6
Size(mm):Φ:18 H:55	Size(mm):Φ:90 φ42 H:3	Size(mm):Φ(lower):35 Φ(upper):45 H:17	Size(mm):32*Φ2
Weight(kg):0.05	Weight(kg):0.45	Weight(kg):0.25	Weight(kg):0.02
9 pieces/set			
5	6	7	8
			
Housing	Spring seat	Spring(housing)	Ring 37
Code:WHST45-08-1	Code:WHST40-08-3	Code:WHST40-08-2	Code:φ37
Size(mm):φ(lower):36 φ(upper):25 Φ:96 H:73	Size(mm):Φ:36 H:1	Size(mm):50*Φ35	Size(mm):Φ:37 H:2
Weight(kg):1.48	Weight(kg):0.02	Weight(kg):0.02	Weight(kg):0.01
9			
			
Assignment plate(pump)			
Code:WHST40-03			
Size(mm):Φ90 φ:28 H:5			
Weight(kg):0.15			




TURING ASSY (MOTOR)			
1	2	3	4
			
Plunger assembly	Plunger assembly	Plunger assembly	Pin
Code:WHST45-08-7	Code:WHST45-08-4	Code:WHST40-08-5B	Code:WHST40-08-6
Size(mm):Φ:18 H:55	Size(mm):Φ:90 Φ42 H:3	Size(mm):Φ(upper):35 Φ(lower):45 H:17	Size(mm):32*Φ2
Weight(kg):0.05	Weight(kg):0.45	Weight(kg):0.25	Weight(kg):0.15
9 pieces/set			
5	6	7	8
			
Housing	Spring seat	Spring(housing)	Ring 37
Code:WHST45-08-1	Code:WHST40-08-3	Code:WHST40-08-2	Code:Φ37
Size(mm):Φ(lower):36 Φ(upper):25 Φ:96 H:73	Size(mm):Φ:36 H:1	Size(mm):50*Φ35	Size(mm):Φ:37 H:2
Weight(kg):1.48	Weight(kg):0.01	Weight(kg):0.02	Weight(kg):0.01
9			
			
Assignment plate(motor)			
Code:WHST40-07			
Size(mm):Φ90 Φ:28 H:5			
Weight(kg):0.15			
CHARGE PUMP ASSY			
1	2	3	4
			
Charge pump housing	O ring	Charge pump gear (outer)	Charge pump gear (inner)
Code:WHST40-13A-01	Code:69*2.65	Code:WHST40-13A-02	Code:WHST40-13A-03
Size:123*88*50 Φ:57	Size:2.65*Φ69	Size:Φ60 H:16	Size:Φ20 Φ:42 H:16
Weight(kg):1.5	Weight(kg):0.02	Weight(kg):0.1	Weight(kg):0.05
OTHER PARTS			
1	2	3	4
			
HST	Check	Charge spring	Spring(relief)
Code:W2.0-03(R)-03B-01-00	Code:WHST40-02-2	Code:WHST40-02-3	Code:WHST40-02-6
Size:292*280*205	Size:16*Φ13	Size:18*Φ12	Size:28*Φ12
Weight(kg):28	Weight(kg):0.01	Weight(kg):0.01	Weight(kg):0.06



5	6	7	8
			
Relief valve assy	Shoe plate	Swash plate(m)	Swash plate(p)
Code:WHST40-02-9	Code:WHST40-09	Code:WHST40-10	Code:WHST45-11
Size:65*Φ18	Size:Φ90 φ40 H:4	Size:Φ100 φ:45 H:45	Size:290*113*60 Φ:105 φ:45
Weight(kg):0.05	Weight(kg):0.1	Weight(kg):1.1	Weight(kg):2




4L88 Engine Spare parts

 Guide valve spring Code:N85-02001-2 Size(mm):Φ:30 φ:10 H:10 Weight(kg):0.03	 Valve spring Code:N85-02003-1/2 Size(mm):1, 45*Φ30 2, 45*Φ22 Weight(kg):0.07	 Locating sleeve of Gear chamber Code:N85-03001 Size(mm):Φ:12 φ:9 H:15 Weight(kg):0.01
 Gasket for rear oil seal cover Code:N85-03005 Size(mm):205*195*1 Weight(kg):0.02	 Cylinder head long bolt Code:N85-03015-2 Size(mm):Φ(upper):20 Φ(lower):10 H:125 Weight(kg):0.07	 Cylinder head short bolts Code:N85-03016-2 Size(mm):Φ(upper):20 Φ(lower):10 H:115 Weight(kg):0.06
 Cylinder head locating sleeve Code:N85-03017 Size(mm):Φ:16 φ:13 H:15 Weight(kg):0.01	 Camshaft blocking Code:4G33T-030026 Size(mm):6*Φ55 Weight(kg):0.02	 Piston pin Code:N85-05004 Size(mm):Φ:28 φ:12 H:73 Weight(kg):0.26
 Flywheel bolt Code:N85-06006H Size(mm):Φ(upper):10 Φ(lower):25 H:45 Weight(kg):0.04	 Crankshaft pulley bolt Code:4L88-060007A Size(mm):60*Φ55 Weight(kg):0.21	 Valve push rod Code:N85-07002A Size(mm):Φ(upper):13 Φ(lower):8 H:210 Weight(kg):0.07




13  Oil pan gasket Code:N485Q-11001 Size(mm):520*260*2 Weight(kg):0.05	14  Thermostat shell gasket Code:N85Q-17004 Size(mm):116*68*1 Weight(kg):0.01	15  Intake pipe gasket Code:ZN490QA-02005 Size(mm):418*65*1 Weight(kg):0.02
16  Crankshaft pulley Code:4L88-060001M Size(mm):Φ:160 φ:35 H:85 Weight(kg):4.17	17  Cooling fan Code:CZ4102Q-080020 Size(mm):50*Φ470 Weight(kg):1.15	18  Starter assembly Code:4G33-300000F Size(mm):270*200*100 Weight(kg):7.15
19  Exhaust pipe gasket Code:4L88-020006 Size(mm):75*46*1 Weight(kg):0.01	20  Cylinder head Code:4L88-021000 Size(mm):465*185*85 Weight(kg):23.6	21  Cylinder liner Code:4L88-030003 Size(mm):Φ:100 φ:96 H:165 Weight(kg):0.78
22  Piston cooling nozzle Code:4L88-033000A Size(mm):1, 80*25*20 2, 28*Φ20 Weight(kg):0.04,0.04	23  Fuel pump timing gear Code:4L88-040001A Size(mm):Φ:125 φ:50 H:20 Teeth:56 Weight(kg):0.8	24  Timing idler gear Code:4L88-040005A Size(mm):Φ:115 φ:45 H:22 Teeth:53 Tooth width(mm):18 Weight(kg):0.94




25  Crankshaft timing gear Code:4L88-040006A Size(mm):Φ(upper):55 ϕ(upper):36 Φ(lower):55 ϕ(lower):36 H:32 Teeth:28 Tooth width(mm):20 Weight(kg):0.3	26  Oil pump driving gear Code:4B28V16-040010 Size(mm):Φ:90 ϕ:40 H:8 Teeth:37 Weight(kg):0.21	27  piston Code:4L88-050001 Size(mm):Φ:98 ϕ(side):22 H:82 Weight(kg):0.68
28  Connecting Rod Kit Code:4L88-053000 Size(mm):25*60*30 Weight(kg):0.03*2	29  Piston ring kit Code:4L88-050000A Size(mm):1,Φ:100 ϕ:92 H:3 2,Φ:100 ϕ:92 H:3 3,Φ:100 ϕ:92 H:2 Weight(kg):0.05	30  Oil pan welded parts Code:4L88-111000G Size(mm):525*340*210 Weight(kg):5.5
31  Gear chamber gasket Code:4L88-120001 Size(mm):260*260*1 Weight(kg):0.03	32  Advancer cover gasket Code:4L88-120006 Size(mm):Φ:164 ϕ:130 H:1 Weight(kg):0.02	33  Oil pump parts Code:4B28V16-131000 Size(mm):95*85*80 Weight(kg):1.33
34  High pressure tubing kit Code:4B26 Size(mm):230*135*135 Weight(kg):0.12	35  Oil return pipe Code:4L68-150002 Size(mm):Φ:10 ϕ:5 H:260 Weight(kg):0.02	36  Machine filter inlet and outlet pipe parts Code:4L88-262000A-1 Size(mm):385*300*115 Weight(kg):0.76



37  Fuel filter assembly Code:N485-28000 Size(mm):170*150*100 Weight(kg):0.83	38  Turbocharger oil inlet pipe parts Code:4L88-342000H Size(mm):465*Φ11 Weight(kg):0.18	39  Turbocharger oil return pipe parts Code:4L88-343000H Size(mm):478*58*Φ20 Weight(kg):0.4
40  Oil filter Code:4L88-261100A Size(mm):100*Φ96 Weight(kg):0.55	41  Diesel filter Code:N485-28100 Size(mm):Φ70 Φ:35 H:86 Weight(kg):0.08	42  Exhaust pipe Code:4L88-100001F Size(mm):378*120*65 Weight(kg):3.42
43  Diesel oil pre-filter Code:4G33TC-28 Size(mm):190*Φ96 Weight(kg):0.65	44  Drain switch Code:4L68-032000 Size(mm):70*46*20 Height(kg):0.1	45  Oil strainer Code:4L68-160000B Size(mm):285*176*130 Height(kg):0.56
46  All gasket Code:4L88 Size(mm):520*260*2 Weight(kg):0.9	47  Engine Code:4L88-2019013 Size(mm):690*630*650 Height(kg):280	48  Hydraulic pump gear Code:N85T-04011D Size(mm):Φ:35 Φ:18 H:60 Spline:11 Teeth:28 Tooth width(mm):15 Height(kg):0.63




49  Exhaust valve Code:4B28TC-020007-1 Size(mm):Φ(upper):40 Φ(lower):8 H:120 Weight(kg):0.09	50  Intake valve Code:4B28TC-020008-1 Size(mm):Φ(upper):42 Φ(lower):8 H:120 Weight(kg):0.09	51  Respirator oil outlet pipe connection Code:4L88-190007 Size(mm):225*Φ18 Weight(kg):0.05
52  Inner skeleton rotating shaft lip seal ring Code:DL85×110×12B/P Size(mm):Φ:110 φ:85 H:12 Weight(kg):0.15	53  Inner skeleton rotating shaft lip seal ring Code:DR55×72×10 Size(mm):Φ:72 φ:55 H:10 Weight(kg):0.03	54  Cylinder head gasket Code:4L88-030013D Size(mm):465*180*1.5 Weight(kg):0.15
55  Five supporting Code:4L88 Size(mm):/ Weight(kg):8.8		



Header Spare parts

1  Tension Arm Weld Code:W3.5-01AC-01-04-08-01-00 Size(mm):175*105*60 φ:20 Weight(kg):0.65	2  Belt Pulley Weld, Reel Code:W2.5E-01XCP-01-05-03-00 Size(mm):Φ:280 φ:25 H:32 Weight(kg):3	3  Reel Pulley Assy, Speed Changing Code:W2.5E-01XCP-01-04A-01-00 Size(mm):Φ:150 φ:22 H:40 Weight(kg):1.6
4  Reel Bar Weld(II) Code:W2.5E-01XCD-01-05-15-01-00 Size(mm):2035*120*60 Weight(kg):6.2	5  Reel Bar weld(1) Code:W2.5E-01XCD-01-05-06-01-00 Size(mm):2035*120*60 Weight(kg):6.2	6  Shaft Weld, Middle Code:W2.5E-01XC-01-05-17-00 Size(mm):2485*195*175 Weight(kg):11.4
7  Cutter Bar Assy, Blade Fixed Code:W2.5E-01XC-01-03-03-00 Size(mm):2275*115*45 Weight(kg):5.92	8  Bar, Blade Fixed Code:W2.5E-01XC-01-03-02 Size(mm):2305*40*40 Weight(kg):6	9  Conveyor Teeth, Right Code:W2.5E-01XC-01-03-01 Size(mm):1280*70*2 Weight(kg):1
10  Eccentric Adjusting Shaft Code:W2.5E-01XC-01-02-13 Size(mm):725*Φ25 Weight(kg):0.3	11  Seat Weld, Adjusting Code:W2.5E-01M-01-02-16-00 Size(mm):260*100*25 Weight(kg):0.6	12  Belt Pulley, Upper Shaft Code:W2.5E-01B-02-32 Size(mm):Φ:330 φ:40 H:55 Weight(kg):5.5



13  Sleeve Weld Code:W2.5E-01B-02-06A-00 Size(mm):L:3216 Φ:130 H:80 Weight(kg):1.25	14  Upper Shaft Code:W2.5E-01B-02-05Y Size(mm):L:910 Φ(upper):16 Φ(lower):16 Φ(middle):40 Weight(kg):7.5	15  Chain Wheel, Conveyor Code:W2.5E-01B-02-04Y Size(mm):Φ(upper&lower):60 φ(upper&lower):40 Φ:170 H:55 Teeth:13 Weight(kg):2.35
16  Nylon SleeveB Code:W2.5E-01B-01-22 Size(mm):60*30*50 Weight(kg):0.01	17  Nylon SleeveA Code:W2.5E-01B-01-21 Size(mm):50*25*40 Weight(kg):0.01	18  Tension Pulley Assy Code:W2.5E-01B-01-15-00 Size(mm):85*Φ70 Weight(kg):0.32
19  Tension Pulley Assy Code:W2.5E-01B-01-11-00 Size(mm):65*Φ70 Weight(kg):0.32	20  Pendulum Shaft Code:W2.5E-01B-01-07-02-05A Size(mm):L:275 Φ(upper):28 Φ(middle):35 Φ(lower):30 Weight(kg):1.8	21  Conveyor Passive Pulley Code:W2.5E-01B-01-07-02-03A Size(mm):55*Φ155 Weight(kg):2.15
22  Eccentric Crank Weld Code:W2.5E-01B-01-07-02-02A-00 Size(mm):120*105*105 Teeth:23 Weight(kg):2	23  Chain Wheel Weld Code:W2.5E-01B-01-04-11-00 Size(mm):40*Φ230 Weight(kg):2	24  Rotary Axis Code:W2.5E-01B-01-04-08A-02 Size(mm):110*Φ20 Weight(kg):0.12



25  Nylon Seat Code:W2.0B-01B-01-05Q-13 Size(mm):65*16*45 Weight(kg):0.01	26  Eccentric Roller Assy Code:W2.0B-01B-01-05Q-12-00 Size(mm):L:55 Φ:45 φ:36 Weight(kg):0.24	27  Eccentric Plate, Adjusting Code:W2.0B-01B-01-05Q-11-00 Size(mm):220*220*32 Φ:60 φ:54 Weight(kg):1
28  Shaft Seat Weld, Left Code:W2.0B-01B-01-05Q-07-00 Size(mm):Φ:285 φ:45 H:55 Weight(kg):2	29  Shaft Seat Assy, Right Code:W2.0B-01B-01-05Q-03-00 Size(mm):200*125*110 Φ:55 φ:45 Weight(kg):1.5	30  Upper Connecting Rod Weld Code:W2.0-01-01-07-06-00 Size(mm):L:755 Φ(upper):70 Φ(lower):30 H:30 Weight(kg):2
31  Pin Shaft Code:W2.0-01-01-07-01-09 Size(mm):70*Φ13 Weight(kg):0.07	32  Mandrel Code:W2.0-01-01-07-01-03 Size(mm):L:70 Φ:20 φ:10 Weight(kg):0.06	33  Upper Cutter Swing Lever Code:W2.0-01-01-07-01-02 Size(mm):160*135*60 Φ:45 Weight(kg):1.2
34  Pendulum Shaft Code:W2.0-01-01-07-01-01 Size(mm):L:135 Φ(upper):15 Φ(middle):20 Φ(lower):15 Weight(kg):0.25	35  Conveyor Teeth, Left Code:W2.0-01-01-03G-18 Size(mm):135*70*2 Weight(kg):0.29	36  Friction Plate Code:W2.0-01-01-03G-08 Size(mm):105*35*2 Weight(kg):0.09



37  Friction Plate Code:W2.0-01-01-03G-06 Size(mm):70*35*2 Weight(kg):0.06	38  Blade Guide B Code:W2.0-01-01-03G-04 Size(mm):155*105*40 Weight(kg):0.55	39  Rod, Telescopic Teeth Code:W2.0-01-01-02A-07-02 Size(mm):220*Φ15 Weight(kg):0.2
40  Bearing Seat, Header Auger Code:W2.0-01-01-02-14 Size(mm):125*75*23 Φ:75 Weight(kg):0.4	41  arm radial A Code:W2.0-01-01-02-04 Size(mm):L:125 W:26 Φ(big):66 φ(big):52 Φ(small):40 φ(small):20 Weight(kg):0.5	42  Active Shaft Weld Code:W2.0-01-01-02-03-00 Size(mm):L:440 Φ(upper):25 Φ(middle):30 Φ(lower):25 W:120 Weight(kg):3.2
43  Arm radial Code:W.1.4-06 Size(mm):110*45*30 Φ:25 Weight(kg):0.39	44  Bl. Code:W2.0-01-01-03G-03-05 Size(mm):85*75*1.8 Weight(kg):0.07	45  Chain Code:08B-1×98 Size(mm):L:1230 H:16 Weight(kg):0.9
46  Chain Code:08B-1×118 Size(mm):L:1510 H:16 Weight(kg):1	47  Seat, Telescopic Teeth Code:W2.0-01-01-02-07-01 Size(mm):62*45*26 φ:25 Weight(kg):0.05	48  Guide Sleeve, Telescopic Teeth Code:W2.0-01-01-02A-11 Size(mm):62*45*26 φ:25 Weight(kg):0.05



49  Bearing Code:W2.0-01-01-07-05-00 Size(mm):105*55*25 φ:20 Weight(kg):0.45	50  Spring Code:W2.0-01-02-05-01 Size(mm):124*Φ30 Knots:15 Weight(kg):0.16	51  Shaft Sleeve Code:W2.5E-01B-02-40 Size(mm):40*Φ80 Weight(kg):0.1
52  Reel Spring Teeth(Left-Handed) Code:W2.5E-01M-01-05-06-02 Size(mm):280*85*34 Φ:6 Weight(kg):0.1	53  Plat Cod Size(mm):845*890*24 Weight(kg):5.3	54  Belt, Conveyor Code:W2.5E-01XC-02-11 Size(mm):L:3046 H:17.5 Thickness:10 Weight(kg):0.6
55  Tension wheel Code:W2.5E-01XCP-01-04-08-01 Size(mm):Φ:95 φ:45 H:36 Weight(kg):0.15	56  Reel Belt Code:WW2.5E-01XCP-01-18 Size(mm):L:2726 H:22 Thickness:12.5 Weight(kg):0.8	57  Conveyor Weld Code:W2.5E-01XCT-02-01-00 Size(mm):L:1600 W(max):1180 W(shell):550 H:560 Weight(kg):90.5
58  Spring Code:W3.5-01AC-01-04-09 Size(mm):65*Φ30 Knots:8 Weight(kg):0.05	59  Nylon Tension Wheel Code:WD.1F.33-02 Size(mm):Φ:65 φ:47 H:32 Weight(kg):0.05	60  Spring Code:WL7B-07-05-15 Size(mm):125*Φ30 Knots:13 Weight(kg):0.15



61  Chain Wheel Weld Code:W2.5E-01B-01-02D-03-00 Size(mm):Φ:220 φ:100 H:35 Teeth:29;52 Weight(kg):2.45	62  Plate Weld Code:W2.5E-01M-01-05-01-00 Size(mm):845*890*24 Weight(kg):5.3	63  Eccentric Plate Weld Code:W2.5E-01M-01-05-02-00 Size(mm):845*890*24 Weight(kg):4.9
64  Header Auger Weld Code:W2.5E-01XC-01A-02-01-00 Size(mm):L:2100 W:500 Φ:300 Weight(kg):52.4		




Chassis Spare parts

1  Special Gasket Code:W2.5C-03D-02-06 Size(mm):Φ28 φ:12 H:3 Weight(kg):0.05	2  Shaft Code:WD.4MC.32-06 Size(mm):L:295 Φ:30 φ:10 Weight(kg):0.7	3  Tension Wheel Code:WD.4MC.27-01 Size(mm):Φ:280 φ:70 H:120 Wheel Height(mm):50 Weight(kg):8.7
4  Driving Chain Wheel Code:WD.4MC.2-01C Size(mm):Φ:250 φ:42 Teeth:8 Teeth width(mm):36 H:60 Weight(kg):6.1	5  Guide Rail Weld, Rear Code:WD.4FE.33 Size(mm):640*45*55 H(rail):30 Weight(kg):4.4	6  Limit Plate Code:WD.4FE.27-04 Size(mm):56*50*3 Weight(kg):0.05
7  Adjusting Screw Code:WD.4FE.27-03 Size(mm):L:335 H:45 Φ:23 Weight(kg):0.8	8  Limit Plate Weld Code:WD.4FE.27.1 Size(mm):67*47*36 φ:24 Weight(kg):0.3	9  Tension Frame Weld Code:W5.0-03X-27-02-00 Size(mm):550*145*95 Weight(kg):8.05
10  Tension Arm Weld Code:W3.5H-03B-17-01-00 Size(mm):210*53*130 Φ(upper):20 Φ(lower):55 φ(lower):45 Weight(kg):0.95	11  Tension Pulley Assy Code:W2.5K-02SA-09A-01A-00 Size(mm):Φ:120 φ:40 H:66 Weight(kg):1.4	12  Support Roller Weld Code:W2.5DX-03C-06-01-00 Size(mm):Φ:185 φ:65 H:80 Weight(kg):2.7




13  Plate Weld Code:W2.5DA-03H-17C-08-00 Size(mm):285*115*35 Weight(kg):0.75	14  Rod Weld Code:W2.5DA-03H-17A-06-00 Size(mm):L:240 W:35 Φ:11 Weight(kg):0.2	15  Joint Belt, Walking 9J-5-1605 Code:W2.5DA-03H-31 Size(mm):L:1605 H:50 Thickness:10 Weight(kg):0.85
16  Hold Roller Weld Code:WD.4ME.28.1 Size(mm):Φ:145 φ:62 H:80 Weight(kg):2.1	17  Tension Shaft Code:W2.5DA-03B-27-08 Size(mm):L:200 Φ(upper&lower):14 Φ(middle):30 Weight(kg):0.8	18  Guide Rail Weld, Front Code:W2.5D-03-32-00 Size(mm):595*35*55 H(rail):30 Weight(kg):4.7
19  Tension Shaft Code:W2.5D-03-10-02 Size(mm): L:115 Φ(upper):20 φ(upper):30 Φ(lower):15 Weight(kg):0.25	20  Belt Pulley Code:W2.5C-03D-10-06 Size(mm):Φ:138 φ:30 H:65 Weight(kg):2.95	21  Oil Seal Assy Code:W1.8-33-06-04-00A Size(mm):Φ:70 φ:40 H:14 Weight(kg):0.3
22  Spacer Code:W1.8-33-06-02 Size(mm):Φ:32 φ:20 H:5 Weight(kg):0.01	23  Cover Code:L18X.4.29-02 Size(mm):Φ:85 φ:30 H:8.5 Weight(kg):0.16	24  Spacer Code:L18X.4.27-03 Size(mm):Φ:42 φ:30 H:30 Weight(kg):0.07



25  Oil Seal Combination Code:W2.5DA-03H-27-06-00B Size(mm):Φ:78 ϕ:29 H:18 Weight(kg):0.15	26  Spring Code:W2.5DA-03H-17A-05A Size(mm):80*Φ32 Knots:10 Weight(kg):0.15	27  Nylon Sleeve Code:W2.5DA-03H-17B-10 Size(mm):L:56 W:33 Φ(upper):22 Φ(lower):17 ϕ:12 Weight(kg):0.01
---	--	--





Grain tank Spare parts

1  Chain Cover Code:W2.5B-04HX-22A-02 Size(mm):340*190*18 Weight(kg):0.45	2  Chain Box Weld Code:W2.5B-04HX-22A-01-00 Size(mm):L:355 W:255 φ(upper&lower):50 H:70 Weight(kg):2.4	3  Belt Pulley Weld Code:W2.5B-04HX-17B-04-00 Size(mm):Φ:220 φ:22 H:45 Weight(kg):1.9
4  Gear Shaft Code:W2.5B-04HX-17B-03 Size(mm):L:235 Φ(upper):25 Φ(middle):29 Φ(lower):23 Weight(kg):1	5  Chain Wheel 10A×22 Code:W2.5B-04HX-11-02 Size(mm):Φ:120 φ:22 H:30 Teeth:22 Weight(kg):0.65	6  Chain Wheel 10A×15 Code:W2.5B-04HX-02A-07 Size(mm):Φ:84 φ:20 H:30 Teeth:15 Weight(kg):0.35
7  Bevel gear Code:W2.5B-04HX-02A-05-03 Size(mm):Φ(upper):60 φ(upper):20 φ(lower):30 H:36 Teeth:15 Weight(kg):0.33	8  Square Cross Code:W2.5B-04HX-02A-04-00C Size(mm):390*360*260 φ(big):190 φ(middle):135 φ(small):72 Weight(kg):14.4	9  Spring, Grain Unloading Code:W2.5B-04CY-12B-03B Size(mm):L:130 W:43 Φ:30 knots:13 Weight(kg):0.18
10  Connecting Rod, Lower Code:W2.5B-04CY-12B-02B Size(mm):745*Φ8 Weight(kg):0.3	11  Handle Rod Assy, Grain Unloading Code:W2.5B-04CY-12B-01-00 Size(mm):250*130*80 Weight(kg):0.5	12  Tension Wheel riveted Code:W2.5B-04CM-02-02-03-00 Size(mm):45*Φ115 Weight(kg):0.4





13  Tension Arm Weld Code:W2.5B-04CM-02-01-00A Size(mm):300*80*90 Weight(kg):1.05	14  Driving Gear Code:W2.5B-04BX-12-06 Size(mm):Φ:58 φ:19 H:31 Teeth:12 Tooth width(mm):20 Weight(kg):0.3	15  Bearing Code:6008-RS Size(mm):Φ:68 φ:40 H:15 Weight(kg):0.2
16  Bevel gear Code:W2.5B-04BX-11-01-03 Size(mm):Φ:60 φ:20 H:35 Teeth:15 Weight(kg):0.35	17  Grain Unloading Auger B Code:W2.5B-04BX-04B-02-00 Size(mm):1735*Φ165 Φ:60 Weight(kg):10.05	18  Grain Unloading Auger A Code:W2.5B-04BX-04-01-00 Size(mm):1985*Φ165 Φ:60 Weight(kg):13.4
19  Middle Short Auger Weld Code:W2.5B-04BX-03-03-00 Size(mm):230*255*255 Weight(kg):2.95	20  Upper box A Code:W2.5B-04BX-03-02-01 Size(mm):φ(big):270 φ(small):175 360*330*250 Weight(kg):16.2	21  Spacer Code:W2.5B-04BX-02H-05-03 Size(mm):Φ(upper):32 Φ(upper):24 Φ(lower):34 φ(lower):24 H:32 Weight(kg):0.05
22  Transmission Shaft Code:W2.5B-04BX-02H-05-02 Size(mm):L:185 Φ(middle):25 Φ(upper&lower):21 Weight(kg):0.63	23  Gear box Code:W2.5B-04BX-02H-05-01 Size(mm):138*125*110 φ(lower):63.5 φ:(left side):60 φ:(right side):69 Weight(kg):1.85	24  Small bevel gear Code:W2.5B-04-10-06 Size(mm):Φ:65 φ:20 H:30 Teeth:20 Weight(kg):0.25





25  Bearing Block Code:W2.5B-04-10-04 Size(mm):Φ:85 φ:52 H:30 Weight(kg):0.64	26  Big bevel gear Code:W2.5B-04-10-02 Size(mm):Φ:122 φ:20 H:35 Teeth:40 Weight(kg):0.6	27  Chain Code:10A-40 Size(mm):L:630 H:20 Weight(kg):0.6
28  Bearing(1620) Code:W2.5-02G-02-32-02 Size(mm):12*Φ23 Weight(kg):0.01	29  Belt Code:W2.5B-04-32 Size(mm):L:1850 W:22 Thickness(mm):12.5 Weight(kg):0.65	30  Lifting Auger Weld Code:W2.5B-04BX-02H-02-00 Size(mm):L:1685 W:165 Φ:22 Weight(kg):11.55
31  Lifting Auger Housing Weld Code:W2.5B-04BX-02HB-01-00 Size(mm):L:1250 Φ:260 φ:176 Weight(kg):18.45	32  Grain Unloading Auger Housing Weld B Code:W2.5F-04A-04B-04-00 Size(mm):1725*335*185 Φ:185 Weight(kg):19	33  Grain Unloading Auger Weld Code:W2.5F-04A-11-01-00 Size(mm):L:1410 W:135 Φ:22 Weight(kg):9.5
34  Grain Unloading Auger Housing Weld A Code:W2.5B-04BX-04D-03-00B Size(mm):1815*Φ180 Weight(kg):26.4	35  Grain Tank Weld Code:W2.5F-04D-01-00 Size(mm):1510*960*1640 (Tank:1200*960*1540) Weight(kg):104	



Thresher spare parts

1  Housing Weld, Impurity Lifting Auger Code:W3.5H-02HB-11B-01-01-00 Size(mm):L:910 W:175 Φ:100 Weight(kg):8.1	2  Inner Plate, Re-thresher Code:W3.5H-02HB-11-03-03 Size(mm):260*225*100 Weight(kg):0.5	3  Housing Weld, Re-threshing Code:W3.5H-02HB-11-03-01-00 Size(mm):W:335 Φ:275 φ:250 H:140 Weight(kg):3.5
4  Sieve Assy, Upper A Code:W3.5H-02HA-13-01-02-00 Size(mm):780*380*130 Weight(kg):4.95	5  Belt Pulley Code:W3.5H-02HA-12-02 Size(mm):Φ:120 φ:46 H:60 Weight(kg):1.8	6  Horizontal Auger Assy Code:W3.5H-02-11-02-01-00 Size(mm):L:1110 W:170 Φ:95 φ:25 Weight(kg):8.2
7  Auger Weld, Impurity Code:W3.5H-02-11-01-07-00 Size(mm):L:935 W:117 Φ:95 φ:25 Weight(kg):5.9	8  Grain Horizontal Bearing Seat Code:W2.5P-02-02-10-07 Size(mm):Φ:64 φ:44 H:70 Weight(kg):0.65	9  Fan Shaft Code:W2.5P-02-02-05-01 Size(mm):L:1150 Φ(middle):40 Φ(upper&lower):15 Weight(kg):9.5
10  Tension Pulley Assy Code:W2.5K-02SA-09A-01A-00 Size(mm):65*Φ:120 Weight(kg):1.4	11  Rack Weld B Code:W2.5K-02S-02-04-00A Size(mm):L:1690 W:140 Φ:30 Teeth width(mm):75 Weight(kg):7	12  Rack Weld A Code:W2.5K-02S-02-03-00A Size(mm):L:1690 W:140 Φ:30 Teeth width(mm):7 Weight(kg):6




13  Feeding Auger Code:W2.5K-02S-02-02-00B-00 Size(mm):Φ(upper):485 ϕ(upper):325 Φ(lower):460 ϕ(lower):108 W:600 H:275 Weight(kg):18.8	14  Shaft Weld Code:W2.5K-02S-02-01-00A Size(mm):L:2050 Φ(side):445 Φ(middle):60 Weight(kg):31.8	15  Wearing Plate Code:W2.5K-02PX-10-01-04 Size(mm):400*115*1 Weight(kg):0.3
16  Grain Lifting Chain Code:W2.5K-02PB-10A-15 Size(mm):L:520 H:20 Weight(kg):0.4	17  Square Four-Way Weld Code:W2.5K-02PB-10A-01-01-00 Size(mm):270*255*205 Φ(big):140 Φ(middle):135 Φ(small):120 Weight(kg):4.6	18  Pulley, Auxiliary Code:W2.5K-02P-01A-17-04 Size(mm):Φ:26 ϕ(lower):40 H(lower):55 H(upper):50 Weight(kg):7.6
19  Blade, Fan Code:W2.5K-02HX-05-08 Size(mm):805*120*20 Weight(kg):0.9	20  Sieve Weld, Rear Code:W2.5K-02HG-13-01-41-0 Size(mm):765*300*65 Weight(kg):1.45	21  Vertical Lifting Auger Weld Code:W2.5K-02HBF-10-01-03-00 Size(mm):L:1602 W:120 Φ(upper):20 Φ(middle):35 Φ(lower):20 Weight(kg):
22  Housing Weld, Vertical Lifting Auger Code:W2.5K-02HBF-10-01-02-00 Size(mm):L:1420 W:508 Φ:150 Weight(kg):14.9	23  Tension Pulley Combination Code:W2.5K-02HB-56-28A-01-00 Size(mm):35*Φ:125 Weight(kg):0.8	24  Belt Pulley, Vibrating Sieve Code:W2.5K-02HB-13-02-07-00 Size(mm):Φ:230 ϕ:24 H:40 Weight(kg):1.5



25  Spring (Rocking) Code:W2.5K-02HB-12-09 Size(mm):170*Φ20 Knots:15 Weight(kg):0.05	26  Tension Frame Weld Code:W2.5K-02HB-12-03-00 Size(mm):195*50*35 Weight(kg):0.4	27  Belt Pulley, Impurity Code:W2.5K-02HB-11-05 Size(mm):40*Φ180 φ:20 Weight(kg):1.3
28  Belt Pulley, Grain Auger Code:W2.5K-02HB-10-06 Size(mm):32.5*Φ:245 Weight(kg):2.15	29  Tension Arm Weld Code:W2.5K-02HB-10-05-01-00 Size(mm):265*195*45 φ:52 Weight(kg):1.1	30  Right Pull Plate Weld Code:W2.5K-02HB-10-05-01-00 Size(mm):305*91*30 Weight(kg):0.4
31  Belt Pulley, Fan Code:W2.5C-02-02-05-06A Size(mm):Φ:270 φ:50 H:90 Weight(kg):8.75	32  Horizontal Auger Weld Code:W2.5A-02B-02-10-02-00 Size(mm):L:1215 H:115 Φ(upper):20 Φ(middle):30 Φ(lower):25 Weight(kg):8.1	33  Driven Bevel Gear Code:W2.5-02S-01-17-07 Size(mm):Φ:92 φ:32 H:30 Teeth:19 Spline:26 Weight(kg):0.9
34  Bevel Gear Code:W2.5-02G-02-10-01-04 Size(mm):Φ:64 φ:20 H:50 Teeth:20 Weight(kg):0.3	35  Rear Concave Screen Weld Code:W2.5-02G-01-06A-00 Size(mm):755*630*130 Weight(kg):14.4	36  Front Concave Screen Weld Code:W2.5-02G-01-04A-00 Size(mm):755*630*130 Weight(kg):14.4




37  Shaft Code:W2.5-02B-02-13-02-01 Size(mm):L:1000 Φ:28 Weight(kg):4.4	38  Belt Pulley Code:W2.5-02B-02-05-16 Size(mm):Φ:200 φ:55 H:80 Weight(kg):4.5	39  Frame Weld, Fan Code:W2.5-02B-02-05-07-00 Size(mm):520*280*280 Φ:60 Weight(kg):6
40  Tension Wheel Combination Code:W2.5-02B-01G-17-18-01-00 Size(mm):265*185*85 Weight(kg):1.5	41  Driven Bevel Gear Code:W2.5-02A-01-17-10 Size(mm):Φ:140 φ:32 H:30 Teeth:29 Weight(kg):1.9	42  Active Bevel Gear Code:W2.5-02A-01-17-06 Size(mm):Φ:92 φ:42 H:34 Teeth:19 Spline:30 Weight(kg):0.8
43  Chain, Impurity Auger Code:W2.5-02-02-11-06 Size(mm):L:600 H:20 Weight(kg):0.35	44  Bearing Seat (II) Code:W2.5-02-02-11-04 Size(mm):60*90*90 Φ:63 φ(upper):51 φ(lower):55 Weight(kg):0.6	45  Plate (2) Code:W2.5-02-02-11-01-08 Size(mm):165*145*118 Weight(kg):0.5
46  Tension Spring (threshing) Code:W2.5-02-02-10-08A Size(mm):L:140 W:40 Φ:30 Knots:18 Weight(kg):0.3	47  Spring Code:W2.5-02-01-10-03 Size(mm):107*Φ:16 Knots:38 Weight(kg):0.03	48  Bearing Block, Rear Code:W2.5-02-01-02-12 Size(mm):L:118 Φ(upper):93 φ(upper):80 φ(lower):43 H:40 Weight(kg):1.3



49  13 Chain Wheel II Code:W2.0-02-11-10 Size(mm):Φ:60 φ:12 H:32 Teeth:13 Weight(kg):0.1	50  14 Chain Wheel Code:W2.0-02-11-07 Size(mm):Φ:62 φ:20 H:26 Teeth:14 Weight(kg):0.1	51  Bevel Gear Code:L1.8A-03-04-03-05 Size(mm):Φ:60 φ:24 H:28 Teeth:20 Weight(kg):0.3
52  Shaft, Chain Wheel Code:L1.8A-03-04-03-03 Size(mm):L:110 Φ(lower&upper):24 Φ(middle):30 Weight(kg):0.4	53  Tension Chain Wheel Code:L1.8A-03-02-04-03 Size(mm):Φ(lower):60 φ(lower):22 φ(upper):34 H:19 Teeth:14 Weight(kg):0.3	54  Tension Chain Wheel Combination Code:L1.8A-03-02-04-00 Size(mm):Φ:60 H:55 Teeth:14 Weight(kg):0.3
55  Chain Wheel (15) Code:L1.8A-03-02-03-01 Size(mm):Φ:65 φ:24 H:30 Teeth:15 Weight(kg):0.3	56  Driving Chain Wheel (17 Teeth) Code:L1.8A-03-02-01-04A Size(mm):Φ:74 φ:22.5 H:30 Teeth:17 Weight(kg):0.3	57  Bearing Seat (#2 argue) Code:WD-150A-03A.05.10-03 Size(mm):95*95*22 Weight(kg):0.35
58  Fan-gearbox C-belt Code:W3.5-02-36 Size(mm):L:2508 H:21 Thickness:14 Weight(kg):0.8	59  Front Panel Weld Code:W2.5-02-01-02-05-00 Size(mm):Φ:470 φ:56 H:27 Weight(kg):3.5	60  Reverse SB Belt Code:W2.5-02S-01-38 Size(mm):L:1195 W:17.5 Thickness(mm):12.5 Weight(kg):0.2




61  Gearbox- Upper Shaft 2HB Belt Code:W2.5-02S-01A-37 Size(mm):L:1490 W:17.5 Thickness(mm):14 Weight(kg):0.7	62  Belt, ActiveTransmission, Fan Code:W2.5C-02-02-05-10A Size(mm):L:1490 W:75 Thickness(mm):12.5 Weight(kg):1.15	63  Main Clutch Tension Assy Code:W2.5C-02-02-22C-00 Size(mm):330*130*130 Weight(kg):4.7
64  Main Clutch Tension Wheel Code:W2.5C-02-02-22C-01 Size(mm):90*Φ125 Weight(kg):1.7	65  Fan-Auger-Transition Drive Belt Code:W2.5K-02HB-36 Size(mm):L:3259 H:21 Thickness:12.5 Weight(kg):1.05	66  ThresherCover Weld Code:W2.5K-02HBF-07-01-00 Size(mm):2125*890*300 Weight(kg):69.5
67  Threshing Rack Weld Code:W2.5K-02HC-01-00 Size(mm):2350*1220*1250 Weight(kg):488.9	68  Thresher Components Code:W2.5K-02S-02-00-00 Size(mm):2050*Φ620 Weight(kg):78.9	69  Tension Bolt Code:W2.5K-02S-09-01 Size(mm):195*Φ8 Weight(kg):0.08
70  Tension Arm Weld Code:W2.5K-02SA-09B-02-00 Size(mm):225*110*40 Weight(kg):0.85	71  Vibrating Screen Assy Code:W3.5H-02HA-13-01-00 Size(mm):1610*840*315 Weight(kg):73.5	72  Gearbox Assy Code:W2.5K-02HBF-10-01-10-00 Size(mm):215*140*165 Weight(kg):5.1




73  Input Shaft Code:WD-150A-03A.05.10.01-01 Size(mm):L:155 Φ(upper&lower):15 Φ(middle):25 Weight(kg):0.29	74  Bevel Gear Code:WD-150-03.05.10.01-03 Size(mm):Φ:40 φ:15 H:15 Teeth:16 Weight(kg):0.1	75  Bevel Gear Code:WD-150-03.05.10.01-04 Size(mm):Φ:40 φ:15 H:24 Teeth:16 Weight(kg):0.12
76  Driven Shaft Code:W2.5-02S-01-17-09 Size(mm):L:280 Φ(upper&lower):35 Φ(middle):50 Weight(kg):2.8		




Other spare parts

 Air filter Code:K35C9 Size(mm):Φ:200 φ:100 H:390 Height(kg):1.45	 HST filter Code:W2.5M-05M-18-01-X Size(mm):170*Φ65 Height(kg):0.3	 Switch Code:T500-S Size(mm):60*30*10 Height(kg):0.05
 Bearing Code:SQ10C-RS Size(mm):57*48*32 Height(kg):0.04	 Sensor, Auger Speed Code:WD-150-07.03.01 Size(mm):280*85*55 Height(kg):0.25	 Filter Code:WD.4FE.8-02 Size(mm):Φ:70 φ:58 H:180 Height(kg):0.02
 Cylinder, Header Code:W2.5X-05D-02-00 Size(mm):L:595 W:80 Φ:45 φ:30 Height(kg):5.7	 Cylinder, Header Code:W2.5X-05D-01-00M Size(mm):L:595 W:90 Φ:50 φ:35 Height(kg):8.4	 W2.5M-05M-18-01 Code:W2.5M-05M-18-01 Size(mm):294*130*115 Height(kg):3.2
 Breaking Wire Code:W2.5H-07-03-04-00 Size(mm):900*Φ8 Height(kg):0.5	 Cylinder, Reel Code:W2.5F-05-10-00B Size(mm):L:250 Φ:40 φ:25 Height(kg):1.6	 Cylinder, Grain Unloading Code:W2.5DD-05GX-02-00EC Size(mm):L:330 W:90 Φ(cylinder):50 Height(kg):6.25



13  Multifunctional Slide Valve Code:W2.5DD-05DC-17-01C Size(mm):230*230*125 Height(kg):8.2	14  Grain Unloading Valve Code:W2.5DD-05DC-16-01 Size(mm):185*110*78 Height(kg):3.3	15  Reel Valve Code:W2.5DD-05DC-15-01 Size(mm):185*85*80 Height(kg):2.8
16  Involute Gear Pump Code:W2.5DD-05DC-09-00E Size(mm):150*118*90 Φ:18 Splines:11 Height(kg):3.7	17  Filter Code:W2.5DD-05DB-01-03A Size(mm):L:150 Φ:45 φ:25 Height(kg):0.05	18  Bearing PHSA10 Code:W2.5DA-07E-04-21R Size(mm):L:75 Φ:30 φ:10 Height(kg):0.05
19  Bearing PHSA10 Code:W2.5DA-07E-04-21L Size(mm):L:75 Φ:30 φ:10 Height(kg):0.05	20  Combination Instrument Code:W2.5DA-06X-G2-2A Size(mm):275*106*62 Height(kg):0.6	21  Alarm, Grain Tank Code:W2.5DA-05-01-20-02 Size(mm):260*70*40 Height(kg):0.32
22  Spring Code:W2.5D-07G-05-11A Size(mm):155*Φ30 Knots:17 Height(kg):0.4	23  Combination Switch Code:W2.5C-06-01-20-00 Size(mm):270*122*70 Height(kg):0.15	24  Center Control Box (12V) Code:W2.5C-06-01-19-00 Size(mm):178*122*70 Height(kg):0.45



25  Belt Pulley, Engine Code:W2.5C-03D-05G-02 Size(mm)Φ(upper):160 Φ(lower):215 Φ(upper):130 Φ(lower):130 Height(kg):9.9	26  Throttle Wire Code:W2.5-07-08-05-00 Size(mm):1300*Φ5 Height(kg):0.18	27  Reverse Wire Code:W2.5-07-05-04-00 Size(mm):2500*Φ8 Height(kg):0.65
28  Canopy Code:W2.0-13-03A Size(mm):1065*860*140 Height(kg):4	29  Flameout Wire Code:W2.0-07-02-08-00 Size(mm):1350*Φ6 Height(kg):0.2	30  Sensor, Rotating Speed Code:W2.0-06-01-16-00 Size(mm):155*Φ25 Height(kg):0.1
31  Sensor, Water Temperature Code:W2.0-06-01-15-00 Size(mm):45*Φ22 Height(kg):0.04	32  Steering Cylinder Code:W2.0-05-33-01 Size(mm):180*128*70 Height(kg):3.2	33  Reverse Horn Switch Code:JK635A Size(mm):300*Φ28 Height(kg):0.1
34  Starting Cable Assy Code:JK430 Size(mm):480*40*40 Height(kg):0.35	35  Sensor, Grain Tank Code:JCK-1 Size(mm):300*Φ96 Height(kg):0.13	36  Horn (12V) Code:DL128G/DL129G Size(mm):118*90*40 Height(kg):0.22



37  Electronic Sensor, Oil Pressure Code:W2.0-06-01-18-00 Size(mm):50*Φ24 Height(kg):0.06	38  Preheat Starting Relay (12V) Code:JD155 Size(mm):250*70*50 Height(kg):0.2	39  Motor module Code:W2.5B-04BX-12-03D-02 Size(mm):160*145*45 Height(kg):0.9
40  Radiator Code:W2.5DA-09KQ-02-01-00 Size(mm):800*560*215 Height(kg):22.4	41  Hydraulic Oil Tank Code:W2.5X-05A-01-01-00 Size(mm):455*340*350 Height(kg):11.5	42  Main Power Switch Code:JK861 Size(mm):175*110*90 Height(kg):0.35
43  Motor Code:W2.5B-04BX-12-03B-01 Size(mm):340*120*120 Height(kg):10.2	44  Self-dusting Air Filter Code:K35C9-A Size(mm):500*390*300 Height(kg):8.8	



Standard parts

 Bearing Code:5211 Size(mm):ϕ:55 ϕ:100 H:33.4 Weight(kg):1.2	 Bearing Code:6002-2RS Size(mm):ϕ:32 ϕ:15 H:9 Weight(kg):0.03	 Bearing Code:6004 Size(mm):ϕ:20 ϕ:42 H:12 Weight(kg):0.07
 Bearing Code:6005-2RS Size(mm):ϕ:47 ϕ:25 H:12 Weight(kg):0.08	 Bearing Code:6006-2RS Size(mm):ϕ:55 ϕ:30 H:13 Weight(kg):0.11	 Bearing Code:6007-2RS Size(mm):ϕ:62 ϕ:35 H:14 Weight(kg):0.15
 Bearing Code:6008-RS Size(mm):ϕ:68 ϕ:40 H:15 Weight(kg):0.2	 Bearing Code:6012-2RS Size(mm):ϕ:95 ϕ:60 H:18 Weight(kg):0.38	 Bearing Code:6202-2RS Size(mm):ϕ:35 ϕ:15 H:11 Weight(kg):0.04
 Bearing Code:6203-2RS Size(mm):ϕ:40 ϕ:17 H:12 Weight(kg):0.07	 Bearing Code:6204-2RS Size(mm):ϕ:47 ϕ:20 H:14 Weight(kg):0.1	 Bearing Code:6205-2RS Size(mm):ϕ:52 ϕ:25 H:15 Weight(kg):0.15



13  Bearing Code:6209-2RS Size(mm):Φ:85 φ:45 H:19 Weight(kg):0.41	14  Bearing Code:6210-2RS Size(mm):Φ:90 φ:50 H:20 Weight(kg):0.45	15  Bearing Code:6301-2RS Size(mm):Φ:37 φ:12 H:12 Weight(kg):0.05
16  Bearing Code:6304-2RS Size(mm):Φ:52 φ:20 H:15 Weight(kg):0.14	17  Bearing Code:6305-2RS Size(mm):Φ:62 φ:25 H:17 Weight(kg):0.23	18  Bearing Code:6306-2RS Size(mm):Φ:72 φ:35 H:19 Weight(kg):0.34
19  Bearing Code:6307-2RS Size(mm):Φ:80 φ:35 H:21 Weight(kg):0.45	20  Bearing Code:6308-2RS Size(mm):Φ:90 φ:40 H:23 Weight(kg):0.64	21  Bearing Code:6310 Size(mm):φ:50 Φ:110 H:27 Weight(kg):1.1
22  Bearing Code:NJ2207E Size(mm):φ:35 Φ:72 H:23 Weight(kg):0.41	23  Bearing Code:NJ305E Size(mm):φ:25 Φ:62 H:17 Weight(kg):0.25	24  Oil seal Code:B30X45X10 Size(mm):Φ:45 φ:30 H:10 Weight(kg):0.02



25  Oil seal Code:B38X52X12 Size(mm):Φ:52 Φ:38 H:12 Weight(kg):0.02	26  Oil seal Code:FB42x20x10 Size(mm):Φ:20 Φ:42 H:10 Weight(kg):0.02	27  Oil seal Code:FB55x75x8 Size(mm):Φ:55 Φ:75 H:8 Weight(kg):0.02
28  Oil seal Code:MC60x90x18 Size(mm):Φ:60 Φ:90 H:18 Weight(kg):0.01	29  Key Code:A5X25 Size(mm):25*5*5 Weight(kg):0.01	30  Key Code: A5X28 Size(mm):28*5*5 Weight(kg):0.01
31  Key Code:A6X22 Size(mm):22*5*6 Weight(kg):0.02	32  Key Code:A7X30 Size(mm):30*7*7 Weight(kg):0.03	33  Key Code:A8X20 Size(mm):20*8*7 Weight(kg):0.02
34  Key Code:A8X25 Size(mm):25*8*7 Weight(kg):0.02	35  Key Code:A8X28 Size(mm):28*8*7 Weight(kg):0.02	36  Key Code:A8X32 Size(mm):32*8*7 Weight(kg):0.02




37  Key Code:A8x45 Size(mm):45*8*7 Weight(kg):0.02	38  Key Code:A8x50 Size(mm):50*8*7 Weight(kg):0.03	39  Key Code:A10x32 Size(mm):32*10*8 Weight(kg):0.03
40  Key Code:A10x56 Size(mm):56*10*8 Weight(kg):0.05	41  Key Code:A12x40 Size(mm):40*12*8 Weight(kg):0.04	42  Key Code:C6x25 Size(mm):25*6*6 Weight(kg):0.02
43  Key Code:C8x25 Size(mm):25*8*7 Weight(kg):0.02	44  Key Code:C8x28 Size(mm):28*8*7 Weight(kg):0.02	45  Key Code:C8x30 Size(mm):30*8*7 Weight(kg):0.02
46  Key Code:C8x32 Size(mm):32*8*7 Weight(kg):0.02	47  Key Code:C8x36 Size(mm):36*8*7 Weight(kg):0.03	48  Key Code:C8x40 Size(mm):40*8*7 Weight(kg):0.03



49  Pin Code:1.6×16 Size(mm):16*Φ1.6 Weight(kg):0.01	50  Cotter pin Code:2*22 Size(mm):22*Φ2 Weight(kg):0.03	51  Pin Code:2.5*20 Size(mm):20*Φ:2.5 Weight(kg):0.01
52  Cotter pin Code:2.5*26 Size(mm):26*Φ2.5 Weight(kg):0.03	53  Cotter pin Code:3.2*20 Size(mm):20*Φ3.2 Weight(kg):0.01	54  Cotter pin Code:3.2*24 Size(mm):24*Φ3.2 Weight(kg):0.03
55  Cotter pin Code:3.2*28 Size(mm):28*Φ3.2 Weight(kg):0.01	56  Pin Code:3.2*30 Size(mm):30*Φ3.2 Height(kg):0.01	57  Cotter pin Code:5*40 Size(mm):40*Φ5 Weight(kg):0.02
58  Pin Shaft Code:B8×26 Size(mm):26*Φ8 Height(kg):0.02	59  Pin Shaft Code:B10×20 Size(mm):20*Φ10 Height(kg):0.02	60  Hinge pin Code:B10×48 Size(mm):48*Φ10 Weight(kg):0.04



61  Hinge pin Code:B12×40 Size(mm):40*Φ12 Weight(kg):0.04	62  Hinge pin Code:B20×70 Size(mm):70*Φ20 Weight(kg):0.2	63  Oil seal Code:B30X45X10 Size(mm):Φ:45 φ:30 H:10 Weight(kg):0.02
64  Oil seal Code:B38X52X12 Size(mm):Φ:52 φ:38 H:12 Weight(kg):0.02	65  Oil seal Code:FB42×20×10 Size(mm):φ:20 Φ:42 H:10 Weight(kg):0.02	66  Oil seal Code:FB55×75×8 Size(mm):φ:55 Φ:75 H:8 Weight(kg):0.02
67  Oil seal Code:MC60×90×18 Size(mm):φ:60 Φ:90 H:18 Weight(kg):0.2	68  Ring 25 Code:φ25 Size(mm):Φ:25 H:2 Weight(kg):0.01	69  Ring 30 Code:φ30 Size(mm):Φ:30 H:2 Weight(kg):0.01
70  Ring 37 Code:φ37 Size(mm):Φ:37 H:2 Weight(kg):0.01	71  O ring Code:69*2.65 Size:2.65*Φ69 Weight(kg):0.02	