




Greenray™

भारत निर्मित Lighting Solutions



www.greenrayledlights.com



ABOUT US:

At Greenray, we understand the rich diversity of India, encompassing a myriad of choices, experiences, and lifestyles. Our innovative lighting solutions are crafted to meet the unique needs of each individual. By placing the consumer's interests at the forefront, we ensure that our products offer exceptional value and quality.

Greenray's lighting solutions are designed specifically for India's varied requirements, aiming to enhance the aesthetic appeal of any space while boosting the overall well-being and productivity of individuals. Whether it's a cozy home, a bustling office, or a vibrant public space, our lights are tailored to illuminate and transform environments, reflecting the essence of Indian living.

We offer an affordable range of energy-efficient and reliable LED luminaires that are popular among customers by focussing on the most in-demand runner types and keeping the packing and service straightforward. Greenray maintains a competitive price without compromising on quality. Our high-quality standards ensure product reliability, providing lighting solutions for life's important moments. All Greenray lighting products are BIS-marked, ensuring compliance with national standards.

Choose Greenray for lighting that is not just functional but also elevates your surroundings, making every moment brighter and more beautiful.

INDOOR LIGHTS



All photos used in this brochure are for illustrative purposes only. Actual product appearance may vary.





IP20

BEAM
45°

80
CRI

PF
>0.9



- MODEL NO: AGD-07W | 12W | 18W
- POWER: 7W | 12W | 18W
- LUMENS: 770LM | 1320LM | 1980LM
- CUT-OUT: 60MM | 75MM | 85MM
- DIMENSION : 70*55 MM | 88*60 MM | 98*65 MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR: GLOSSY BLACK | ROSE GOLD | MATT BLACK | WHITE
CCT: WH/NW/WW/3IN1

LUES COB LIGHT



IP20

BEAM
45°

80
CRI

PF
>0.9



- MODEL NO: SGR-03W | 07W | 12W | 18W | 30W | 50W
- POWER: 3W | 7W | 12W | 18W | 30W | 50W
- LUMENS: 330LM | 770LM | 1320LM | 1980LM | 3300LM | 5500LM
- CUT-OUT: 30MM | 60MM | 75MM | 85MM | 130MM | 130MM
- DIMENSION : 38*33MM | 70*65MM | 85*75MM | 95*100MM | 140*100MM | 140*115MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1

TRIO COB LIGHT



IP20

BEAM
45°

PF
>0.9

80
CRI



- MODEL NO: STK-06W | 12W | 18W
- POWER: 6W | 12W | 18W
- LUMENS: 660LM | 1320LM | 1980LM
- CUT-OUT: 66*25MM | 125*25MM | 65*65MM
- DIMENSION : 73*33*40MM | 134*33*40MM | 73*73*40MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR: GLOSSY BLACK | ROSE GOLD
CCT: NW/WW

LINEAR



IP20

BEAM
90°

80
CRI

PF
>0.9



- MODEL NO: MDV-12W | MDVT-12W
- POWER: 12W
- LUMENS: 1320LM
- CUT-OUT: 137*35MM
- DIMENSION : 146*45*42MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: NW/WW

**DIFFUSER
& TILTABLE
LINEAR**



IP20

BEAM
36°

PF
>0.9

80
CRI



- MODEL NO: UML-04W | 12W | 16W | 20W
- POWER: 4W | 12W | 16W | 20W
- LUMENS: 440LM | 1320LM | 1760LM | 2200LM
- CUT-OUT: 42*42MM | 118*42MM | 80*80MM | 195*42MM
- DIMENSION : 51-50*55MM | 128*50*55MM | 90*90*55MM | 205*50*55MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: NW/WW

**HEAVY
LINEAR**



IP20

BEAM
36°

PF
>0.9

80
CRI



- MODEL NO: ST-06W | 12W | 18W | 24W
- POWER: 6W | 12W | 18W | 24W
- LUMENS: 660LM | 1320LM | 1980LM | 2640LM
- CUT-OUT: 55*55MM | 55*155MM | 55*175MM | 115*155MM
- DIMENSION : 65*65*52MM | 65*126*52MM | 65*187*52MM | 126*126*52MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: NW/WW

**HONEY
COMB
SQUARE COB**



IP20

PF
>0.9

80
CRI



- MODEL NO: STG - 07W | 12W | 18W
- POWER: 07W | 12W | 18W
- LUMENS: 770LM | 1320LM | 1980LM
- CUT-OUT: 60MM | 75MM | 88MM
- DIMENSION : 70*55MM | 88*60MM | 98*65MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR: GLOSSY BLACK | ROSE GOLD
CCT: WH/NW/WW/3IN1

**COB
DEEP DOWN**



IP20

PF
>0.9

80
CRI



- MODEL NO: LV-12W | 18W | 24W
- POWER: 12W | 18W | 24W
- LUMENS: 1320LM | 1980LM | 2640LM
- CUT-OUT: 115MM | 145MM | 165MM
- DIMENSION : 125*45MM | 155*45MM | 175*50MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1

**DEEP
DOWN**



IP20

PF
>0.9

80
CRI



- MODEL NO: KS-08W | 15W | 22W
- POWER: 08W | 15W | 22W
- LUMENS: 880LM | 1650LM | 2420LM
- CUT-OUT: 108MM | 135MM | 155MM
- DIMENSION : 120MM | 150MM | 173MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: P.C.

CCT: WH/NW/WW/3IN1

PC DEEP DOWN



IP20

BEAM
45°

PF
>0.9

80
CRI



- MODEL NO: KVT-03W | 06W | 09W | 16W | 24W | 30W | 50W
- POWER: 3W | 6W | 9W | 16W | 24W | 30W | 50W
- LUMENS: 300LM | 600LM | 900LM | 1600LM | 2400LM | 3000LM | 5000LM
- CUT-OUT: 50MM | 75MM | 75MM | 95MM | 120MM | 140MM | 140MM
- DIMENSION : 65MM | 90MM | 90MM | 115MM | 135MM | 160MM | 160MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE :EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1

SPOT & MOVABLE COB



DOWN LIGHT

IP20

PF
>0.9

80
CRI



MODEL NO.	POWER	LUMENS	SHAPE	CUT-OUT	DIMENSION
LKM-R-08W	8W	880LM	ROUND	95MM	115MM
LKM-S-08W	8W	880LM	SQUARE	95MM	115MM
LKM-R-15W	15W	1650LM	ROUND	125MM	145MM
LKM-S-15W	15W	1650LM	SQUARE	125MM	145MM
LKM-6R-15W	15W	1650LM	ROUND	150MM	165MM
LKM-6S-15W	15W	1650LM	SQUARE	150MM	165MM
LKM-R-22W	22W	2420LM	ROUND	150MM	165MM
LKM-S-22W	22W	2420LM	SQUARE	150MM	165 MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : BMTC / EVERBRIGHT

BODY COLOUR: WHITE

BODY MATERIAL: P.C.

CCT: WH/NW/WW/3IN1

DOWN LIGHT



PANEL LIGHT



IP20

PF
>0.9

80
CRI



MODEL NO.	POWER	LUMENS	SHAPE	CUT-OUT	DIMENSION
JTU-R-08W	8W	640LM	ROUND	100MM	120MM
JTU-S-08W	8W	640LM	SQUARE	100MM	120MM
JTU-R-15W	15W	1200LM	ROUND	150MM	175MM
JTU-S-15W	15W	1200LM	SQUARE	150MM	175MM
JTU-R-18W	18W	1440LM	ROUND	175MM	195MM
JTU-S-18W	18W	1440LM	SQUARE	175MM	195MM
JTU-R-22W	22W	1760LM	ROUND	200MM	225MM
JTU-S-22W	22W	1760LM	SQUARE	200MM	225MM
JTU-S-30W	30W	2400LM	SQUARE	275MM	296MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : BMTC / EVERBRIGHT

BODY COLOUR: WHITE

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1



PROFILE LIGHT



IP20

80
CRI



MODEL NO.	WIDTH	HEIGHT	LENGTH
ANJ-CN-0809	13MM	9MM	2M
ANJ-SF-0809	8MM	9MM	2M
ANJ-CN-1707	24MM	7MM	2M
ANJ-SF-1707	17MM	7MM	2M
ANJ-CO-1818	18MM	18MM	2M
ANJ-CN-2309	29MM	9MM	2M,3.6M
ANJ-SF-2309	23MM	9MM	2M,3.6M
ANJ-CN-3512	45MM	12MM	2M,3.6M
ANJ-SF-3512	35MM	12MM	2M,3.6M
ANJ-SF-3570	35MM	70MM	2M,3.6M
ANJ-SF-5050	53MM	53MM	2M,3.6M
ANJ-SF-5070	53MM	70MM	2M,3.6M

BODY MATERIAL: EXTRUDED ALUMINIUM 6063 | INPUT SUPPLY: 90-230V A.C.

BODY COLOUR: FINISH DETAIL LIKE ANODISED-SILVER/BLACK



IP20

BEAM
40°

PF
>0.9

80
CRI



- MODEL NO: SBR-07W | 12W | 18W
- POWER: 07W | 12W | 18W
- LUMENS: 770LM | 1320LM | 1980LM
- OUTER: 55MM | 70MM | 85MM
- HEIGHT: 70MM | 90MM | 100MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR : GLOSSY BLACK , ROSE GOLD

CCT: WH/NW/WW/3IN1

CYLINDER LIGHT



IP54

BEAM
36°

BEAM
45°

PF
>0.9

80
CRI



- MODEL NO: VSM- 12W | 18W | 30W | 50W
- POWER: 12W | 18W | 30W | 50W
- LUMENS: 1320LM | 1980LM | 3300LM | 5500LM
- CUT-OUT: 75MM | 95MM | 115MM | 140MM
- HEIGHT: 100MM | 100MM | 152MM | 162MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR : GLOSSY BLACK , ROSE GOLD

CCT: WH/NW/WW/3IN1

RAINPROOF CYLINDER LIGHT



IP20

BEAM
40°

PF
>0.9

80
CRI



- MODEL NO: PRM-07W | 12W
- POWER: 07W | 12W
- LUMENS: 770LM | 1320LM
- OUTER: 60MM | 75MM
- HEIGHT: 75MM | 95MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR : GLOSSY BLACK , ROSE GOLD

CCT: WH/NW/WW/3IN1

MOVABLE SURFACE CYLINDER



IP20

BEAM
36°

BEAM
45°

PF
>0.9

80
CRI



- MODEL NO: VBN- 07W | 12W | 18W
- POWER: 07W | 12W | 18W
- LUMENS: 770LM | 1320LM | 1980LM
- OUTER: 62MM | 62MM | 85MM
- HEIGHT: 75MM | 75MM | 95MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

REFLECTOR : GLOSSY BLACK , ROSE GOLD

CCT: WH/NW/WW/3IN1

MOVABLE CONSILDE CYLINDER



IP20

PF
>0.9

80
CRI




- MODEL NO: JBT- 48W | 72W
- POWER: 48W | 72W
- LUMENS: 4320LM | 6480LM
- CUT-OUT: SQUARE
- DIMENSION : 600*600MM

INPUT SUPPLY: 90-230V A.C.

BODY COLOUR: WHITE

BODY MATERIAL: METAL SHEET

COMMERCIAL LIGHT



IP20

PF
>0.9

80
CRI



- MODEL NO: VST-40W | 60W | 80W | 120W
- POWER: 40W | 60W | 80W | 120W
- LUMENS: 4000LM | 6000LM | 8000LM | 12000LM
- SHAPE: RECTANGLE
- DIMENSION : 50*70*1150MM | 50*70*1150MM | 50*70*2300MM | 50*70*2300MM

INPUT SUPPLY: 90-230V A.C.

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1

HANGING PROFILE



IP20

BEAM
36°

PF
>0.9

80
CRI



- MODEL NO: HNMW- 10W | 20W | 30W | 50W
- POWER: 10W | 20W | 30W | 50W
- LUMENS: 1100LM | 2200LM | 3300LM | 5500LM
- DIMENSION : 110*63*140MM | 130*90*150MM | 145*90*160MM | 160*100*170MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1

WALL LIGHT



IP20

BEAM
36°

PF
>0.9

80
CRI



- MODEL NO: HNMT- 10W | 20W | 30W | 50W
- POWER: 10W | 20W | 30W | 50W
- LUMENS: 1100LM | 2200LM | 3300LM | 5500LM
- DIMENSION: 110*63*140MM | 130*90*150MM | 145*90*160MM | 160*100*170MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE : EVERBRIGHT

BODY COLOUR: WHITE/BLACK

BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1



TRACK LIGHT



SURFACE LIGHT

IP20

PF
>0.9

80
CRI



MODEL NO.	POWER	LUMENS	SHAPE	DIMENSION
KSL-R-08W	8W	880LM	ROUND	115MM-35MM
KSL-S-08W	8W	880LM	SQUARE	115MM-35MM
KSL-R-15W	15W	1650LM	ROUND	145MM-35MM
KSL-S-15W	15W	1650LM	SQUARE	145MM-35MM
KSL-6R-15W	15W	1650LM	ROUND	165MM-35MM
KSL-6S-15W	15W	1650LM	SQUARE	165MM-35MM
KSL-R-22W	22W	2420LM	ROUND	165MM-35MM
KSL-S-22W	22W	2420LM	SQUARE	165MM-35MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: BMTC/EVERBRIGHT

BODY COLOUR: WHITE

BODY MATERIAL: P.C.

CCT: WH/NW/WW/3IN1



IP20

PF
>0.9

80
CRI



MODEL NO.	POWER	LUMENS	SHAPE	DIMENSION
KKY-R-08W	8W	880LM	ROUND	95MM-30MM
KKY-S-08W	8W	880LM	SQUARE	95MM-30MM
KKY-R-15W	15W	1650LM	ROUND	120MM-30MM
KKY-S-15W	15W	1650LM	SQUARE	120MM-30MM
KKY-R-22W	22W	2420LM	ROUND	145MM-30MM
KKY-S-22W	22W	2420LM	SQUARE	145MM-30MM

INPUT SUPPLY: 90-230V A.C. | LED MAKE: BMTC/EVERBRIGHT

BODY COLOUR: WHITE/BLACK | BODY MATERIAL: P.C.

CCT: WH/NW/WW/3IN1

RIMLESS SURFACE LIGHT



IP20

PF
>0.9

80
CRI



- MODEL NO: SMT-12W | 18W | 24W
- POWER: 12W | 18W | 24W
- LUMENS: 1320LM | 1980LM | 2640LM
- SHAPE: ROUND
- DIMENSION: 80*46MM | 90*48MM | 128*50MM

INPUT SUPPLY: 90-230V A.C. | LED MAKE: BMTC/EVERBRIGHT

BODY COLOUR: WHITE/BLACK | BODY MATERIAL: ALUMINIUM

CCT: WH/NW/WW/3IN1

15.


DRUM SUREFACE LIGHT



OUTDOOR LIGHTS



All photos used in this brochure are for illustrative purposes only. Actual product appearance may vary.





STREET LIGHT



IP65

PF
>0.9

80
CRI



MODEL NO.	POWER	LUMENS	DIMENSION	PIPE DIA
JNK-20W	20W	2400LM	75*60*30MM	37MM
JNK-24W	24W	2880LM	343*135*60MM	45MM
JNK-30W	30W	3600LM	343*135*60MM	45MM
JNK-36W	36W	4320LM	343*135*60MM	45MM
JNK-50W	50W	6000LM	370*140*60MM	45MM
JNK-60W	60W	7200LM	382*155*65MM	45MM
JNK-100W	100W	12000LM	435*200*95MM	60MM
JNK-150WE	150W	18000LM	435*200*95MM	60MM
JNK-150W	150W	18000LM	535*263*100MM	64MM
JNK-200W	200W	24000LM	535*263*100MM	64MM

INPUT SUPPLY: 90-230V A.C.

LED MAKE: OSRAM/EVERBRIGHT

BODY MATERIAL: ALUMINIUM

SURGE PROTECTION : 4KV/6KV

CCT: WH/NW/WW



IP65

PF
>0.9

80
CRI



- MODEL NO: RMS-30W | 60W | 100W | 150W | 200W
- POWER: 30W | 60W | 100W | 150W | 200W
- LUMENS: 3600LM | 7200LM | 12000LM | 18000LM | 24000LM
- DIMENSION : 175*185*55MM | 230*200*55MM | 285*245*60MM | 360*290*60MM | 370*425*60MM

INPUT SUPPLY: 90-230V A.C. | LED MAKE: OSRAM/EVERBRIGHT
BODY MATERIAL: ALUMINIUM | SURGE PROTECTION : 6KV

CCT: WH/NW/WW

SLIM FLOOD LIGHT



IP65

PF
>0.9

80
CRI



- MODEL NO: RMB-50W | 100W | 150W | 200W | 200WL | 300W | 400W | 600W
- POWER: 50W | 100W | 150W | 200W | 200WL | 300W | 400W | 600W
- LUMENS: 6000LM | 12000LM | 18000LM | 24000LM | 24000LM | 36000LM | 48000LM | 72000LM
- DIMENSION : 245*180*65MM | 295*240*70MM | 345*250*75MM | 390*300*80MM | 390*300*80MM | 500*340*80MM | 500*340*80MM | 600*400*170MM

INPUT SUPPLY: 90-230V A.C. | LED MAKE: OSRAM/EVERBRIGHT
BODY MATERIAL: ALUMINIUM | SURGE PROTECTION : 6KV

CCT: WH/NW/WW

BACKSIDE FLOOD LIGHT



IP65

PF
>0.9

80
CRI



- MODEL NO: BRT-100W | 150W | 200W | 300W
- POWER: 100W | 150W | 200W | 300W
- LUMENS: 12000LM | 18000LM | 24000LM | 36000LM
- DIMENSION : 245*60MM | 340*70MM | 340*70MM | 370*85MM

INPUT SUPPLY: 90-230V A.C. | LED MAKE: OSRAM/EVERBRIGHT

BODY MATERIAL: ALUMINIUM | SURGE PROTECTION : 6KV

CCT: WH/NW/WW

HIGH BAY LIGHT



Greeniray™

भारत निर्मित Lighting Solutions

81558 12294
99240 26931

greenraysales@gmail.com
greenraysales15@gmail.com

10/30 Brij Industries,
Near Jupiter Char Rasta,
Makarpura , G.I.D.C.,
Vadodara-390 010.



www.greenrayledlights.com

