



WORLD CLASS QUALITY



Food Contact Materials Expert

Rubtech Mech (India) LLP

India's first US FDA-EU compliant SGS certified, Food Contact Materials Mfg. Company



Rubber Ball

Size : 16mm

RTM Part No.: 5134



A unique quality product for PlanSifter sieve cleaning process with no harm to mesh and frame and it increases the efficiency by more than 25% of sieving.

Rubber Ball Oval Shape / Damru

RTM Part No.: 5137



It is made of 100% rubber which is specially designed as a process aid for Plan Sifter sieve cleaning process.

PU Cleaning Pad

RTM Part No.: 5132



Specially designed for freely interacting and sliding on the plan sifter sieving mesh.

Triangle with brush

RTM Part No.: 5122



With PU base and Polyamide bristles to clean the sieves during the process and thus increases the efficiency of the

Nova Sieve Cleaner Brush

RTM Part No.: 5116



Nova Shape Brush Cleaner: This has been designed to clean the corners of the sieving mesh as well as the whole surface of the plan sifter.

Rubber Cube:

RTM Part No.: 5103



Are made of elastomer with extra ordinary tensile strength and compression set used in destonner machines.

Air Lock Rubber Sleeve:

RTM Part No.: 51169



Has been designed with special elastomer with extra ordinary capacity for viewing glass and the tear strength is superb. Available sizes 150 mm and 190 mm

Rubber Ball

Size : 24mm

RTM Part No.: 5142



Being elastomeric observes the shock in itself without creating any impact on the sieving media. Thus the life of the media is enhanced manifold.

Separator Rubber Ball

Size : 32mm

RTM Part No.: 5150



Being a high bouncing ball it is used in separator for increasing the efficiency and yield of the process.

Anti Vibration Mounting

RTM Part No.: 5114



With extra ordinary tensile strength and compression set, so it results in very good service life.

De-Stoner Rubber Sleeve/ Bag

RTM Part No.: 5123



Used for extraction of stones from De-Stoner Machine. RTM Promises to provide you extra strength & long life of Rubber Sleeve/Bag.

Rubber Cap

RTM Part No.: 5121




These are made of elastomer and used in flour & Rice Machinery. Available sizes 4" and 5"

Lift Rubber Sleeve:

RTM Part No.: 5188



Is made of special elastomer with excellent gripping capacity for viewing glass. Its tensile strength is extraordinary. Available sizes 75mm, 88mm, 100 mm and 113mm

ALL PRODUCTS

OVERALL BENEFITS- RTM VS. OTHERS

Description	Other Balls	RTM Balls	RTM Balls Benefit
Resilience	70%	85%	15%
Toxicity	Non food Grade	EU & FDA certified	Food Grade Material
Durability	30 days	150 days*	120 days
Per Hour revenue @ Rs.10/Kg	Rs.1000*10/- = Rs.10,000	Rs.1137.2*10/- =Rs.11,372	Rs. 1372 Per Hour
Maintenance	6 times	3 times	200%
Production	1000 Per Hour Kg	1137.2 Kg Per Hour	13.72% (Per Hour)
Shelf life	365 days	7300 days	6935 days
Quantity Usage/year	10000 nos.	2000 nos.	500%

- We are India's first US FDA-EU compliant SGS certified, Food Contact Materials Mfg. Company
- It has Extraordinary Resilience & Tear Strength, It is of Highly durable quality.
- Due to these unique features our product has 5 times more life than any other rubber balls.
- RTM Rubber Balls Enhances the Yield, Improves Process efficiency and increase the production capacity by 13.72% , Hence leads to increase the revenue.
- RTM Rubber Balls Eliminates downtime as the lifespan of these process aids will be endless.
- With this unique feature Sieve mesh performance and frame's life increases.
- As a result of the above all, production shall increase by 15%.

Industries we serve :

- Roller Flour Mills
 - Rice Mills
 - All types of Grain Industry
 - Pharmaceutical
 - Nutraceutical
- Cosmetics
 - Ceramics
 - Metal Powder
 - Plastic
 - Liquid juice concentrate

Our Production



Certified by

SGS

as per US FDA & EU Regulations





Rubtech Mech (India) LLP

📍 896, Udyog Vihar, Phase - 1
Gurugram - 122 016, HR. (INDIA)

☎ +91-124-4292108

✉ info@rubtechmech.in

🌐 www.rubtechmech.com

DISCLAIMER :

* All Registered trade mark are copy right of respective users, used only for graphically purpose.