



Super Bond
(SH)

A Quality Product from
LINK POLYMER & CHEMICAL POLIMER

For detailed information
visit our website
www.linkpolymer.com
or call our customer service
number 020 2500 1000

For more information
visit our website
www.linkpolymer.com
or call our customer service
number 020 2500 1000

Net Wt. **1 kg**
Batch No. **6569094**
Country
Mfg Date
M.F.A.
Expiry Date

For complete details of
link polymer products or
for any enquiries please visit
our website







A Quality Product from



LINK POLYMER

& CHEMTECH PVT. LTD.

Bonding Chemistry with Precision

An ISO 9001 : 2015 Certified Company

Non-toxic, Waterproof, Heat and Solvent
resistant
(Pho FREE)

Email : link.contact@linkpolymers.com

Website : www.linkpolymers.com

www.linkpolymers.co.in

For complaints and feedback

to link.complaint@linkpolymers.com

or link.complaint@linkpolymers.co.in



Super Bond

SH

A Quality Product from

LINK POLYMER & CHEMTECH PVT. LTD.

Bonding Chemistry with pumps

ISO 9001 : 2015 Certified

Non-toxic, Water proof, (Pb FREE)

For bonding with any
any plastic bonding together
any metal part or plastic surface
also to pump ring thaning.
For bonding with left and back front of

Net Wt. **1 kg**
Batch No. **6568001**
Lot No.

E-mail linkpolymer@linkpolymers.com
Web www.linkpolymer.com
www.linkpolymer.com

Product Name: Polymer Super Bond Ink

Type: Ink

Ink Type: Epoxy Based Ink

Cartridge Style: Not Applicable

Application: ✓ Screen Printing

Size: Available in Various Sizes

Weight: As per requirement / Varies

Color: Various available

Ph Level: Neutral

For Use In: Printing

Solid Content: High

Concentration: High

Components: Epoxy Resin, Pigments, Bonding
Agents

Particle Size: Fine

Viscosity: Medium to High