# **SIEMENS**

## **Data sheet**

# 6GK1571-0BA00-0AA0

#### product type designation



## PC adapter USB A2

PC adapter USB A2 USB adapter (USB V2.0) for connection of a PG/PC or notebook to SIMATIC S7 via PROFIBUS or MPI contain USB cable 5 m, MPI cable 0.3 m can be used under Windows XP/Vista/ Windows 7 32/64 bit and higher.

transfer rate		
transfer rate		
<ul> <li>at the 1st interface / according to PROFIBUS</li> </ul>	9.6 kbit/s 12 Mbit/s	
interfaces		
number of electrical connections		
at the 1st interface / according to PROFIBUS	1	
number of interfaces / according to USB	1	
type of electrical connection		
<ul> <li>at the 1st interface / according to PROFIBUS</li> </ul>	9-pin Sub-D socket (RS 485)	
of the USB interface	Standard-B socket	
standard for interfaces / USB 2.0	Yes	
supply voltage, current consumption, power loss		
type of voltage / of the supply voltage	DC	
type of voltage supply / optional external power supply	No	
supply voltage		
• from USB	5 V	
• note	Supply direct from USB	
relative symmetrical tolerance / at DC		
● at 5 V	5 %	
consumed current		
• from USB	0.2 A	
power loss [W]	1 W	
ambient conditions		
ambient temperature		
<ul> <li>during operation</li> </ul>	0 60 °C	
during storage	-40 +70 °C	
during transport	-40 +70 °C	
relative humidity / at 30 °C / during operation / maximum	95 %	
protection class IP	IP20	
design, dimensions and weights		
module format	USB V2.0 adapter	
width	58 mm	
height	26 mm	
depth	105 mm	
net weight	0.365 kg	
fastening method / 35 mm DIN-rail mounting	No	
product features, product functions, product components / general		
number of plug-in cards of same design / plug-in / per PC station	1	

number of units / note	-
product functions / diagnostics	
product function	
<ul> <li>port diagnostics</li> </ul>	Yes
standards, specifications, approvals	
reference code	
<ul> <li>according to IEC 81346-2:2019</li> </ul>	KEC
product function / is supported / identification link	Yes; acc. to IEC 61406-1:2022
standards, specifications, approvals / Environmental Product Declaration	
global warming potential [CO2 eq]	
• total	42.7 kg
<ul> <li>during manufacturing</li> </ul>	14.95 kg
<ul> <li>during operation</li> </ul>	27.62 kg
after end of life	0.13 kg
further information / internet links	
internet link	
<ul> <li>to website: Selection guide for cables and connectors</li> </ul>	https://support.industry.siemens.com/cs/ww/en/view/109766358
<ul> <li>to web page: selection aid TIA Selection Tool</li> </ul>	https://www.siemens.com/tstcloud
<ul> <li>to website: Industrial communication</li> </ul>	https://www.siemens.com/simatic-net
• to web page: SiePortal	https://sieportal.siemens.com/
to website: Image database	https://www.automation.siemens.com/bilddb
• to website: CAx-Download-Manager	https://www.siemens.com/cax
• to website: Industry Online Support	https://support.industry.siemens.com
security information	
security information	Siemens provides products and solutions with industrial cybersecurity functions

that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)

#### Approvals / Certificates

### **General Product Approval**

Declaration of Conformity











General Product Approval EMV Marine / Shipping Environment



<u>KC</u>





Confirmation



last modified: 2/18/2025 🖸