

ISO 9001:2015 CERTIFIED COMPANY

FOOD PROCESSING MACHINERY & HOTEL CATERING EQUIPMENT

Manufacturer and Exporter



FORTUNE
FOOD MACHINE PVT LTD

www.fortunefoodmachine.com

INDEX

FC-1000	01
FC - 1000 (Combo)	02
FC - 600	03
FS - 800	04
FC - 2000	06
FCE - 600, FCE	07
FDB - 2000	08
Dough Kneading Machine	09
Gravy Machine	12
Pulverizer	12
Flour Mill	14
Mixer Machine	15
More Product	

INDEX

ABOUT US

We strive to achieve perfection in creating matchless manufacturing food processing machines through innovative and effective techniques. Through our tireless endeavors and adherence to quality, we aspire to be a global leader. Finally, by unfailingly delivering on our commitments to clients and ensuring employee satisfaction, our goal is to be established in the industry as an ethically clean organization. Mission To establish a new benchmark of quality and customer satisfaction in the world of commercial kitchen equipments Quality Assurance. We are a professionally managed organization and our products strictly adhere to the set industry standards. We offer comprehensive Food Processing Machinery solutions to our widespread clients. It is our conviction to satisfy customers by using our high-quality products and excellent customer service.

OUR VALUES

Customer Commitment

We develop relationships that make a positive difference in our customer's lives.

Quality

We provide outstanding products and unsurpassed service premium value to our customers.

Respect for people

We value people, encourage their development and reward their performance.

WE CERTIFIED BY

- » ISO 9001:2015
- » ISO 14001:2015
- » ISO 45001:2018
- » ROHS
- » GMP
- » 3-A
- » CE
- » NSIC
- » HACCP





FC - 1000

Automatic Chapati Making Machine



Features

India's First Portable Machine In Commercial Segment.

Easy To Operate

Low Maintenance

Hi-performance

Stainless Steel Body

Simple, Rugged And Very Compact

Requires No Special Skills To Operate

Uniformly Baked Final Product

Robust Construction

High Capacity

Eco Friendly, No Pollution Problems

Hygienic Production

Final Product With Traditional Test

Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm (Adjustable)
Size Of Chapati	3 to 9 Inch Max.
Weight Of Chapati	15gm To 90gm
Chapati Baking	Three Layers Technology
Gas Consumption	2.5 Kg/Hour
Gas Connection	LPG & PNG
Gas Safety	Auto Cut Off Valve System
Machine Dimension	2.2(w) x 5.2(L) x 4.5(h) Feet
Weight of Machine	400 Kg
Total Power Use	2 Unit / Hour

Total Heating Element	2500 Watt
Motor	0.5 HP x 2
Electric Supply	220 V Single Phase
Electrical Motor	Godrej or Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb
Bearings	Timken or SKF
Baking Conveyor	SS 304
All Contact Parts	SS 304 & Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)

FC - 1000 (Combo)

Automatic Chapati Making Machine



Technical Specification

Capacity	1000/Hour & 2000 Dough / Hour
Thickness Of Chapati	1 mm To 12 mm (Adjustable)
Size Of Chapati	3 to 9 Inch Max.
Weight Of Chapati	15gm To 90gm
Chapati Baking	Three Layers Technology
Gas Consumption	2.5 Kg/Hour
Gas Connection	LPG & PNG
Gas Safety	Auto Cut Off Valve System
Machine Dimension	2.2(w) x 6.8(L) x 5.2(h) Feet
Weight of Machine	500 Kg
Total Power Use	2 Unit / Hour
Total Heating Element	2500 Watt
Motor	0.5 HP x 2
Electric Supply	220 V Single Phase
Electrical Motor	Godrej or Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb
Bearings	Timken or SKF
Baking Conveyor	SS 304
All Contact Parts	SS 304 & Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)



FC - 600

Automatic Chapati Making Machine



Features

India's first portable machine in commercial segment.

Easy to Operate

Low Maintenance

Hi-Performance

Stainless Steel Body

Simple, rugged and very compact

Requires no special skills to operate

Uniformly baked final product

Robust Construction

High Capacity

Eco friendly, no pollution problems

Hygienic production

Final product with traditional test

Technical Specification

Capacity	650 to 700 / hour	Total Heating Element	2500 Watt
Thickness Of Chapati	1 mm To 12 mm (Adjustable)	Motor	0.5 HP
Size Of Chapati	3 to 9 Inch Max.	Electric Supply	220 V Single Phase
Weight Of Chapati	15gm To 90gm	Electrical Motor	Godrej or Crompton
Chapati Baking	Three Layers Technology	Electrical Wire	RR cable Or Havells
Gas Consumption	2 Kg/Hour	Electrical Parts	L&T, Schneider or Abb
Gas Connection	LPG & PNG	Bearings	Timken or SKF
Gas Safety	Auto Cut Off Valve System	Baking Conveyor	SS 304
Machine Dimension	2.2(w) x 4(L) x 4.5(h) Feet	All Contact Parts	SS 304 & Ceramic Coating
Weight of Machine	300 Kg	Machine Movable	Yes (4" Castor Wheel)
Total Power Use	2 Unit / Hour		

FS - 800

Semi Automatic Chapati Pressing Machine



Features

- Ideally used for catering service, restaurant, hotel & individual processing unit
- Energy Efficient Machine. Huge Labour Power Saving Benefits
- Hygienic Operation
- Zero Cost Maintenance
- Easy To Operate
- Even Unskilled Worker Can Operate
- Specially for Semi Cooked Chapati

Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm
Size Of Chapati	9 Inch Max.
Weight Of Chapati	10 gm To 90 gm
Machine Size	14 x 26 x 18 (Inch)
Machine Weight	110 kg.
Total Power Use	2 Unit / Hour
Total Heating Element	2700 Watt

Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej / Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Electric Connection	3 HP
Load	
Material	Stainless Steel



FS - 800

Semi Automatic Chapati Pressing Machine
 With Roasting Unit



Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm
Size Of Chapati	9 Inch Max.
Weight Of Chapati	10 gm To 90 gm
Machine Size	14 x 26 x 18 (Inch)
Machine Weight	110 kg.
Total Power Use	2 Unit / Hour
Total Heating Element	2700 Watt
Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej / Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Electric Connection load	3 HP
Material	Stainless Steel
Roasting Unit Size	18 x 36 x 12 (Customize)



FC - 2000

Automatic Chapati Making Machine



Technical Specification

Production Capacity	2000 Roti / Hr.	Overall Dimensions	3.9' (L) X 2.4' (W) X 4.7' (H).
Size of Roti	3" to 9".	Weight of Machine	550 kg.
Weight of Chapati	20 to 70 gm.	All Contact Parts	SS 304
Thickness of Chapati	8 mm to 12 mm	& Covers	
Electrical Supply	230 V (Single Phase) or 440 V (Three phase)	Roti Baking Conveyor	SS 304
Electrical Connection	8 hp.	Electrical Motor	Crompton
Load		Electrical Wire	RR cable or Polycab
Electrical Consumption	4 Unit/ Hr.	Gear Box	Elecon
Chapati Baking	Three layer Technology.	Electrical Parts	Siemens & L&T
Gas Connection	LPG & PNG	Electric Safety	Emergency Stop Button
Gas Consumption	4.5 kg / Hr.	Bearing	SKF or Timken
Gas Safety	Auto Cut Off Valve System	Machine Movable	Yes(4" Castor Wheel)
Roti Colour & Appearance	Light Brown		



FCE - 600, FCE - 1000

Automatic Chapati Making Machine
(Fully Electric Model)



Technical Specification

FCE - 600

FCE - 1000

Capacity	600 / Hour	1000 / Hour
Thickness Of Chapati	1 mm To 4 mm (Adjustable)	1 mm To 4 mm (Adjustable)
Size Of Chapati	3 to 8 Inch Max.	3 to 8 Inch Max.
Weight Of Chapati	15gm To 90gm	15gm To 90gm
Chapati Baking	Three Layers Technology	Three Layers Technology
Machine Dimension	2.2(w) x 4(L) x 4.5(h) Feet	2.2(w) x 5.2(L) x 4.5(h) Feet
Weight of Machine	330 Kg	400 Kg
Total Power Use	9 Unit/Hour	9 Unit/Hour
Electric Connection Load	13 Hp	13 Hp
Motor	0.5 HP	0.5 HP x 2
Electric Supply	440 V Three Phase	440 V Three Phase
Electrical Motor	Godrej or Crompton	Godrej or Crompton
Electrical Wire	RR cable Or Havells	RR cable Or Havells
Electrical Parts	L&T, Schneider or Abb	L&T, Schneider or Abb
Bearings	Timken or SKF	Timken or SKF
Baking Conveyor	SS 304	SS 304
All Contact Parts	SS 304 With Ceramic Coating	SS 304 With Ceramic Coating
Machine Movable	Yes (4" Castor Wheel)	Yes (4" Castor Wheel)

FDB - 2000

Dough Ball Cutting Machine



Features

Low density, smoothness and good roundness
Elegant in style
Ideally used for catering service, restaurant,
hotel and individual processing unit
All Pieces Are Of Perfect Size, Shape & Weight
Easy Movement

Easily Openable Washable. Easy To Operate,
Even Unskilled Worker Can Operate
Energy Efficient Machine. Huge Labour Power
Saving Benefits Hygienic Operation
Zero Cost Maintenance

Technical Specification

Capacity	2000 to 2200/Hours
Machine Weight	70 Kg
Machine Dimension	1.8(w) x 2.5(L) x 205(h) Inch
Machine Contact Parts	SS 304
Electric Motor	Godrej / Crompton
Dough Ball Weight	5 to 110 Gm

Tolerance	± 2 Gm
Blade	SS 304
Electric Supply	220 V Single Phase
Electrical Wire	RR cable Or Havells
Electrical Parts	L&T, Schneider



Dough Kneading Machine



Technical Specification

Capacity	Weight of Machine	Motor	Bowl	Bowl Thickness	Power	Machine Size	Kneading Time
2 Kg.	17 Kg.	0.25 HP	SS 304	1.5 MM	Single Phase	15x14x19	5 Min.
5 Kg.	47 Kg.	0.5 HP	SS 304	1.5 MM	Single Phase	13x16x24	5 Min.
10 Kg.	125 Kg.	1 HP	SS 304	1.5 MM	Single Phase	39x20x15	5 Min.
15 Kg.	127 Kg.	1 HP	SS 304	1.5 MM	Single Phase	41x23x37	7 Min.
20 Kg.	135 Kg.	1.5 HP	SS 304	1.5 MM	Single Phase	44x25x40	7 Min.
25 Kg.	144 Kg.	1.5 HP	SS 304	1.5 MM	Single Phase	45x26x40	7 Min.
30 Kg.	156 Kg.	2 HP	SS 304	1.5 MM	Single Phase	46x27x40	10 Min.
40 Kg.	175 Kg.	3 HP	SS 304	1.5 MM	Single / Three Phase	49x28x44	10 Min.
50 Kg.	180 Kg.	3 HP	SS 304	1.5 MM	Single / Three Phase	49x28x44	10 Min.







Gravy Machine



Used To Make

Punjabi Gravy, Pulp & Juice from All Green Vegetable Like Tomato, Onion, Garlic, Palak, Green Peas, Beetroot, Karela Etc. Wet Dal Crushing For Idli, Dosa, Khaman, Dalwada, Juice From Green Amla, Pulp from Aloe Vera, Make Powder from Croudnut & Dry Fruits.

Model	Chamber Size	Wt.	L	W	H	Capacity (Per Hour)
1HP GRAVY	5X3	24	18	12	19	10-15 KG
2HP REG. GRAVY	7X3	36	20	15	27	35-40 KG
2HP DLX	7X3	36	21	15	28	35-40 KG
3HP SUPER DLX	8X4	40	22	15	28	100-130 KG
3HP JUMBO	9X3	44	23	16	30	100-150 KG
5HP CRAW	12X4	66	23	16	33	00-300 KG
7HP CRAW	14X6	128	34	25	45	00-700 KG

Our Commercial

Dry Grinders are Used for Grinding Different Types of Products

Like Spices, Sugar, Leaves, Herbal Products, Cattle & Poultry Feeds, Icing Sugar, Custard Powder, Instant Food, Food Colors and Allied Food Production.

2 in 1 Pulverizer

Model	Chamber Size	Wt.	L	W	H	Capacity (Per Hour)
2HP 2IN1 REGULAR	10x4	42	24	16	34	12-15 KG
2HP 2IN1 DELUXE	10x4	45	23	14	34	12-15 KG
3HP 2IN1 REGULAR	10x5	51	25	18	38	20-25 KG
3HP 2IN1 DELUXE	10x5	60	23	15	40	20-25 KG
3HP 2IN1 JUMBO	10x6	70	26	17	44	25-30 KG
3HP 2IN1 (JUMBO) DOUBLE CHAMBER	10X6 + 8X4	88	30	18	44	30-32 KG
5HP 2IN1	12X6	105	28	20	48	30-35 KG
5HP 2IN1 DOUBLE CHAMBER	12X6 + 8X4	113	32	20	48	40-45 KG
7.5HP 2IN1 DOUBLE CHAMBER	13X7 + 8X4	165	40	20	54	55-60 KG
10HP 2IN1 DOUBLE CHAMBER	15X7 + 9X4	204	45	25	58	65-70 KG



M.S. Pulverizer



Our Commercial

M.S. Pulverizer are used for Grinding Different Types of Dry Products Like Spices, Salt, Garlic Powder, Sugar, Leaves, Cattle & Poultry Feeds, Herbal Products, Custard Powder, Food Colors and Allied Food Production.

Model	Chamber Size	Wt.	L	W	H	Capacity (Per Hour)
8" MS PULVERIZER	8x4	36	27	16	35	15-20 KG
10" MS PULVERIZER	10x4	43	27	17	35	25-30 KG
10" SS PULVERIZER	10x4	38	28	17	34	25-30 KG
10" MS PULVERIZER (ALU. CHAMBER)	10X6	48	38	18	40	30-35 KG
12" MS PULVERIZER	12X5	65	37	18	41	30-35 KG
14" MS PULVERIZER	14X7	152	50	22	58	70-80 KG

MS - Blower Type Pulverizer

Used to Grind all Type of Spices



Chamber Size	10x5
Weight	60
Length	55
Width	21
Height	49
Capacity (Per Hour)	30-35 KG

MS Masala Grinding Machine

Used to Grind Red Chilli, Turmeric, Cumin Coriander etc.



HP	3
Phase	Single
Chamber Size	8 x 10
Weight	78
Length	35
Width	17
Height	36
Capacity (Per Hour)	30-40 KG

Rice Mill Machine

Model	Single	Combo
Weight	52	70
Length	28	49
Width	15	16
Height	43	43
Motor	3 HP	3 HP
Capacity (Per Hour)	60-70 Kg.	100-120 Kg.



Fully Automatic Flour Mill

Used to Grind Flour From Graios Wheat, Rice, Pearl Millet, Jowar, Corn Etc.



Model	Chamber Size	Wt.	L	W	H	Capacity (Per Hour)
1HP 5KC. HOPPER	7x4	43	20	13	33	7-9 KG
2HP 5KG. HOPPER	9x4	53	20	14	35	12-15 kg



Table Top Flour Mill

Model	Popular Round	Popular Round	Diamond Square	Diamond Square
HP	1	1.25	1	1.25
Weight	28	31	28	32
Length	11	11	11	11
Width	10	10	11	11
Height	24	24	24	24
Hoper	3 Kg	3 Kg	3 Kg	3 Kg
Capacity (Per Hour)	5-6 Kg.	7-8 Kg.	5-6 Kg.	7-8 Kg.



Heavy Duty Mixer Machine

Used For Gravy of all Types of Vegetable, Wet and Dry Grinding of Grain and Nut Grinding (Kaju-Katri) Etc.

Rounded Model

Model	2 LTR	3 LTR	5 LTR	10 LTR	141 LTR
HP	0.5	1.5	1.5	2	3
RPM	2880	2880	2880	2880	2880
Weight	10	22	23	29	46
Length	10	14	14	14	18
Width	8	10	10	11	16
Height	20	23	24	32	37



Tilting Model

Model	5 LTR	10 LTR	14 LTR
HP	1.5	2	3
RPM	2880	2880	2880
Weight	31	35	51
Length	22	22	24
Width	17	17	19
Height	35	40	49



V-Belt Model

Model	10 LTR	15 LTR	20 LTR
HP	1	1.5	2
RPM	1440	1440	1440
Weight	45	50	60
Length	25	27	30
Width	14	14	19
Height	25	26	29



Square Model

Model	3 LTR	5 LTR	9 LTR
HP	1	1.5	2
RPM	2880	2880	2880
Weight	31	36	38
Length	10	14	12
Width	13	13	13
Height	28	30	32



Vegetable Chopping Machine



HP	1.0
RPM	1440
Weight	29
Length	26
Width	16
Height	24

Capacity 100-125 Kg.
(Per Hour)



Vegetable Cutting Machine Deluxe

Model	1 HP
Length	21
Weight	45
Width	11
Height	20

Capacity 200-250 Kg.
(Per Hour)



Vegetable Cutting Machine Jumbo

Model	2 HP
Length	30
Weight	90
Width	20
Height	28

Capacity 500-600 Kg.
(Per Hour)



Onion Cutting (Chopping) Machine

Used for Chopping & Cutting Onion and Other Vegetables.

HP	1	2
Weight	25	46
Length	20	24
Width	14	14
Height	21	27

Capacity 30-40 Kg. 70-80 Kg.
(Per Hour)



Onion Slicer Machine

Used for Slice Cutting

HP	0.5
Weight	38
Length	25
Width	12
Height	24

Capacity 125 to 150 Kg.
(Per Hour)



Cabbage Cutter

Used for Cabbage Cutting



HP	1.0
Weight	44
Length	25
Width	18
Height	35
Capacity (Per Hour)	150-200 Kg.



Vegetable Kadukas Machine



HP	1.0
Weight	31
Length	17
Width	11
Height	24
Capacity (Per Hour)	100 Kg.

Vegetable Chopping Machine



(Deluxe)

HP	1.0
RPM	1440
Weight	29
Length	26
Width	16
Height	24
Capacity (Per Hour)	100-125 Kg.

Garlic Peeler



HP	0.25
Weight	14
Length	12
Width	10
Height	24
Capacity (Per Hour)	10-12 Kg.



Garlic Bulb Breaker Machine



HP	1
Weight	75
Length	35
Width	19
Height	43
Capacity (Per Hour)	80-100 Kg.

Flour (Dough) Kneading Machine (SS Body)

Model	HP	RPM	Weight	Length	Width	Height	Average Time
2 KG	0.25	1440	19	16	13	17	2-5 Minute
5 KG	0.5	1440	42	30	16	24	5-6 Minute
10 KG	1	1440	65	36	21	33	8-10 Minute
15 KG	1	1440	66	35	21	33	8-10 Minute
20 KG	1.5	1440	96	43	25	37	10-12 Minute
25 KG	1.5	1440	97	43	25	37	10-12 Minute



Drum Type Dough Kneading Machine

Model	HP	RPM	Weight	Length	Width	Height	Average Time
7 KG	0.75	1440	54	29	29	14	2-5 Minute
12 KG	1.5	1440	64	29	29	15	5-10 Minute
20 KG	1.5	1440	76	32	32	19	5-10 Minute
30 KG	1.5	1440	106	44	44	21	15-20 Minute
50 KG	2	1440	134	56	56	22	15-20 Minute

Flour Kneading with Dough Ball Making Machine

Motor	Weight	Length	Width	Height	Capacity (Per Hour)	Bowl Size	Kneading Capacity
1.5 HP	46	15	32	81	1500-2000 Piece	2.3 KG	10KG



Besan Mixing Machine (Flower TYPE)

Used for Roti and Farsan Besan Mixing

Model	5 Kg.	10 Kg.	Model	15 Kg.	20 Kg.
HP	0.5	1	HP	1	1.5
RPM	1440	1440	RPM	1440	1440
Weight	63	83	Weight	92	104
Length	21	26	Length	26	29
Width	15	22	Width	22	25
Height	33	38	Height	39	42
AVG.Time (Minute)	8-10	10-12	AVG.Time (Minute)	12-14	15-18



Besan Mixing Machine (L TYPE)

Used for Roti and Farsan Besan Mixing

Model	5 Kg.	10 Kg.	Model	15 Kg.	20 Kg.
HP	0.5	1	HP	1	1.5
RPM	1440	1440	RPM	1440	1440
Weight	58	85	Weight	85	101
Length	22	27	Length	30	32
Width	19	22	Width	22	25
Height	36	44	Height	46	47
AVG.Time (Minute)	8-10	10-12	AVG.Time (Minute)	12-14	15-18

Farsan (Namkeen) Machine

Used for Making Farsan, Sev, Cathiya, Papdi, Fulwadi, Bundi Etc.



Model	7"	9"	10.5"
HP	0.5	1	2
RPM	1440	1440	1440
Weight	53	79	136
Length	40	47	63
Width	16	23	22
Height	38	40	59

Capacity (Minute) 60-70 Kg. 100-150 Kg. 250-300 Kg.

Nylon Sev Machine

Used for Making Nylon Sev & Regular Sev

Model	
HP	1.5
RPM	1440
Weight	125
Length	57
Width	22
Height	64
Capacity (Minute)	40-50 Kg.



Fafda Machine

Model	Small	Jumbo
HP	0.25	0.25
Weight	14	26
Length	16	17
Width	09	13
Height	15	20
Gear	-	Standard
AVG.Time (Minute)	30-40 Kg.	55-70 Kg.

SMALL



JUMBO



Electric Kadai (Table Top)

Used to Fry Namkin, Fryums, Samosa, Chips etc.



Model	Weight	Length	Width	Height	Capacity
16"	14	20	20	18	6 Ltr.
18"	15	22	22	18	8 Ltr.
20"	16	24	24	18	10 Ltr.
22"	18	26	26	18	15 Ltr.
24"	22	28	28	18	18 Ltr.
26"	27	30	30	18	20 Ltr.
28"	31	32	32	18	25 Ltr.

Electric Kadai with Stand

Used to Fry Namkin, Fryums, Samosa, Chips etc.



Model	Weight	Length	Width	Height	Capacity
16"	17	20	20	32	6 Ltr.
18"	20	22	22	32	8 Ltr.
20"	21	24	24	32	10 Ltr.
22"	23	26	26	32	15 Ltr.
24"	25	28	28	32	18 Ltr.
26"	32	30	30	32	20 Ltr.
28"	37	32	32	32	25 Ltr.

Namkeen Masala Mixer (Ribbon Blender)

Used for Mixing Different type of Spices, Powder, Fryums, Namkeen and Pickles etc.

1.5 Feet / 2 Feet



Ribbon Blender
3 Feet / 5 Feet

Model	1.5 Feet	2 Feet	3 Feet	5 Feet
HP	0.5	0.5	1.5	2
RPM	1440	1440	1440	1440
Weight	57	67	160	198
Length	37	39	59	83
Width	17	21	26	26
Height	28	28	46	46
Drum Size	18 x 10 x 12	24 x 12 x 14	36 x 20 x 22	60 x 20 x 22
Drum Capacity	5-10 Kg.	15-20 Kg.	40-50Kg.	80-100Kg.

Potato Wafer Machine

Used for making wafers from Potato, Different Types of Wafers like Plain Wafer, Lining Wafer, Kadukas (Khaman) Cutting.



HP	0.5
RPM	1440
Weight	45
Length	20
Width	15
Height	28
Capacity (Per Hour)	200-250 Kg.

Finger Chips Machine with Motor



(Standars Gear Box)

HP	0.5
RPM	1440
Weight	38
Length	24
Width	12
Height	19
Capacity (Per Hour)	200-250 Kg.

Coating Pan/Flavoring Pan Machine



Model	Running	Tilting	Tilting	Running
HP	0.5	0.5	1	1
RPM	1440	1440	1440	1440
Weight	88	62	82	90
Length	42	42	49	52
Width	19	27	34	34
Height	38	48	52	56
Drum Size	18"x18"	18" x 18"	24" x 24"	32" x 32"
Drum Capacity	10-15 Kg.	10-15 Kg.	20-25 Kg.	30-40 Kg.

Potato Peeler Machine

Used for Removing Upper layer of Potato and Papaya.

Model	5 Kg.	10 Kg.	15 Kg.	20 Kg.	25 Kg.	50 Kg.
HP	0.5	0.5	1.0	1.5	1.5	3
RPM	1440	1440	1440	1440	1440	1440
Weight	40	47	65	70	98	136
Length	25	27	31	32	36	44
Width	14	17	18	18	22	27
Height	26	33	36	39	40	44
AVG. Time (MIN.)	2-3	2-3	4-5	6-7	6-7	7-8



Banana Wafer Machine

Used for Making Banana Wafers, Different Types of Cutting Like Round, Oval, Long Patta.



Model	Regular	Speed Controller
HP	1	1
Weight	35	47
Length	36	41
Width	14	15
Height	25	34
Capacity (Per Hour)	250-300 Kg.	300-350 Kg.



Dryer Machine (Tilting)

Used for Removing Extra oil & water
(EX. Potato Slice, Namkeen, Wet Dal etc.)

HP	1.0	1.5
BOWL SIZE	12 x 14	16.5 x 16.5
BOWL CAPACITY	10-15 Kg.	25-30 Kg.
WEIGHT	81 Kg.	97 Kg.
LENGTH	31	34
WIDTH	27	28
HEIGHT	50	50



Dryer Machine (Regular)

Used for Removing Extra oil & water
(EX. Potato Slice, Namkeen, Wet Dal etc.)

HP	1.0
BOWL SIZE	12 x 14
BOWL CAPACITY	10-15 Kg.
WEIGHT	82
LENGTH	36
WIDTH	22
HEIGHT	28



Khichi Making Machine

Model	10 Kg.	15 Kg.	20 Kg.
HP	1.5	1.5	2
Length	25	27	31
Width	23	22	25
Height	41	43	44
Weight	102	105	136



Papad Machine

- Full Steel Body
- Maintenance Free
- Easy to Operate

HP	0.5
RPM	1440
Weight	61
Length	28
Width	18
Height	31
Capacity (Per Day)	50-60 Kg.



Hand Dry Fruit Chips Machine



Model	Small	Big	With Motor
HP	-	-	0.25
RPM	-	-	1440
Weight	1.5	5	21
Length	8	12	19
Width	4	7	8
Height	6	8	19

Dryfruit Powder Machine



HP	1
RPM	960
Weight	30
Length	22
Width	16
Height	22
Capacity (Per Hour)	25-30 Kg





Dough Sheeter With Dough Kneader Machine

Sheet Width **8"** Sheet Thickness **12mm**

HP	Weight	Length	Width	Height
----	--------	--------	-------	--------

1.5	95	45	21	31
-----	----	----	----	----



Dough Sheeter Machine

Sheet Width **8"** Sheet Thickness **12mm**

HP	Weight	Length	Width	Height
----	--------	--------	-------	--------

1.5	69	27	21	30
-----	----	----	----	----



Samosa Dough Sheet Machine

Roller **8"** Sheet Thickness **Adujustable**

HP	Weight	Length	Width	Height
----	--------	--------	-------	--------

1.0	80	37	19	24
-----	----	----	----	----



Samosa Patti Machine

Sheet Width **9"**
Sheet Thickness **Adujustable**

HP	Weight	Length	Width	Height
----	--------	--------	-------	--------

0.25	33	22	10	18
------	----	----	----	----



Automatic Samosa Making Machine

Model	Small	Big
HP	2.0	2.0
Weight	94	250
Length	25	65
Width	18	27
Height	31	43
Capacity (Per Hour)	2500-3000	2500-3000



Panipuri Machine

	Regular	Auto Collect
HP	0.5	0.5
Weight	101	112
Length	51	57
Width	20	22
Height	36	36
Capacity (Per Hour)	5000 Piece	5000 Piece

Dryfruit Tukda Cutting

Used for Making Pieces from Peanut, Almond, Cashew, Pistachio & Other Dry Fruits



HP	0.25	Weight	25
RPM	1440	Length	17
Gear	Standard	Width	13
Capacity (Per Hour)	30-35 Kg.	Height	21

Kaju Musti Machine

Used to Make Maska, Mava, Penda Polish, Chota, Kaju Katri etc.



HP	1.5	Weight	188
RPM	960	Length	41
Gear	-	Width	29
Capacity (Per Hour)	-	Height	45

Maska Shreading



HP	1.0	Length	46
RPM	1440	Width	23
Weight	94	Height	47
Capacity (Per Hour)	150-200 Kg.		

Milk Mawa (Khoya) Machine (Gas)

Bowl
SS 304
Bow
18 M



Model	Regular	Tilting
HP	0.5	0.5
Weight	178	200
Length	49	50
Width	32	31
Height	41	40
Bowl Capacity	120 Ltr.	120 Ltr.

Laddu Crusher Machine

HP	1.0
Weight	50
Length	30
Width	13
Height	30
Capacity	



Laddu Making Machine

HP	1.5
Weight	166
Length	59
Width	26
Height	43

Capacity
(Per Hour)
1200 TO 1500



Shrikhand Mixing



Model	30 KG	40 KG	50 KG
HP	1	1	1.5
Weight	82	85	91
Length	31	31	31
Width	20	22	25
Height	36	38	39

Halwa Machine



Model	2 FEET	3 FEET	4 FEET	5 FEET
HP	0.5	1	1.5	2
Weight	153	173	300	350
Length	53	56	68	88
Width	32	38	50	62
Height	52	52	52	52
Bowl Cap (Kg.)	20-25	30-35	50-60	70-80

Jamun Ball Making Machine



HP	Weight	Length	Width	Height
1	198	70	32	53



Live Steam Dhokla Machine



Model	6 Tray	8 Tray	10 Tray	12 Tray
Weight	45	51	55	60
Length	25	25	25	25
Width	23	23	23	23
Height	39	44	46	52

Tray Size : 14x18x1.25

Nylon Khaman Machine



Model	6 Tray	8 Tray	10 Tray
Weight	60	66	79
Length	28	24	28
Width	24	24	24
Height	51	56	63

Tray Size : 18x18x2.5

Nylon Khaman Machine



Model	6 Tray	8 Tray	10 Tray
Weight	73	87	101
Length	28	28	28
Width	24	24	24
Height	56	63	74

Tray Size : 18x18x2.5

Rice & Sambar Vessel



Material	SS
Fuel Type	Gas & Electric
Capacity	20 to 200 Ltr
Application	Rice & Multipurpose Cooking

Commercial Dishwasher



Material	SS
Capacity	500 to 1000 Per Hour
Dimension	64 x 74 x 148 cm
Voltage	400 V
Water Consumption	2.5 liters
Frequency	50 Hz

Steam generator



Capacity	9KW - 90 KW
Source	Gas
Body material	SS
Working pressure	0-5kg/cm2g



Wet Grinder (Regular)

Used to Make Wet Paste (Khira)
(Ex. Wet Dal, Rice, Idly, Dosa etc.)



Model	2 Ltr.	3 Ltr.	5 Ltr.	7 Ltr.	10 Ltr.
HP	0.25	0.25	0.5	1	1
Weight	44	660	89	98	136
Length	21	24	30	31	36
Width	14	17	19	21	22
Height	28	32	35	34	39

Wet Grinder (Tilting)

Used to Make Wet Paste (Khira)
(Ex. Wet Dali Rice, Idly, Dosa etc.)



Model	5 Ltr.	7 Ltr.	10 Ltr.	15 Ltr.	20 Ltr.
HP	1	1	1.5	1.5	2
Weight	89	90	109	160	175
Length	30	26	27	35	37
Width	19	18	18	25	28
Height	36	44	46	45	48

Wet Dal Machine



Model	With Motor & Stand	Without Motor & Stand
HP/RPM	1/1440	-
Weight	54	21
Length	22	20
Width	17	10
Height	32	18
Capacity (Per Hour)	35-40 Kg	-

Chatani Machine

used for making Paste like Green Chilly Chutney, Boiled Potato Mash etc.



Model	With Motor & Stand	Without Motor & Stand
HP/RPM	1.0	-
Weight	1440	-
Length	50	14
Width	17	15
Height	17	10
Capacity (Per Hour)	26	11

Kadukas Bhuka Machine

Used to Make Blade Chips. (Ex. Carrot, Lauki, Beetroot, Cabbage etc.)

Model	With Motor & Stand	Without Motor & Stand
HP/RPM	0.5	-
Weight	1440	-
Length	42	13
Width	16	17
Height	16	14
Capacity (Per Hour)	32	18



Manchurian Ball Cutting Machine

Model	AUTOMATIC
HP	0.5
Weight	77
Length	38
Width	21
Height	39
Gear Box	Standard
Capacity	1400 to 1500 Ball



Hand Operated Manchurian Ball Cutting Machine

Model	Manual
HP/RPM	-
Weight	27
Length	48
Width	37
Height	45
Capacity (Per Hour)	-



Sugar Cane Cleaning Machine



HP	1.0	Length	16
RPM	56	Width	16
Capacity (Per Hour)	200-250 Glass	Height	37

Sugar Cane Juice Machine (Compaq)



HP	0.5	Length	20
RPM	43	Width	11
Capacity (Per Hour)	200-250 Glass	Height	17

Sugar Cane Juice Machine (Eco)



HP	1.5	Length	23
RPM	60	Width	17
Capacity (Per Hour)	200-250 Glass	Height	29

Function : Overload Tripping & Reverse Forward System Available
 Roller : (ss 504 With 3 Roller)
 Gear : Standard Gear Box

Sugar Cane Juice Machine (Premium)



HP	1.5	Length	22
RPM	55	Width	18
Capacity (Per Hour)	200-250 Glass	Height	22

Function : Overload Tripping & Reverse Forward System Available
 Roller : 4" (ss 504 With 3 Roller)
 Gear : Standard Gear Box

Sugar Cane Juice with Motor (Engine Type)



HP	1.5	Length	33
RPM	73	Width	18
Capacity (Per Hour)	200-250 Glass	Height	42

Sugar Cane Juice Without Motor (Engine Type)



HP	-	Length	30
RPM	53	Width	18
Capacity (Per Hour)	200-250 Glass	Height	42



Carrot (Fruit) Juice Machine

Used to Extract Juice from Pineapple, Apple, Crape, Carrots, Pomegranate, Tomato and Green Vegetable etc.


Model	Small	Medium	Big
Bowl Size	0.25	0.5	0.75
RPM	2880	2880	2880
Weight	10	16	18
Length	11	12	14
Width	10	11	12
Height	15	17	18
Capacity (Per Hour)	2 Glass	4 Glass	8 Glass



Orange Juice Machine

Used to Extract Juice from Pineapple, Apple, Crape, Carrots, Pomegranate, Tomato and Green Vegetable etc.

HP/RPM	0.5/1440
Weight	27
Length	17
Width	12
Height	23
Capacity	25-30 KG



Mango Pulp Machine

Model	Small	Medium	Big
HP	1	1.5	2
Weight	71	90	123
Length	33	44	52
Width	20	22	24
Height	38	40	41
Capacity (Per Hour)	50-100	200-250	400-500



Glass Packing

Class (cup) Packing Machine

Model	Single	Double
Weight	10	13
Length	19	20
Width	10	11
Height	12	12
Coil	300 Watt	500 Watt



Ice Tukda Machine (manual)

Model	Small	Big
Weight	8	10
Length	15	18
Width	12	13
Height	16	18

Ice Crusher



RPM	2200
Power	300W
Weight	3
Length	15
Width	8
Height	12
Capacity (Per Hour)	30-40 Kg

Tray (Dish Packing) Sealer Machine



5 Khana
8 Khana

Weight	23
Length	24
Width	16
Height	13
Coil	700 Watt
Container	5 & 8
Die	2

Bhaji Cutter

Used for Cutting Palak, Methi, Green Onion etc.



Weight	Length	Width	Height
5	16	14	16

Hand Chilly Cutter

Used for chopping Green Chilly, Ginger etc.



Weight	Length	Width	Height
9	13	12	21

Hand Operated Sev Machine

Used to Make Namkeen & Sev



Bowl	Weight	Length	Width	Height
1.25 Kg	6	28	10	7

Hand Ope. Potato Slice Machine



Weight	3
Length	11
Width	10
Height	13

Hand Ope. Salad Cutter Machine



Weight	4
Length	10
Width	9
Height	14

Hand Operated Finger Chips Machine



Model	CI Casting Body/Die	SS Body/ Plastic Die
Weight	11	5
Length	15	13
Width	8	7
Height	31	21

Valona



Model	60 Ltr.	100 Ltr.	200 Ltr.	500 Ltr.
HP	0.25	0.5	1.0	2.0
Weight	7	17	25	48
Length	6	8	8	10
Width	5	8	8	10
Height	32	39	50	67

Coconut Scraper

Used for making Coconut Paste (Chutney).



HP	0.25
Weight	5
Length	13
Width	11
Height	13

Oil Making Machine

used to Make Home Made Oil from Groundnut, Sesame, Sunflower, Almond, Soybean etc.



Hp	0.25	1.0	1.14
Watt	400	1200	2000
Weight	11	43	160
Size (LXWXH)	18x7x14	25x11x21	41X22X48
Capacity	2-5 KG	8-10 KG	20-25 KG

Pizza Oven (Electric)



Pizza Oven (Gas)



Model	10x16	12x18	18x18	18x24	12x24
Weight	19	22	27	27	40
Length	26	29	30	30	36
Width	16	18	23	23	30
Height	14	14	14	14	14
Capacity	4 Pizza	6 Pizza	8 Pizza	10 Pizza	12 Pizza

Model	10x16	12 x 18	18x18	18x24
Weight	21	26	31	36
Length	22	23	24	30
Width	16	17	24	24
Height	25	25	25	25
Capacity	4 Pizza	6 Pizza	8 Pizza	10 Pizza

Sandwich Griller



Model	Sin Pla.	Dou Pla.	Impo.	Jumbo
Cham. Size	11x11	11x11	9x14	15x15
Weight	8	16	16	15
Length	18	27	17	22
Width	12	17	15	17
Height	12	11	8	10
Capacity	4 Pcs.	8 Pcs.	6 Pcs.	4 Pcs.

Deep (French) Fryer

Used for Frying Samosa. French Fries. Fryums etc.



Model	Weight	Length	Width	Height
2 Ltr Electric	4	26	7	12
5 Ltr Electric	5	25	10	14
5 Ltr Ele. + Gas	6	26	11	18
14 Ltr Ele. + Gas	12	27	14	18
5 Ltr. Double T/Top	9	22	26	16
5 Ltr. Double With Stand	18	23	27	32

Popcorn Machine

Used to Make Different Flavoured Popcorn



Model	GAS	ELECTRIC
Bowl Size	250-300g.	200-250g.
Weight	30	16
Length	24	22
Width	21	17
Height	37	30

Charcoal Bar Be Que

Model	18x12x36	24x12x36	30x12x36
Weight	20	25	28
Length	19	25	31
Width	12	12	12
Height	36	36	36



Chapati Bhatti

Model	Weight	Length	Width	Height
18 x 36 x 12	43	40	20	12
18 x 36 x 32	50	40	20	32
24 x 48 x 12	74	52	25	12
24 x 48 x 32	84	52	25	32



Dosa Bhatti

Model	Weight	Length	Width	Height
18 X 36 X 12	51	40	20	12
18 x 36 x 32	57	40	20	32
24 x 48 x 12	82	52	26	12
24 x 48 x 32	93	52	26	32







Diesel Bhatti



Blower	Burner Size	Width	
35 No.	280 MM	58	
Length	Width	Height	Dome size
50	15	30	15x15

SS Sink Unit



Weight	Length	Width	Height
16	24	25	37
27	46	25	37
38	69	25	37

Kitchen Steel Working Table



Weight	Length	Width	Height
1 - Under Self	46	24	32
2 - Under Self	46	24	32
1 - Under Self	60	24	32
2 - Under Self	60	24	32
1 - Under Self	72	24	32
2 - Under Self	72	24	32



Kitchen Steel Pick-up (Service) Table



Weight	Length	Width	Height
1 - Under Self	46	24	32
2 - Under Self	46	24	32
1 - Under Self	60	24	32
2 - Under Self	60	24	32
1 - Under Self	72	24	32
2 - Under Self	72	24	32



Pot Burner



GS-PS



GS-PS



GS-PS

	Code	Dimensions (mm)	Pan Support Size	No. of Burner	Gas (KW)
Single Pot Stove	GS-PS-1	600x600x450	4SO Square	1	10
	GS-PS-2	750x750x450	600 Square	1	15
Double Pot Stove	GS-PS-3	1200x600x450	4SO Square	2	20
	GS-PS-4	5100x750x450	600 Square	2	30
Three Pot Stove	GS-PS-5	1500x600x450	4SO Square	3	30
	GS-PS-6	1650x750x450	600 Square	3	45



Chinese Burner



GS-CS



GS-CD



GS-T

	Code	Dimensions (mm)	Pan Support Size	No. of Burner	Gas (KW)
Single Burner	GS-CS-1	600x600x850+100	350	1	7
	GS-CS-2	600x750x850+100	400	1	7
Double Burner	CS-CD-1	1200x600x850+100	350	2	14
	CS-CD-2	1200x750x850+100	400	2	14
	CS-CD-3	1500x600x850+100	350	2	14
	GS-CD-4	1500x750x850+100	400	2	14
2+1 Burner	GS-T-1	1800x600x850+100	350	3	20
	GS-T-2	1800x750x850+100	400	3	20
	GS-T-3	1800x600x850+100	350	3	20
	GS-T-4	1800x750x850+100	400	3	20



Indian Burner



GS-IS



GS-IT



GS-ID



GS-IF

	Code	Dimensions (mm)	Pan Support Size	No. of Burner	Gas (KW)
Single Burner	GS-IS-1	600x600x850+100	400 Square	1	5
	GS-IS-2	600x750x850+100	400 Square	1	5
Double Burner	GS-ID-1	1200x600x850+100	400 Square	2	10
	GS-ID-2	1200x750x850+100	400 Square	2	10
	GS-ID-3	1500x600x850+100	400 Square	2	10
	GS-ID-4	1500x750x850+100	400 Square	2	10
Three Burner	GS-IT-1	1500x600x850+100	250 Square	3	15
	GS-IT-2	1500x750x850+100	250 Square	3	15
	GS-IT-3	1800x600x850+100	250 Square	3	15
	GS-IT-4	8100x750x850+100	250 Square	3	15
Four Burner	GS-IF-1	750x750x850+100	250 Square	4	12
	GS-IF-2	850x850x850+100	250 Square	4	12
	GS-IF-3	850x850x850+100	300 Square	4	12
	GS-IF-4	900x900x850+100	300 Square	4	12

Exhaust Hood
Wall Type



Exhaust Hood
Island Type



Shelving



Grating



Service Trolley



Plat Form Trolley



Bussing Cart



Tray Rack



GN Pan Rack



Plat Form Trolley



Pallette



Food Serving Trolley



Masala Trolley



Dish Landing Table



SERVICE TROLLEY



MASALA TROLLEY



SINGLE SINK WITH TABLE



SOILED DISH TABLE



DINING TABLE



FAST FOOD TABLE



RACK



MASALA PETI

Available in
500 Gm. & 1 Kg.

6 - Box
9 - Box
12 - Box



S.S. TANDOOR



M. S. TANDOOR



STOKPOT BURNER



BAIN MARIE



G. N. PAN & S. S. CHOWKI





INDUCTION PLATE



CHIMENY



CONVEYER TOASTER



POPUP TOASTER



WAFFLE BAKER



BREAD SLICER



POTATO TORNADO CUTTER



COMMERCIAL BLENDER



UNDER COUNTER FREEZE



4 DOOR VERTICAL FREEZE



WATER COOLER



ICE CUBE MACHINE



**SOUP STATION
(BLACK COATED)**



S.S. SOUP STATION



CHAFFING DISH



**SIZZLER 8 BROWNIE
PLATER**



SPIRAL MIXER



**PLANETARY MIXER
MACHINE**

350 GRM
500 GRM
1000 GRM
2000 GRM



INSTANT MASALA GRINDER



CHOCOLATE FOUNTAIN



JUICE DISPENSER



WARMING SHAWCASE



SLUSH MACHINE



HOT-POT TEA THERMOS

Our Global Footprint





FORTUNE FOOD MACHINE PVT. LTD.

Factory Unit No.1 : Plot. No. 11, 8-National Highway, 80ft Swati Park
Main Road, Nr. S.R. Steel Street, Bajrang Ind. Main Road, Rajkot - 360002, (GUJ) India.

Factory Unit No.2 : Plot No 39 To 41, Vrundavan -1 Ind.Area Shaktiman Unit-2 Road,
Nr. Harmony Ply Lam Ltd, Pipaliya, Rajkot - 360311.

Office Address : 09, Block-H, S G Business Hub, Near Gota Chokdi,
S.G.Highway, Ahmedabad - 380060.

Office Address : Shop no 3, Omraj Vaibhav, Inderlok Phase 6,
Bhayandar East, Mumbai - 401105.

Office Address : Ground floor , BSR complex, Tumkur main Road,
Near Sanjeevani hospital, Bengaluru-560057.

Phone : +91 99989 92758 | 97271 49663 | 99989 92796 | 99989 94691

Web : www.fortuneeng.com | **Email** : fortuneengineering@yahoo.com