






***Nandini Entrepreneur Equipments Private Limited***  
***([www.nandinientrepreneur.com](http://www.nandinientrepreneur.com))***

# About Us



Established in the year 2015, at Faridabad in Haryana, India. We **NANDINI ENTREPRENEUR EQUIPMENTS PVT LTD.** have become a pioneer supplier, manufacturer and exporter of threading machines, grooving machine that come in various models with different pipe capacity .

All the machines offered nu us are manufactured under the supervision of engineers who design, sizes, shapes and patterns as per the varied requirements of the clients. Moreover, these can also be availed by clients from us in various customized options and at industry leading prices. **We offer various range like Electric Pipe Threading Machine, Pipe Grooving Machine, Bolt & Pipe Threading Machine, Pipe Cutting Machine, Pipe Bending Machine, Electric Pressure Testing Pump, Thread Cutting Oil, etc.** Our Faridabad (Haryana, India), based company owns a voluminous production base. In this facility, work pertaining to product-designing takes place with complete perfection.



# Our Products

## ELECTRIC PIPE GROOVING MACHINE

NEG8D

### Product Specification

<b>Pipe Capacity</b>	" to 8"
<b>Motor Power</b>	750w Induction, 50/60Hz
<b>Power Supply</b>	220V/380V
<b>Speed</b>	24 RPM
<b>Weight</b>	110Kg.
<b>Max. Wall</b>	1"-8" Sch10/40



NEG6B

Knurling Roller

2"-3" 4"-6"

Roller

2"-6"



### Product Specification

<b>Pipe Capacity</b>	1.1/4" to 6"
<b>Motor Power</b>	750w Induction, 50/60Hz
<b>Power Supply</b>	220V/380V
<b>Speed</b>	24 RPM
<b>Weight</b>	75Kg.
<b>Max. Well</b>	1.1/4" to 6" Sch10/40

### Product Specification

<b>Pipe Capacity</b>	2" to 12"
<b>Motor Power</b>	750w (Single Phase)
<b>Power Supply</b>	220V/380V
<b>Speed</b>	24 RPM
<b>Weight</b>	145 Kg.
<b>Packing Size</b>	810 x 440 x 710 mm
<b>Max. Wall</b>	Sch10 2"-12", Sch40 2"-6"



NEG12A





## Our Products

### ELECTRIC PIPE GROOVING MACHINE

#### Product Specification

<b>Pipe Capacity</b>	1" to 12"
<b>Motor Power</b>	1100w (Single Phase)
<b>Power Supply</b>	220V/380V
<b>Speed</b>	26 RPM
<b>Weight</b>	140kg./120Kg.
<b>Packing Size</b>	720x615x885 mm
<b>Max. Wall</b>	1"-6" Sch10/40, 8"-12" Sch 10



#### NEG12D



#### Product Specification

<b>Pipe Capacity</b>	2" to 12"
<b>Motor Power</b>	1700w (Single Phase)
<b>Power Supply</b>	220V/380V
<b>Speed</b>	24 RPM
<b>Weight</b>	185Kg./165Kg.
<b>Packing Size</b>	960 x 465 x 975 mm
<b>Max. Wall</b>	2"-12" Sch 10/40
<b>Roller</b>	2"-6", 8"-12"
<b>Knurl Wheel</b>	2"-3", 4"-6", 8"-12"

Foot Switch Optional

#### Product Specification

<b>Pipe Capacity</b>	6" to 16"
<b>Motor Power</b>	2400w
<b>Power Supply</b>	380V/50Hz/3PH
<b>Speed</b>	22 RPM
<b>Weight</b>	140Kg.
<b>Packing Size</b>	820 x 450 x 820 mm
<b>Max. Wall</b>	10 mm
<b>Roller</b>	6"-8", 8"-12", 14"-16"
<b>Knurl Wheel</b>	6"-8", 8"-12", 14"-16"

#### NEG16B



## Our Products

### ELECTRIC PIPE CUTTING MACHINE

**NEH8C**

#### Product Specification

<b>Machine Size</b>	2" to 8" (Sch 10/40)
<b>Motor Power</b>	550 Induction, 50/60 Hz
<b>Power Supply</b>	110V/220V
<b>Speed</b>	24 RPM
<b>Switch</b>	ON/OFF Heavy Duty
<b>Weight</b>	90Kg./70Kg.
<b>Packing Size</b>	720 x 630 x 680 mm



**NEH12C**



#### Product Specification

<b>Machine Size</b>	2" to 12" (Sch 10/40)
<b>Motor Power</b>	750 Induction, 50/60 Hz
<b>Power Supply</b>	110V/220V
<b>Speed</b>	24 RPM
<b>Switch</b>	ON/OFF Heavy Duty
<b>Weight</b>	140Kg./120Kg.
<b>Packing Size</b>	720 x 615 x 885 mm

### Reinforced Cutting Wheel



### Pipe Support Stand

## Our Products

### ELECTRIC PIPE HOLESAW CUTTER

NE114

#### Product Specification

<b>Cutting Capacity</b>	up to 4" (114mm)
<b>Pipe Mounting Capacity</b>	1 1/4"-8" (32-220mm)
<b>Drill Chuck Capacity</b>	3-16mm
<b>Motor Power</b>	1500W (Induction)
<b>Drill Chuck Speed</b>	240 RPM (no load)
<b>Weight</b>	18 kg./16 kg.
<b>Packing Size</b>	500 x 300 x 340 mm

NE150



#### Product Specification

<b>Cutting Capacity</b>	up to 6" (152mm)
<b>Pipe Mounting Capacity</b>	1 1/4"-12" (32-300mm)
<b>Drill Chuck Capacity</b>	3-16mm
<b>Motor Power</b>	1500W (Universal)
<b>Drill Chuck Speed</b>	110 RPM (no load)
<b>Weight</b>	22 kg./20 kg.
<b>Packing Size</b>	500 x 300 x 340 mm



### HOLESAW

- Excellent Performance and long-lasting life.
- Bi-metal construction with teeth made from specially hardened M3 or M42 high speed steel. The varying teeth height and gullet sizes result in much faster cutting and longer life. Suitable for various material like mild steel, tool and stainless steel, brass, aluminum, wood. Size ranges from 14mm to 210 mm
- Depth of Cut: 38 mm
- Use high quality thread cutting oil on all metal except cast iron

According to size holesaw available in stock



## Our Products

### MAGNETIC DRILL SERIES (MULTI-FUNCTIONAL)


NEMD128



Drill Chuck With Key



Drill Chuck Without Key



Drill Chuck Sleeve/Arbar



NEMD68



Twist Bit



HoleSaw



Carbide HoleSaw



Annular Bit

## Product Specification

- Magnetic drills are a more efficient way to drill a hole through steel. This light weight, portable machine is held in place by a strong magnetic base plate. For boring clean and accurate holes these broachers are ideal for industrial use.
- High power with small size and light weight.
- With constant power soft-starting and mechanical speed control.
- With over-loading protection.
- High adhesion

## Technical Specification

Model	Max Drilling Capacity	Max. Annular Cutting Capacity	Max Tapping Capacity	Rated Input Power	Magnetic Adhesion	No-Load Speed	Soft Start	Overload Protection	Stepless Speed Control	Reversible	Tool Holder
NEMD68	23mm	68mm	○	1720 W	15800 W	0-580 RPM	●	●	●	○	2 # Morse
NEMD128	28mm	128mm	○	2180 W	17000 N	0-500 RPM	●	●	●	○	3 # Morse



## THREAD CUTTING OIL

- Cool Dies during threading process
- Speeds metal removal
- Improves thread quality
- Reduces threading torsion
- Lower operating costs



## AVAILABLE OILS & LUBRICANTS VARIOUS APPLICATIONS

### • Thread Cutting Oils

- ✓ Water Soluble Oil
- ✓ Threading Machine Oil

### • Hydraulic Oil

### • Gear Oil

### • Engine Oil

### • Grease



+91-95995 77316, 8700537051  
+91-7011593935, 7827142449



nandinientrepreneur@gmail.com  
sales@nandinimachines.com



www.nandinientrepreneur.com  
www.nandinipipetools.in



Regd. Off. : Plot No. 1981, Sec - 56/56A  
Faridabad - 121004 (Haryana)  
Branch Off. : Plot No. 01, Sec - 56A  
Faridabad - 121004 (Haryana)