




***Nandini Entrepreneur  
Equipments Private Limited***  
[www.nandinientreprenur.com](http://www.nandinientreprenur.com)

# About Us




**Established in the year 2015, at Faridabad in Haryana, India. We NANDINI ENTREPRENEUR EQUIPMENTS PVT LTD.** have become a pioneer supplier manufacturer and exporter of threading machines, grooving machine that come in various models with different pipe capacity .

All the machines offered nu us are manufactured under the supervision of engineers who design, sizes, shapes and patterns as per the varied requirements of the clients. Moreover, these can also be availed by clients from us in various customized options and at industry leading prices. **We offer various range of pipe threading machines like Electric Pipe Threading Machine, Pipe Grooving Machine, Bolt & Pipe Threading Machine, Pipe Cutting Machine, Pipe Bending Machine, Electric Pressure Testing Pump, Thread Cutting Oil, etc.** Our Faridabad (Haryana, India), based company owns a voluminous production base. In this facility, work pertaining to product-designing takes place with complete perfection.




## Core Values





## MANUAL BUTT FUSION MACHINE / HDPE PIPE JOINTING MACHINE



### Featuring

Suitable for PE, PP, PVDF pipes butt welding

Integrated, high-strength full welding steel base with gear transmission.

Planing tool with full-gear transmission structure. Durable and long life HSS blade.

Heating plate with high quality PTFE coating, enables swift temperature control.



Model	NEMBW160	NEMBW200
Welding range (mm)	63-160	63-200
Standard reducers (mm)	63-75-90-110-125-140-160	63-75-90-110-125-140-160-180-200
Power supply	220V/50Hz, 1PH	220V/50Hz, 1PH
Total power	2.5 KW	2.8 KW
Heating plate	1.5 KW	1.8 KW
Planing tool	1.0 KW	1.0 KW
MaxTemperature of heating plate	270°C	270°C
Temperature Deviation	±5°C	±5°C



# 315

## HYDRAULIC BUTT FUSION MACHINE / HDPE PIPE JOINTING MACHINE



### Featuring

Suitable for PE, PP, PVDF pipes butt welding Integrated die casting aluminum clamps, steel base with cylinder, provides stable performance. Planing tool with separate switch prevents unintentional operation. Durable and long life HSS blade. Heating plate with high quality PTFE coating, enables swift temperature control.

Model	NEHBW160	NEHBW200	NEHBW250	NEHBW315
Welding range (mm)	63-160	63-200	90-250	90-315
Standard reducers (mm)	63-75-90-110-125-140-160	63-75-90-110-125-140-160-180-200	90-110-125-140-160-180-200-225-250	90-110-125-140-160-180-200-225-250-280-315
Power supply	220V/50Hz, 1PH	220V/50Hz, 1PH	220V/50Hz, 1PH	220V/50Hz, 1PH
Total power	3.25 KW	3.5 KW	4.15 KW	4.95 KW
Heating plate	1.5 KW	1.8 KW	2.3 KW	3.1 KW
Planing tool	1.0 KW	1.0 KW	1.1 KW	1.1 KW
Hydraulic station	0.75 KW	0.75 KW	0.75KW	0.75KW
Pressure adjusting range	0-16 Mpa	0-16 Mpa	0-16 MPa	0-16MPa
MaxTemperature of heating plate	270°C	270°C	270°C	270°C
Temperature Deviation	±5°C	±5°C	±5°C	±5°C



## HYDRAULIC BUTT FUSION MACHINE



### Featuring

Suitable for PE, PP, PVDF pipes butt welding

Integrated die casting aluminum clamps, steel base with cylinder, provides stable performance.

Planing tool with separate switch prevents unintentional operation. Durable and long life HSS blade.

Heating plate with high quality PTFE coating, enables swift temperature control.

MODEL	NEHBW355	NEHBW400	NEHBW450	NEHBW500
Welding range (mm)	110-355	180-400	180-450	180-500
Standard reducers (mm)	110-125-140-160-180-200 -225-250-280-315-355	180-200-225-250 -280-315-355-400	180-200-225-250-280 -315-355-400-450	180-200-225-250-280 -315-355-400-450-500
Power supply	220/380V, 50Hz, 1/3PH	380V/50Hz, 3PH	380V/50Hz, 3PH	380V/50Hz, 3PH
Total power	5.45 KW	7.7 KW	8.7 KW	8.7 KW
Heating plate	3.6 KW	5.5 KW	6.5 KW	6.5 KW
Planing tool	1.1 KW	1.1 KW	1.1KW	1.1KW
Hydraulic station	1.1 KW	1.1 KW	1.1KW	1.1KW
Pressure adjusting range	0-16MPa	0-16MPa	0-16MPa	0-16MPa
MaxTemperature of heating plate	270°C	270°C	270°C	270°C
Temperature Deviation	±5°C	±7°C	±7°C	±7°C

## THREAD CUTTING OIL

- Cool Dies during threading process
- Speeds metal removal
- Improves thread quality
- Reduces threading torsion
- Lower operating costs

## AVAILABLE OILS & LUBRICANTS VARIOUS APPLICATIONS

### • Thread Cutting Oils

- ✓ Water Soluble Oil
- ✓ Threading Machine Oil

### • Hydraulic Oil

### • Gear Oil

### • Engine Oil

### • Grease



India's No.1 local search engine

**Regd. Off. :** Plot No. 1981, Sec - 56/56A  
Faridabad - 121004 (Haryana)  
**Branch Off. :** Plot No. 01, Sec - 56A  
Faridabad - 121004 (Haryana)

+91-95995 77316, 8700537051  
+91-7011593935, 7827142449

nandinientrepreneur@gmail.com  
sales@nandinimachines.com

www.nandinientrepreneur.com  
www.nandinipipetools.in