PRODUCT CATALOG



TABLE OF CONTENT


Wheel Type	Page no.
1A1	3
1A1 R	4
1A1 W	5
1EE1	6
1F1R	7
1FF1R	8
1V1	9
2A2T	10
3A1	11
4A2P	12
4A2PTR	13
4BT9	14
4У1	15
6A2	16
6A2C	17
6A2H	18
6A9	19
6A9	20
11A2	21

Wheel Type	Page no.
11V2	22
11V4	23
11V5	24
11V9	25
12A2	26
12V2	27
12V4	28
12V5	29
12V9	30
14A1R	31
14BB1	32
14F1M	33
14F1R	34
14F1R	35
14F1R	36
14V1R	37
15A2	38
15V9	39
Wheel Shapes	40



IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1A1



Application: Flute Grinding, Surface Grinding, OD Grinding,

Knife Grinding, Profile Grinding, Center less Grinding,


- Bond Availability: Resin Bond
- Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1A1R



Application: Cut off, Profiling, Notching, Grooving, Chip Breaker Flultes,

Dicing, Slicing

Bond Availability: Resin Bond


Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1A1W




- Application: Hollow Face Grinding, I D Grinding,
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1EE1




- Application: Form Grinding, Thread Grinding, Grooving, Notching
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1F1R




Application:	Profile Grinding, Grooving, Form Grinding
Bond Availability:	Resin Bond
Available in:	Diamond, CBN
Size Available:	1/2" - 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1FF1R



Application:

Profile Grinding, Grooving, Form Grinding


- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- **Size Available:** 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

1V1



Application: Flute Grinding, Gashing, Form Grinding, End Fluting

Bond Availability: Resin Bond


Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

2A2T



Application: Surface Grinding, Knife Grinding, Blanchard, Grinding,

Peripheral Grinding


- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"







IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL



Application:Surface Grinding, Profile Grinding, Side Grinding, Flute Grinding,Micro Drills

Bond Availability: Resin Bond


Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

4A2P




Application:	Saw Grinding, Tool and Cutter Grinding, Face Grinding
Bond Availability:	Resin Bond
Available in:	Diamond, CBN
Size Available:	1/2" - 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

4A2PTR




Application:	Saw Grinding, Tool and Cutter Grinding, Face	
	GrindNarrow Gullets	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

4BT9




- Application:Face Grinding, Relief Grinding, End Grinding, Form Grinding,Hob Grinding
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

4Y1




Application:	Form Grinding,
Bond Availability:	Resin Bond
Available in:	Diamond, CBN
Size Available:	1/2" - 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL




- Application: Knife Grinding, Edge Grinding, Saw Grinding, Surface Grinding
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

Dicing Blades




Application:	Used for Grooving and Cutting various metal of high	
	Hardness and Difficult to process	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

6A2H




Application:Knife Grinding, Edge Grinding, Saw Grinding, Surface GrindingBond Availability:Resin Bond

Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL




- Application: Knife Grinding, Saw Grinding, Micro Finishing
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL



Application:	Top Grinding	Saws,	Saw	Grinding
		•••••		••••••

- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"






IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

Application:	O.D. Relief Grinding, Tool and Cutter Grinding,	
	General Purpose Grinding	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL




Application:	O.D. Relief Grinding, Tool and Cutter Grinding,	
	General Purpose Grinding, Face Beveling	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

11V4




Application:	O.D. Relief Grinding, Tool and Cutter Grinding
Bond Availability:	Resin Bond
Available in:	Diamond, CBN
Size Available:	1/2" - 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

11V5



Application:	O.D. Relief Grinding, Tool and Cutter Grinding
Bond Availability:	Resin Bond
Available in:	Diamond, CBN








IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

11V9



Application: O.D. Relief Grinding, End Grinding, Tool and Cutter Grinding,

Clearance Angle Grinding


Bond Availability: Resin Bond

Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL




Application:	Tool and Cutter Grinding, Off Hand Grinding,	
	Face Grinding, Top Grinding	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

12V2




Application:	Tool and Cutter Grinding, Off Hand Grinding,	
	Face Grinding, Top Grinding	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

12V4




Application:	O.D. Relief Grinding, Tool and Cutter Grinding,
Bond Availability:	Resin Bond
Available in:	Diamond CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

12V5




- Application: O.D. Relief Grinding, Tool and Cutter Grinding,
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

12V9




Application:	Face Grinding TCT tipped saws, Face Grinding,	
	Router Bits, End mill Grinding	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14A1R




Application:	Profile Grinding, Cut off, Form Grinding,	
	O.D. Grinding, Dicing, Slicing	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14BB1




- Application: Top Grinding, Saw Grinding
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14F1M




Application:	Cold Saw Grinding	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14F1R




Application:Profile Grinding, Form Grinding, End mill GrindingBond Availability:Resin BondAvailable in:Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14F1R




- Application: Cold Saw Grinding
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14F1R




- Application: Cold Saw Grinding
- Bond Availability: Resin Bond
- Available in: Diamond, CBN
- Size Available: 1/2" 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

14V1R



Application: Profile Grinding, Form Grinding, Gashing, End Grinding


Bond Availability: Resin Bond

Available in: Diamond, CBN





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL




Application:	Tool and Cutter Grinding, O.D. Grinding, Face	
	Grinding, Top Grinding	
Bond Availability:	Resin Bond	
Available in:	Diamond, CBN	
Size Available:	1/2" - 12"	





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

15V9




Application:	Tool and Cutter Grinding, O.D. Grinding, Face Grinding,
	Top Grinding
Bond Availability:	Resin Bond
Available in:	Diamond, CBN
Size Available:	1/2" - 12"





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL





IEC: 2412011541 • G.S.T. TIN NO.: 24100201411 • C.S.T. TIN NO.: 24600201411 MANUFACTURER : RESIN BONDED DIAMOND WHEEL

