

Prevent Accidents & Losses - Use **E-SQUARE**

Lockout Tagout

Industrial Safety Products

2012-13

Extended range
with additional
new products



- Survey & Training
- Hazard Identification
- Procedures & Audits
- LOTO Devices & Accessories
- Installation & Implementation.

E-SQUARE

e-mail : loto@vsnl.net website : www.safetylock.net



CONTENTS

	WE AT E - SQUARE	1	
	WHAT IS LOTO ?	3	
	LOCKOUT / TAGOUT OVERVIEW	4	
	LOCKOUT HASPS	5	
	CABLE LOCKOUTS	8	
	VALVE LOCKOUTS		10
	CYLINDER LOCKOUTS	13	
	PNEUMATIC LOCKOUTS	14	
	PLUG LOCKOUTS	15	
	CIRCUIT BREAKER LOCKOUTS	16	
	ELECTRICAL PANEL LOCKOUTS	18	
	LOCKOUT PADLOCKS	20	
	PREMIER LOCKOUT SAFETY PADLOCKS	22	
	PADLOCK ACCESSORIES	24	
	OPEN LOCKOUT STATIONS / CENTRES - LOCK BOARDS	25	
	GROUP LOCK BOX / LOCKOUT TAGOUT STATIONS	26	
	KEYS / LOCKS / HASPS & TAGS CABINETS	27	
	LOCKOUT TAGS / TAG HOLDERS / STATIONS	28	
	HANGING / SELF ADHESIVE SIGNS & LABELS	31	
	LOCKOUT KITS / POUCHES	32	
	LOCKOUT POSTERS / REGISTERS / ACCESSORIES, ETC.	35	



Dr. Nalini Gulati
(Director - Customer Care)

We at E-SQUARE Alliance Pvt. Ltd., New Delhi (a team of highly motivated professionals, engaged in designing and development of LOTO products and services) are known for our commitment for providing the best LOTO solutions to our customers at the right price. We do the modifications / customization in the products as per the individual requirements of our customers.

We hold more than 40 patents on the LOTO products that are being introduced to the world for the very first time. We introduce new products every month on the basis of **Research & Development** done by our

engineers and on the basis of the feedback given by our valued customers. We offer a broad range of durable, easy-to-use lockout devices that cover most of the mechanical and electrical applications. Lockout labels, Signs, Posters and Tags are also available for the identification of Hazardous Energies.

We are concerned to prevent all the accidents that are being caused because of the negligence of the workers in an industry. The proper implementation of the LOCKOUT & TAGOUT procedures and policies as per the OSHA standards will help your management to eliminate the possibilities of the accidents. This will reduce the losses and false claims made by the workforce and will change their mentality to work in a proper set format and follow the procedures laid for maintaining and servicing various kinds of machines in the right time, at your plant.

Making the right kind of LOCKOUT & TAGOUT equipments available to the employees is the responsibility of the plant's management.

Issue of permit is common in the industry but because of lack of education on the LOCKOUT & TAGOUT system and non availability of right and proper gadgets we used to be dependent on the Expensive Imports of these products. But with the sincere efforts of dedicated team of engineers at E-Square Alliance Pvt. Ltd. New Delhi a whole range of LOCKOUT & TAGOUT products were made available to every industry since 2002.

Our sincere concern in developing the new LOCKOUT & TAGOUT products on the basis of the feedback of our customers have made us earn a great name on the world map in this field. So much so that **Mr. Upendra Gulati (Managing Director) was given the UDYOG RATNA AWARD** for his outstanding contribution in this field by the Institute of Economic Studies, New Delhi & **Excellence Award** was awarded to E-SQUARE Alliance Pvt. Ltd. for it's quality products & Unique Services.



LOCKOUT / TAGOUT SAVES LIVES AND REDUCES COSTS !

- ★ LOCKOUT / TAGOUT are being adopted on a global scale across industries as a best practice for increasing facility safety. Don't get left behind without proper Lockout signs, tools and devices.
- ★ LOCKOUT / TAGOUT is designed for your employees safety.
- ★ LOCKOUT / TAGOUT can significantly cut costs by minimizing lost time and insurance costs. It keeps your machines safely maintained to cut more than just operating costs.
- ★ LOCKOUT / TAGOUT can improve productivity by minimizing equipment downtime while streamlining an effective maintenance program. With safety first, you can improve workplace productivity.

OUR Lockout Tagout Training and Services

Enhance your safety program and expand your knowledge of the Lockout Tagout standards.

Lockout training is required under OSHA Control of Hazardous Energy, code 29 CFR 1910.147, and is intended for employees who are required to service, maintain or work around energized equipments. Our lockout training programs, procedure writing service and on-site survey / training services are developed by expert safety professionals. We can help your employees understand the overview of controls and procedures that are required to prevent the unexpected energization, startup or release of stored energy in their facility that may cause injuries.

Also, OSHA requires that employers provide training to their employees to ensure that the purpose and function of the Lockout Tagout program are clearly understood by affected employees. We can train your employees with the skills and understanding for the safe application, usage and removal of the energy controls - LOCKOUT Solutions / Products.



Graphical Lockout Procedure Writing Services for Equipments & Machines & LOTO Audits.



We design and execute this elaborate and complex work of making the individual machine procedures - depicting the pictures of the machines - with and without the LOTO solutions and indicating all the energy isolation points and the procedures to handle maintenance / servicing on these machines.

We do conduct the professional audits for proper LOTO implementation.

On-Site Lockout Tagout Awareness Seminars are conducted by our instructors.

These Awareness Seminars are a great supplement to your standard training program for authorized and affected employees and helps / enhance lockout compliance, safety and

efficiency in your facility. They are conducted right at your facility, so that your employees can be exposed to the lockout program process in their specific environment, without a decrease in productivity time.

Your employees will gain access to a comprehensive overview session that introduces the key components and details of an effective lockout program. CONTACT for more details on Training Sessions.

For holding a seminar at your facility, we prefer that your company should purchase a training / sample kit that consists of instructional material and lockout devices - that are selected for your facility. These tools are used during the seminar by our / your safety officer for demonstration purposes. They can be kept for reuse while training your new employees and conducting refresher courses - inhouse.





Watch Out! Be Safe!

WHAT IS LOCKOUT / TAGOUT - (LOTO)

Thousands of workers are injured annually, and hundreds lose their lives due to failure to control sources of hazardous energy. Lockout / Tagout procedures are designed to disable machines or equipment to prevent unexpected energization, start-up, or release of stored energy, thus avoiding injuries. Hazardous energy can take many different forms, including:

Electrical , Hydraulic , Mechanical , Thermal , Pneumatic , Potential , etc.

DEFINITIONS

- **Affected Employee** - An employee whose job requires him / her to operate equipment on which maintenance is being performed under lockout or tagout, or whose job requires him / her to work in an area in which such servicing or maintenance is being performed.
- **Authorized Employee** - An employee who locks out or tags out equipment in order to perform service or maintenance on that equipment.
- **Energy Isolating Device** - A mechanical device that physically prevents the transmission or release of energy.
- **Lockout (Tagout)** - The placement of a Lockout (Tagout) device on an energy isolating device, in accordance with an established procedure, ensures that the energy isolating device and the equipment it controls cannot be operated until the Lockout (Tagout) device is removed.

WHEN LOCKOUT / TAGOUT IS REQUIRED ?

A Lockout (Tagout) program needs to be developed to control hazardous energy sources during maintenance of equipment when an employee:

- Is required to remove or bypass a guard or other safety device or feature.
- Is required to place any part of his or her body into an area near the point of operation of any equipment.
- Has to enter, or partially enter the area where a machine or piece of equipment may operate. (i.e. danger zone around a robotic arm)

LOCKOUT PROGRAM OUTLINE

- **Written Program** - A written lockout program should cover each of the steps listed below. In some cases, specific guidelines for particular machines or equipment may be necessary.
- **Equipment Identification** - The first step is to identify operations that require lockout.
- **Energy Sources & Energy Isolating Devices Identification** - Second, is to identify the energy sources associated with that particular equipment, checking for any part that may operate due to gravity or stored energy. Then identify the associated energy isolating device.

Lockout Devices - Determine the appropriate lockout device for the identified energy isolating device. Provide enough lockout devices so that each authorized employee has access to them when needed.

Test Locked Out Machine - Once all energy isolating devices have been locked out and all moving parts secured, try all controls which may start the machine. Then return all controls to their off or neutral position.

Releasing Machines From Lockout - Only the authorized employee who installed the lockout device is allowed to remove the device. Before lockout devices are removed, the authorized employee who locked out the machine should inspect the work area to ensure that:

- All other employees are safely positioned away from the area.
 - All tools and repair equipment have been removed.
 - All guards and safety devices are put back in service.
- Once all of these steps have been taken, the lockout devices can be removed and the machine or equipment put back in service.

Training - Each employee classification should receive a different level of training:

- **Authorized Employees** - Shall be instructed in the recognition of applicable hazardous energy sources, the type and magnitude of the energy available in the workplace, the methods and means necessary for energy isolation and control, and the overall program outlined above.
- **Affected Employees** - Shall be instructed in the purpose and use of the program outlined above.
- **Other Employees** - All others whose work operations are or may be in an area where lockout procedures may be utilized, shall be instructed in the program outlined above, and about the prohibition relating to attempts to restart or re-energize machines or equipment which are locked out.
- **Follow-up** - Management should periodically audit the program to ensure that all the above steps are being completed.

Refer to lockout/tagout standard (29 CFR 1910.147) for more details or log on to www.osha.gov/SLTC/controlhazardousenergy.

You can call us at :011- 6632 2665, 3222 2335, 2371 7868, 2332 7868



LOCKOUT / TAGOUT OVERVIEW

OSHA is Serious now for LOCKOUT / TAGOUT Violators

Due to the serious risk that hazardous energy poses to employees, OSHA is stepping up inspections in all parts of the world where ever OSHA / equivalent standards are being implemented seriously. In fact, the Lockout / Tagout standard has become the #1 most cited OSHA regulation for all the industries.

The Cost of Non - Compliance of LOCKOUT / TAGOUT as per studies..

- OSHA fines can run from several hundred to several hundred thousand US Dollars!
- On average, non-fatal industrial accidents cost employers over \$30,000 in direct and indirect medical expenses. In the event of a fatality, costs can jump to over \$1 million!
- Penalties from civil law suits can also easily run into millions of dollars!
- Not just people get hurt, unexpected startup can also damage equipment and machinery, requiring expensive repairs and prolonged downtime that reduces productivity!
- Many insurance companies offer reduced premiums to employers who demonstrate that they have an effective LOTO program - a welcome savings in light of skyrocketing insurance costs!



WHAT OSHA LOOKS FOR

Common LOTO violations include:

- Failure to establish a written energy control program
- Failure to develop machine-specific lockout procedures
- Failure to properly train employees
- Failure to conduct periodic audits
- Failure to provide or utilize the proper lockout devices

JUSTICE FOR BHOPAL



We Want Justice



In India, We are well aware of the cause and effect of the **BHOPAL GAS TRAGEDY...**
A WELL KNOWN CASE OF VIOLATION OF LOCKOUT / TAGOUT STANDARDS.
TRAGEDIES CAN BE AVERTED..... WE AT E-SQUARE CAN HELP YOU IN THAT.

We at E-Square help you to safeguard your employees and comply with OSHA. From compliance and procedures to policy implementation, we provide a comprehensive list of solutions for effective lockout programs -

- **CONDUCTING LOCKOUT SURVEYS AND MAKING REPORTS.**
- **TRAINING & ORIENTATION PROGRAMS AT SITE + PRODUCT DEMONSTRATION ON YOUR MACHINES**
- **LOCKOUT POLICY ADVISE - HELP YOU IN IMPLEMENTING LOCKOUT / TAGOUT PROCEDURES.**
- **PREPARATION OF INDIVIDUAL VISUAL LOCKOUT PROCEDURES FOR MACHINES.**
- **ANNUAL SITE VISITS WITH SYSTEMATIC AUDITS AND PROCEDURE RE CHECKING PROCESS.**



Neglecting LOTO means Neglecting your workers : Heavy costs.

LOCKOUT HASPS

LOCKOUT HASPS

Safety lockout hasps are used when you wish to use multiple padlocks to isolate one energy source. A hasp is placed through the isolating point and closed, allowing each authorised person to place their own padlock on it.

- The system is then locked out, preventing any re-energising until all padlocks are removed.
- Scissor action hasps are available in 25 mm / 38 mm Dia Jaw size.
- In vinyl coated hasps the padlock fixing section is vinyl coated for better grip & visibility.
- Accepts padlocks with a shackle diameter up to 9 mm. 6 locks can be installed on each hasp.
- Manufactured from high tensile steel sheet which has been electro-plated to prevent rusting.

MODEL	PRODUCT DESCRIPTION
ES-VCH - S	Vinyl Coated Hasp - Small - RED (5 mm Shackle thickness)
ES-VCH - P	Vinyl Coated Hasp - Premier - RED (6 mm Shackle thickness)
ES-VCH - P CR	Vinyl Coated Hasp - Premier - BLUE / GREEN / BLACK COLOUR ETC *
ES-VCH - P Y & B	Vinyl Coated Hasp - Premier - YELLOW & BLACK *
ES-VCH - S - DL	Vinyl Coated Hasp - Small - DOUBLE LOCKING
ES-VCH - P - SL	Vinyl Coated Hasp - Premier - SINGLE LOCKING
ES-VCH - P - DL	Vinyl Coated Hasp - Premier - DOUBLE LOCKING



Standard Hasp are made from hardened powder coated steel, The 25 mm version has a double locking arrangement and 38 mm has single locking.

MODEL	PRODUCT DESCRIPTION
ES-SH - S DL	Standard Hasp - Small - DOUBLE LOCKING
ES-SH - P SL	Standard Hasp - Premier - SINGLE LOCKING

Minimum Quantity Applicable *



FLEXIBLE LOCKOUT DE - ELECTRIC HASP

ES-E-HASP 33



Manufactured from heavy duty flexible nylon with 45 mm & 80 mm clearance. Can easily be installed into different locations. Ideal for difficult applications. Accepts padlocks with a shackle diameter up to 9 mm. These hasps are tough, flexible, light weight and have the added benefit of being completely non-conductive.

Ideal for their use on electrical panels, MCB's, Switches & Panel Handles.

ES-E-HASP 65 is available in 4 colours (Red, Yellow, Green, Blue).

MODEL	PRODUCT DESCRIPTION
ES-E-HASP 33	3 holes, 3 mm Shackle thickness, 45 mm clearance
ES-E-HASP 36	3 holes, 6 mm Shackle thickness, 45 mm clearance
ES-E-HASP 66	6 holes, 6 mm Shackle thickness, 80 mm clearance
ES-E-HASP 65	6 holes, 5 mm Shackle thickness, 80 mm clearance



LOCKOUT HASPS

Safety lockout hasps allow multiple padlocks to be used when isolating one energy source. The lockout hasp is placed through the isolating point and closed. Every person carrying out maintenance or service work attaches and locks in place their own unique individually keyed padlock through the lockout hasp. This ensures each worker's safety as the energy cannot be restored until the work is finished and all padlocks have been removed. We offer all kind of lockout hasps.

ALL STEEL HASPS CAN BE SUPPLIED IN ELECTROPLATING / STAINLESS STEEL ALSO.

SCORPIO LOCKOUT HASP

Double sided




Dual scissor action Hasp - Made from tempered steel sheet, multiple opening of 45 mm & 20 mm inner width & of 5.35" length, Aluminium rivet provides a smooth movement. Available in Plated steel or in Red powder coating to resist rust. Accommodates six padlocks. Can be supplied in different colors also.* The two different jaw sizes ensure the ultimate in adaptability when lock out conditions vary.



ES - SCORPIO

Dimensions							
Inside height. (A)	Inside width. (B)	Inside height. (C)	Inside width. (D)	Shackle thickness (E)	Shackle thickness (F)	# of holes (padlock)	Padlock hole dia.
31mm	45 mm	18 mm	20 mm	8.6 mm	7.6 mm	6	11 mm

MODEL	PRODUCT DESCRIPTION
ES - SCORPIO	Powder Coated Scorpio Hasp - RED
ES - SCORPIO EP	Electro Plated Scorpio Hasp
ES - SCORPIO CR	Powder Coated Scorpio Hasp (YELLOW / GREEN / BLUE)




ES - SCORPIO CR

Department specific

STAINLESS STEEL HASP

For corrosive areas



ES-SSH

ES-SSH die casted stainless steel hasps are most popular in industries with harsh / extreme corrosive environment.

MODEL	PRODUCT DESCRIPTION
ES-SSH	Stainless Steel Hasp



ES-VC SSH-S

ES-VC SSH-P

ES-VC SSH-S / P Hasp are manufactured from 304 stainless steel sheet and with a sleek aluminum rivet. Duly vinyl coated at the padlock insert holes - for better gripping and visibility.

ES-SSH - 25 is manufactured from stainless steel sheet with a bright nickle plated finished aluminum die casted insert. Ideal for use in all industrial environments.




Fully opening body for easier application

MODEL	PRODUCT DESCRIPTION
ES-VC SSH-S	Vinyl Coated Stainless Steel Hasp - Small
ES-VC SSH-P	Vinyl Coated Stainless Steel Hasp - Premier
ES-SSH - 25	Stainless Steel Hasp - 25 mm



ES-SSH - 25



8 mm diameter holes

TAGO HASP

TAGO HASP combines the benefits of a standard hasp & a tag simultaneously. Manufactured from powder coated aluminium sheet. Available in different colors. Supplied with one set of spare labels. Tags can be customized. Shackle thickness 6.5 mm.

ES - TAGO R




ES - TAGO R 6 ES - TAGO R 8 ES - TAGO R 10



ES - TAGO - CR

Multi usability

Dimensions			
Inside height, (A)	Inside width, (B)	# of holes	Padlock hole dia.
27 mm	36 mm	10	7.5 mm
Dimensions : 190 x 77 mm			



MODEL	PRODUCT DESCRIPTION
ES - TAGO R	TAGO HASP - RED
ES - TAGO - CR	TAGO HASP - COLORED (YELLOW / GREEN, etc.)
ES - TAGO R 6	TAGO HASP - RED 6 Hole
ES - TAGO R 8	TAGO HASP - RED 8 Hole
ES - TAGO R 10	TAGO HASP - RED 10 Hole

DESH : DE - ELECTRIC SLIDER HASP



ES - DESH - 46

ES - DESH - 43

- Patented : De - Electric 4 hole slider designer hasp with 3 mm and 6 mm shackle sizes.
- Available in the Set of 2 hasps.
- Made from hard Nylon.
- Highly Visible.
- Best recommended for Electrical Panels, MCB's, etc.



MODEL	PRODUCT DESCRIPTION
ES - DESH - 43	DE - ELECTRIC SLIDER HASP for 4 LOCKS / 3 mm SHACKLE
ES - DESH - 46	DE - ELECTRIC SLIDER HASP for 4 LOCKS / 6 mm SHACKLE

OTHER UNIVERSAL HASPS



ES - ALH - 25

ES - ALH - 2 WAY



ES - ALH - 38

Aluminium and steel hasps are made as per internationally accepted designs. They are easy to use and acceptable at most of the isolation locking points.

MODEL	PRODUCT DESCRIPTION
ES - ALH - 25	ALUMINIUM HASP - 25 mm
ES - ALH - 38	ALUMINIUM HASP - 38 mm
ES - ALH - 2 WAY	ALUMINIUM HASP - 2 WAY 10 HOLE
ES - HDH - 11	HEAVY DUTY HASP - 1 INCH x 1 INCH - 3 Locks
ES - HDH - 13	HEAVY DUTY HASP - 1 INCH x 3 INCH - 6 Locks
ES - SH - 12	Standard Hasp - 12 Hole
ES - SH - 24	Standard Hasp - 24 Hole



ES - HDH - 11

ES - HDH - 13

For corrosive areas



ES - SH - 24



ES - SH - 12

The special purpose metallic and robust PVC / NYLON / Stainless steel / steel / aluminium HASPS are also available with us.

They are available in powder coating / nickle - chrome plating / soft hot melt PVC coating or die casted overlays, etc. as per customers requirements. Minimum order quantities are applicable on these special products.

WE PRODUCE LOT MANY HASPS BESIDES WHAT ARE SHOWN IN THIS CATALOG CONTACT - LOTO@VSNL.NET FOR DETAILS.



CABLE LOCKOUTS

Cable lockouts are ideal, when there is a need to lockout multiple energy sources with one device or when the design / placement of the energy sources prevent other types of lockouts to be used.

Use the flexible cable to tie off the energy source. The device traps the cable and prevents it from becoming loose. Multiple padlocks can be used on the handle to ensure the safety of multiple workers.

They are flexible, cost-effective, easy-to-use, just as efficient as chains but are much lighter and more visible.

ECONOMY MULTIPURPOSE CABLE LOCKOUT

- Injection molded one set construction, comprising of Stainless Steel nut and bolt for corrosion free / long lasting working.
- Supplied with 2 Mtrs. Galvanized Vinyl Coated Steel Cable.
- Patented design.
- Will accept multiple padlocks (6 locks) for multiple lockout applications.
- Withstands Temperatures (+55° C to -20° C).



MODEL	PRODUCT DESCRIPTION
ES-EML+ 2C	Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable
ES-EML + C5	EML with 5 Mtrs. of Vinyl Coated Steel Cable.
ES-EML + C10	EML with 10 Mtrs. of Vinyl Coated Steel Cable.
ES-EML + C20	EML with 20 Mtrs. of Vinyl Coated Steel Cable.

* CABLES CAN BE ORDERED SEPARATELY.

PREMIER MULTIPURPOSE CABLE LOCKOUT



ES-PML+ 2C

- Can be used as a Hasp and Cable Lockout - Best for Multiple Applications.
- Scientifically made moulded section of PVC for best gripping in palm.
- Incorporating solid steel die cut insert for holding the Vinyl coated galvanized steel cable.
- Galvanized steel cable withstands more than 100 Kg weight.

MODEL	PRODUCT DESCRIPTION
ES-PML	Premier Multipurpose Cable Lockout (without cable)
ES-PML+ 2C	PML with 2 Mtrs. Vinyl Coated Steel Cable.
ES-5C for PML	Just Cable with loop - 5 Mtrs.
ES-10C for PML	Just Cable with loop - 10 Mtrs.
ES-20C for PML	Just Cable with loop - 20 Mtrs.



RAZOR MULTIPURPOSE CABLE LOCKOUT

Basic

- A unique design, easy to handle - special grade hard PVC moulded one set construction.
- Supplied with 2 Mtrs. looped galvanized vinyl coated steel cable.
- Provision of 4 locks, for lockout is provided. Finger curves and thumb rest makes it easy to use.

This simple to use lockout uses a scissor action on the supplied vinyl coated cable to lockout a device. Extra cable 5 Mtrs. or 10 Mtrs. can be ordered as per the requirement.

MODEL	PRODUCT DESCRIPTION
ES- RMCL	RAZOR Multipurpose Cable Lockout
ES- RMCL+2C	RMCL + 2 Mtrs. Cable



ES-RMCL



METALLIC MULTIPURPOSE CABLE LOCKOUT *



- Best for outdoor - corrosive / harsh Industrial environments.
- Specially Moulded, Metallic construction comprising of Stainless Steel nut for corrosion free / long lasting working.
- 4 piece Moulded set. Easy to install and lockout.
- Open ended Stainless Steel cable is to be used with MMCL.
- SS Cable has to be ordered as required in 2 or 5 Mtrs. lengths.
- Most suitable for large size gate valves of all types.
- Totally dependable with Worldwide appreciated design.
- Also recommended for off shore installations.



Heavy Duty

ES-MMCL

For corrosive areas

* Patented product.

MODEL	PRODUCT DESCRIPTION
ES-MMCL	Metallic Multipurpose Cable Lockout
ES-2C for MMCL	2 Mtrs. Stainless Steel Cable for MMCL
ES-5C for MMCL	5 Mtrs. Stainless Steel Cable for MMCL

UNIVERSAL MULTIPURPOSE CABLE LOCKOUT




ES-UMCL + 2C

- Completely De-Electric, Can be used in Multiple applications.
- Scientifically made moulded section in PVC to hold 12 padlocks at any given time.
- Incorporating solid stainless steel inserts for holding the Vinyl coated galvanized steel cable in any environment.
- PVC coated steel cable withstands more than 100 Kg weight.
- Supplied with 2 Mtrs. Cable of 4 mm thickness.

* Patented product.

MODEL	PRODUCT DESCRIPTION
ES-UMCL - YB	Universal Multipurpose Cable Lockout - Yellow Black
ES-UMCL + 2C	UMCL Supplied with 2 Mtrs. 4 mm PVC coated Steel Cable.

SQUEEZER MULTIPURPOSE CABLE LOCKOUT



- This cable lockout has been ergonomically designed to fit easily in the palm, making its placement and use - fast and simple.
- Normally supplied with 1 Mtr. cable - Customized lengths can be supplied against order.
- Route the cable where necessary to lockout the device then feed the cable down the center point at the top. When the cable is tight and the source is locked out, squeeze the handle and apply padlock.
- Available in Vinyl coated steel core (Blue) and NYLON core De Electric (Yellow) cable versions to handle all kind of multiple locking.



MODEL	PRODUCT DESCRIPTION
ES-SMCL - MB	Squeezers Multipurpose Cable Lockout - Metallic Blue cable
ES-SMCL - DE-Y	Squeezers Multipurpose Cable Lockout - De Electric - Yellow

VALVE LOCKOUTS

Valve lockouts are a simple and effective way to prevent unauthorized operation of valves. Valves come in a huge range of shapes, sizes and methods of operation. **Whether you have Ball Valves, Gate Valves, Plug Valves, Globe Valves or Butterfly Valves**, the thing that determines what locking device is needed is the method of operation.

Many valves are manually operated via a handwheel, lever / wrench or sometimes the valve might be power actuated e.g. electric motor, hydraulic or pneumatic actuator. Regardless of the method of operation, all valves can be locked out in some way or the other by our various available lockout solutions.




GATE VALVE LOCKOUT


- Virtually indestructible valve covers.
- Once locked, they rotate freely around the hand wheel & prevent the valve wheel from being turned.
- The strong polyurethane plastics make them resistant to cracking and abrasion.
- They are resistant to extreme weather and temperature conditions.
- Available in **5 sizes (Red colour)** Other colours are available on request - minimum quantity applicable.
- 3 padlock holes are available in each gate valve lockout device.
- Different sizes cover most commonly used valve diameters.
- Withstands temperatures from - 20°F to 200°F
- Unique knockout center accommodates OS & Y or "rising stem" valves.
- Suitable for hasps and padlocks.



Dimensions				
Size	Inside dia. (A)	Inside depth. (B)	Outside dia. (C)	Outside height. (D)
25 - 63.5 mm	70 mm	32 mm	76 mm	38 mm
63.5 - 127 mm	130 mm	34 mm	140 mm	44 mm
127 - 165 mm	170 mm	41 mm	177 mm	50 mm
165 - 254 mm	257 mm	50 mm	267 mm	63 mm
254 - 355 mm	355 mm	63 mm	368 mm	74 mm



MODEL	PRODUCT DESCRIPTION
ES - 02 - GVL	Fits on handle wheel dia from 25 to 63.5 mm (1" - 2½" inch)
ES - 04 - GVL	Fits on handle wheel dia from 63.5 to 127 mm (2½" - 5" inch)
ES - 06 - GVL	Fits on handle wheel dia from 127 to 165 mm (5" - 6½" inch)
ES - 08 - GVL	Fits on handle wheel dia from 165 to 254 mm (6½" - 10" inch)
ES - 10 - GVL	Fits on handle wheel dia from 254 to 355 mm (10" - 13" inch)



ADJUSTABLE GATE VALVE LOCKOUT



ES - AGV

- Flexible Lockout adjusts to fit gate valves from 2.5 to 16.5 cm. (1" to 6½" gate valve hand wheels).
- Covers & Rotate freely around valve wheel.
- Made of Durable polypropylene.
- Resistant to extreme temperature changes - 13°F to +194°F.
- Compact for easy carrying and storage.


MODEL	PRODUCT DESCRIPTION
ES - AGV	Adjustable Gate Valve Lockout (25 mm -165 mm)






BALL VALVE LOCKOUT

- These easy to use lockouts, clamp over the valve lever - preventing the valve from operating. BV-01 can lock the small size valves in the open or closed positions, whilst the larger BV-01 EX / BV-02 L can only be used in the closed position.
- These two piece, die section molded lockouts can be installed on most of the types of ball valves available internationally.
- Virtually indestructible finger friendly valve covers. Inner slider can be used for gripping the valve handle sleeves inside the cover.
- Once locked, they prevent valve handle from being turned.
- The strong polyurethane plastic make them resistant to cracking and abrasion.
- They are resistant to extreme weather & temperature conditions.
- Available in 3 sizes.
- Non conductive.



MODEL	PRODUCT DESCRIPTION
ES-BV 01	For Ball Valve Dia 3/8" - 1 1/4" (Max Handle length 7 1/2")
ES-BV 01 EX	For Ball Valve Dia 1 1/2" - 2 1/2" (Max Handle length 10")
ES-BV 02 L	For Ball Valve Dia 2" - 8" (Large Size)



OTHER VERSIONS OF BALL VALVE LOCKOUTS ARE ALSO AVAILABLE



BUTTERFLY VALVE LOCKOUT

When slid into position the wedge on the slider section prevents the compression handle being squeezed, preventing operation of the valve. The holes on the slider have a staggered repeat which ensures hole will be tight when placed against the valve. Padlock is used in the hole which is tight to the valve as possible to ensure proper lockout. Hasp is also used some time when multiple locking is required with more than one lock on the lockout device.

- Single universal size designed to lock all kinds of butterfly valves in the industries.
- Resistant to cracking and abrasion. Highly resistant to solvent and other chemical products.
- Made of strong polypropylene plastic. Fully dielectric (non-conductive)
- They are resistant to extreme weather and temperature conditions - suitable for outdoors.



MODEL	PRODUCT DESCRIPTION
ES - BFV 04	Universal Butterfly Valve Lockout

VALVE LOCKOUTS

SETTABLE BALL VALVE LOCKOUT

- Used for **PRECISE** Locking & closing / opening of the ball valves of various sizes and makes.
- Constructed from super tough nylon and stainless steel to avoid corrosion. Designed to lock out quarter-turn valves of varying sizes and geometric handle dimensions (round, square or flat) up to 1-1/4" thick x 1-5/8" wide and various lengths. Valves can also be locked in the ON or Throttled positions for non lock-out applications.
- **Freeze the valve handle at an exact location.** Attach a second Arm (Sold separately) to lock handle of 2 / 3 / 4 or 5 way Valves.
- Best for all kinds of usage areas / pipelines - gaseous, oils, liquids, air pressure pipes & valves etc.



▲ ES-SSBVL - SET (Small)



ES-LSBVL - SET (Large) ▶

MODEL	PRODUCT DESCRIPTION
ES-SSBVL - SET (Small)	Small Size Settable Ball Valve Lockout - Set
ES-SSBVL - ARM (Small)	Additional Arm - Small
ES-LSBVL - SET (Large)	Large Size Settable Ball Valve Lockout - Set
ES-LSBVL - ARM (Large)	Additional Arm - Large

Small & Large Arm are also available with 1 - feet long stainless steel rod.

UNIVERSAL VALVE / CABLE LOCKOUT

- Best for precise closing / opening of all kinds of valves of various sizes and makes.
- Versatile, rugged, easy to use, lightweight and chemical resistant new open-ended clamp fits over closed rings, wide handles - can also be used to lock out large levers.
- Use two blocking arms to lock out 3, 4, or 5 - way valves, or to lock valves in the throttled position for operational control.
- Injection molded - special PVC grade / stainless steel components embedded Lockout. The clamp attaches to the butterfly valve lever, preventing the trigger handle from being squeezed.
- Multiple functioning with the help of Vinyl Coated Steel Cable and arms.
- Use cable attachment to lockout gate valves.



Use as a Gate Valve Lockout

Add a cable attachment to lock gate valves in the on, off or set position.



Use as a Ball Valve Lockout

Use two locking arms to lockout 3, 4 or 5-way valves, or to lock valves in the throttled position for operational control.



ES-UVL + C + LA



ES-UVL

Use as a Butterfly Valve Lockout

Clamp attaches to butterfly valve lever, preventing trigger handle from being squeezed. Valve cannot be repositioned.

MODEL	PRODUCT DESCRIPTION
ES-UVL	UNIVERSAL VALVE LOCKOUT
ES-UVL + C	UVL with 2 Mtrs. Galvanized Steel Cable
ES-UVL - SA	Small Arm for UVL
ES-UVL - LA	Large Arm for UVL

- Can be used to lockout large levers, T-handles and other hard-to-secure mechanical devices.
- Made from industrial grade Stainless Steel and Nylon for rugged durability, giving chemical and corrosion resistance.
- The Universal Lockout is a modular construction where the user can add various accessories to make the device suitable for a range of valves.



No need to match your lockout device to varying diameters and threads of cylinder caps. Our gas cylinder lockout is adjustable and installs in just seconds.

GATE VALVE CYLINDER LOCKOUT



- Designed with the stem hole dia of 29 mm, made from polystyrene plastic.
- Apply with ease to prevent access to the valve handle.
- Used to lockout propane cylinders on Forklift trucks.
- Designed to fit in tight spaces.
- Two Padlocks can be applied.

MODEL	PRODUCT DESCRIPTION
ES - GVCL	Gate Valve Cylinder Lockout



ES - GVCL

CYLINDER LOCKOUT

- Yellow colour lockout, apply with ease to prevent access to the valve handle.
- The unit encloses the valve head and is locked in place with two interlocking plates.
- Installs in seconds and provide quick and easy identification of a full / empty cylinder with the security of the padlock to lock the device in place to prevent the unauthorized use.
- Each lockout is supplied with 2 labels, your choice of which can be fixed onto the lockout to depict if the cylinder currently being locked out is **FULL** or **EMPTY**.*
- Interior size of 85 mm dia x 150 mm depth
- Designed with the stem hole dia of 35 mm, made from polystyrene plastic.



ES - CLO - Y

ES - CLO - E



MODEL	PRODUCT DESCRIPTION
ES - CLO - Y	Cylinder Lockout (Yellow Lid)
ES - CLO - R	Cylinder Lockout (Red Lid)
ES - CLO - E	Cylinder Lockout (Red Lid - Empty)
ES - CLO - F	Cylinder Lockout (Green Lid - Full)



ES - CLO - R




ES - CLO - F

CUSTOMIZED CYLINDER LOCKOUT



ES - VCLO + EML



ES - CLO - CUS

MODEL	PRODUCT DESCRIPTION
ES - VCLO + EML	VALVE Cylinder Lockout + ECONOMY MULTIPURPOSE CABLE LOCKOUT WITH 2.5 Mtrs. CABLE
ES - CLO - CUS	CUSTOMISED Cylinder Lockout

PNEUMATIC LOCKOUTS

Pneumatic Lockouts - Isolate pneumatic energy without the expense and inconvenience of installing in-line lockout valves. These quick disconnect lockouts are applied to the male fittings, isolating equipment from all compressed air sources.

PNEUMATIC LOCKOUTS - Box type

- Accommodates male air hose connectors as well as their electrical plugs (110 V, 220 V, 550 V Plugs).
- Made of Polystyrene material, 4 padlocks can be applied.
- Ensures that the male air hose connectors & the plug can't be used until the lock is removed. AVAILABLE IN 2 SIZES.



MODEL	PRODUCT DESCRIPTION
ES - SPLO	Small Pneumatic Lockout
ES - LPLO	Large Pneumatic Lockout



ES - SPLO




ES - LPLO

PNEUMATIC LOCKOUTS

This unique design pneumatic lockout fits virtually all pneumatic fittings used in manufacturing facilities. The pneumatic lockout is applied to the fitting to prevent it from being reconnected to the pressurized air source.


- Made from the Stainless Steel solid sheets - to make them strong, durable and resistant to corrosion.
- Simple to use, just place over male fittings between the two parts and put your lockout padlock.

MODEL	PRODUCT DESCRIPTION
ES - PL 9H	Pneumatic Lockout - Straight with 9 Holes



ES - PL 9H

Hole Sizes (mm dia.)



PNEUMATIC QUICK - DISCONNECT LOCKOUT

- Isolates pneumatic energy without the expense and inconvenience of installing in-line lockout valves.
- Device is applied to the male fitting, isolating equipment from all compressed air sources.
- Accommodates majority of 6.35 mm, 9.52 mm and 12.7 mm male fittings.
- Max. shackle diameter : 6.5 mm.
- Min. shackle clearance : 20 mm.

MODEL	PRODUCT DESCRIPTION
ES - PL 3W	Pneumatic Lockout - 3 Way

ES - PL 3W



Plug lockouts prevent electrical plugs from being inserted into a wall outlet. It is used when plug is not under the exclusive control of the person performing service or maintenance.

CYLINDER ELECTRICAL PLUG LOCKOUT



- Unique device prevents plugs from being 'plugged in' until intentionally removed.
- Slip plug into the chemical-resistant plastic cylinder; close one or both cover plates for a snug fit and secure with Padlock.
- Fits any plug up to 600 volts. 5-7/8" x 3" dia. Lockouts are supplied with instructions and are available with or without one Padlock.

MODEL	PRODUCT DESCRIPTION
ES - CLO - EL	CYLINDER Electrical Plug Lockout

ES - CLO - EL ▶



PLUG LOCKOUT BOX



Manufactured from sturdy polystyrene, the unit has been developed to completely enclose electrical plugs to prevent a machine being energized. The plug completely sits inside the unit with the cable being fed through an access hole inside. The small unit is suitable for a variety of electrical connections up to 40 mm diameter, with a locking mechanism taking up to 4 safety padlocks. The large unit is suitable for standard and larger electrical plugs, including 3 phase connectors.

- Plug lockout prevent electrical plugs from being inserted into a wall outlet.
- Made of rugged polypropylene.
- **Small 110V plug lockout:** 2"H x 2"D x 3½"W with ½" diameter hole for cable.
- **Large 220V / 500V plug lockout:** 3¼"H x 3¼"D x 7"W with 1" diameter hole for cable.
- Especially developed to secure all types of plugs.
- Completely encloses electrical plugs to prevent accidental re-connection.
- Two sizes available.



ES - SPLO



ES - LPLO

MODEL	PRODUCT DESCRIPTION
ES - SPLO	Small Plug Lockout - Box
ES - LPLO	Large Plug Lockout - Box
ES - SPLO - P	Small Plug Lockout - PREMIER
ES - LPLO - P	Large Plug Lockout - PREMIER



ES - LPLO - P

ES - SPLO - P

PLUG COVER LOCKOUT

▶ ES - LPCL



ES - SPCL



ES - LPCL

- These Large Plug lockouts are made of special grade non tearable thick red fabric & black riveted leather encased belt.
- They can be supplied on request with solid PVC pipe inside, of suitable dia to avoid unwanted operation of the control buttons of hoist of cranes etc (at extra cost).
- Available in two sizes.

MODEL	PRODUCT DESCRIPTION
ES - SPCL	Small Plug Cover Lockout - Red
ES - LPCL	Large Plug Cover Lockout - Red



ES - SPCL ▶

CIRCUIT BREAKER LOCKOUTS

As per OSHA, all energy sources should be turned off and locked out to protect employees from injuries caused by the accidental startup of equipment under repair and service. To aid in complying with OSHA 1910.147, we offer a complete line of high quality, universal Circuit Breaker Lockout Devices to ensure that electrical energy sources are isolated for optimal work place safety. These Circuit Breaker Lockouts are part of an extensive line of innovative safety devices designed by professionals to protect employees from risks associated with hazardous energy, while meeting safety and regulatory requirements.

CONVENTIONAL MINIATURE CIRCUIT BREAKER LOCKOUTS



- Safe & Effective method for locking out Miniature Circuit Breakers.
- Push Button Installation - Does not require any tool for installation.
- The Tie Bar Style Lockout has a convenient thumb wheel for quick application on Multiple Breakers.
- Can be applied on Single / Multiple Breakers.
- A Padlock should be applied to Lockout the MCB.

MODEL	PRODUCT DESCRIPTION
ES - PIN IN CBL	PIN IN Circuit Breaker Lockout
ES - PIN OUT CBL	PIN OUT Circuit Breaker Lockout
ES - PIN OUT WIDE CBL	PIN OUT WIDE Circuit Breaker Lockout
ES - COMBO CBL	1-Piece each of all the three PI / PO / POW CBL
ES - TIE BAR CBL	Tie Bar Circuit Breaker Lockout



LARGE CIRCUIT BREAKER LOCKOUT

- Locks out a wide range of three phase Circuit Breakers (227 V & above).
- Fits on lever of Circuit Breaker upto 3" wide & 0.9" thick.
- Handy Device : make it easy to secure the large Circuit Breakers at any workplace.
- Rugged Stainless Steel / PVC Constructions.
- Corrosion resistant.
- Easy installation - simply turn the screw into the Circuit breaker handle & add your own Padlock & Tag after fitting it properly.

MODEL	PRODUCT DESCRIPTION
ES-LCB	LARGE Circuit Breaker Lockout
ES-LCB - TS	LCB - with Twister Screw
ES-LCB R	LCB - Round Handle




UNIVERSAL CIRCUIT BREAKER LOCKOUT



ES-UBL - B T

- Safe & effective method for locking out Miniature Circuit Breakers.
- The lockout can easily be installed with the aid of a screw driver or with the help of new dandy Twister Screw.
- It can be used on single & multi - pole breakers.
- A Padlock on UBL should be applied to Lockout the MCB.

MODEL	PRODUCT DESCRIPTION
ES-UBL	Universal Circuit Breaker Lockout (A / B / C / D) - order individually
ES-UBL COMBO	UBL : set of one each of A / B / C / D
ES-UBL - A TS	UBL : A TAIL Type with Twister Screw
ES-UBL - B TS	UBL : B Type with Twister Screw



ES-UBL

COMBO 5 CIRCUIT BREAKER LOCKOUT



- Safe & effective method for locking out Miniature Circuit Breakers.
- These lockouts can easily be installed with the aid of a screw driver.
- They can be used on single & multi - pole breakers.
- A Padlock should be applied on them to Lockout the MCB's.

* More models available.

MODEL	PRODUCT DESCRIPTION
ES - MCBL - Y	Miniature Circuit Breaker Lockout - YELLOW
ES - MCBL - GS	Miniature Circuit Breaker Lockout - GREEN SIEMENS
ES - UMCBL - S	Universal Miniature Circuit Breaker Lockout - SMALL
ES - UMCBL - B	Universal Miniature Circuit Breaker Lockout - BLUE
ES - UFHL	Universal FUSE Holder Lockout - RED
ES - ULCBL	Universal Large Circuit Breaker Lockout - BIG SIZE
ES - COMBO 5	Combo Miniature Circuit Breaker Lockout (Set of 5)



ES - MCBL - Y



ES - MCBL - GS



ES - UMCBL - S



ES - UMCBL - B



ES - ULCBL

ELECTRICAL FUSE LOCKOUTS

- Universal Lockout Device can help prevent un-intended energization of energy source.
- Clamp UFL-2 onto the fuse holder, using a small screwdriver set the screw in the device.
- Place a padlock through the hole to prevent access to the set screw.
- One size locks out - Fuse Holders from 20 Amp. to 400 Amp.
- Nylon Plastic with ZP Metal Set screw.

MODEL	PRODUCT DESCRIPTION
ES - UFHL	Universal FUSE Holder Lockout - RED

* More Fuse Lockout are available on request.



ES - UFHL

SLIDER PIN IN / PIN OUT / PIN OUT WIDE CIRCUIT BREAKER LOCKOUTS



- Safe & Effective method for locking out Miniature Circuit Breakers.
- Slider mechanism - Does not require any tool for installation.
- Can be applied on Single / Multiple Breakers.
- A Padlock should be applied to lockout the MCB.
- Available in all the three versions of PIN IN / PIN OUT & PIN OUT Wide.

* Patented Product.

MODEL	PRODUCT DESCRIPTION
ES - SPI CBL	SLIDER PIN IN Circuit Breaker Lockout
ES - SPO CBL	SLIDER PIN OUT Circuit Breaker Lockout
ES - SPOW CBL	SLIDER PIN OUT WIDE Circuit Breaker Lockout
ES - COMBO SCBL	1- Piece each of all the three SLIDER CBL



ES - SPOW CBL

ES - SPI CBL

ES - SPO CBL

MORE SPECIAL ELECTRICAL / FUSE LOCKOUTS ARE AVAILABLE FOR SPECIFIC APPLICATIONS
REQUEST FOR ADDITIONAL RANGE OF ELECTRICAL LOCKOUTS - ANNEXURE - EL 2012



ELECTRICAL PANEL LOCKOUTS



These LOTO units have been designed to lockout electrical panel buttons and switches with no inbuilt lockout provision / arrangement.

Available in various different designs, they all work in a 2-stage operation. The base plate should be attached directly onto the electrical panel over the top of the relevant switch using the super strong adhesive Backing / Riveting / Bolting.

When in place, the electrical plugs / switches / button can be isolated by placing the house unit over the top of base plate - hence preventing the access to the isolated switch. Then, they can be locked in place with a Lockout Padlock.




The circular units are designed to fit over most of the universal type push / mushroom panel buttons and the square units are designed for the switches with levers. For the switches with extended handles - we have the special patented lockout solutions that freeze the movement of these switches to a still position where they need to be locked at a specific angle.

We also have in the range - the Ellipse lockouts for the twin switches and the special big push button switch lockouts beside the special series of same type of lockouts....information on which can be made available on request.

We are always eager to extend our range of products, so we make / develop new devices and serve our dedicated customers with the best of the product lines. If you do not find the product of your use in our catalogue - please inform us and let us know the part - for which the lockout is required.... We will be glad to develop the same for you at our cost.

The best part is that - this complete range of products can be cut from any side / direction to suit the installation on different panels with varied wiring / attachments to the switches / conduits, levers protruding out or of different shapes, etc.



Electrical Panel Lockout - Small Square Box




ES - SQ S - E*




ES - SQ B - 45E*




ES - SQ B - 90E*



Electrical Panel Lockout - Medium Square Box SQ B



Electrical Panel Lockout - Medium Square Box - SQ B 45E




Electrical Panel Lockout - Medium Square Box - SQ B 90E

Manufactured from sturdy special grade transparent material, each unit has been developed to completely enclose electrical plugs to prevent a machine from being energized. The plug completely sits inside the unit If more than one unit on a single panel needs to be locked out - we recommend the use of our De Electric Squeezers lockout with the yellow cable being fed through the access holes of these electrical lockouts and locked at one location by the multiple users.

Dimensions

Description	Inside size L x B (A)	Plante size L x B (B)	Cover size L x B x H (C)	Number of padlock holes
ES - SQ S - E	Small Box 46.5 x 50 mm	72 x 72 mm	57 x 57 x 57 mm	2
ES - EPL - SQB	Big Box 66 x 74 mm	95 x 95 mm	80 x 80 x 57 mm	2
ES - SQ B - 45E	45 degree 66 x 74 mm	95 x 95 mm	80 x 80 x 57 mm	2
ES - SQ B - 90E	90 degree 66 x 74 mm	95 x 95 mm	80 x 80 x 57 mm	2
ES - SQ B - L	Large Box 92 x 100 mm	129 x 129 mm	106 x 106 x 106 mm	2



Electrical Panel Lockout - Large Square Box

* Patented Product

FOR MORE TECHNICAL / INSTALLATION INFORMATION ON THIS PATENTED RANGE OF PRODUCTS - CONTACT OUR TECHNICAL DEPARTMENT OR WRITE A MAIL TO : LOTO@VSNL.NET OR USE THE UNDER MENTIONED HELP LINE NUMBER.

Metallic SQB - See on page 36



Base plate fitted



with cover and padlock

ELECTRICAL PANEL LOCKOUTS

- Safe & effective method for locking out close twin round switches as seen on electrical panels.
- They are Virtually Transparent.
- Padlock can be placed for locking / Isolating the switches.
- This lockout can be easily installed by just removing the back strip from the double sided super strong backings.

MODEL	PRODUCT DESCRIPTION
ES - CIR - 45	Electrical Panel Lockout - Round 45
ES - CIR - 55	Electrical Panel Lockout - Round 55
ES - SQ S - E	Electrical Panel Lockout - Square Box - Small - Electrical
ES - EPL - SQ B	Electrical Panel Lockout - Square Box - Big
ES - SQ B - 45E	Electrical Panel Lockout - Square Box - Big 45°
ES - SQ B - 90E	Electrical Panel Lockout - Square Box - Big 90°
ES - SQ B - L	Electrical Panel Lockout - Square Box - Large
ES - ELLIPSE	Electrical Panel Lockout - Ellipse
ES - Slider ESL	Slider Electrical Switch Lockout



ES - ELLIPSE*



ES - Slider ESL

* Patented Product

ELECTRICAL PANEL HANDLE LOCKOUT



ES - EPHL*

* Patented Product

Patented design of EPHL freezes the movement of the bigger handles / levers installed on the electrical panels. Two Yellow bases and flexible powder coated stainless steel strip of 25 mm x 300 mm with 20 holes makes it impossible for the handles to move from their position once locked with the help of two yellow clamps and a lockout padlock.

Best Suitable / Recommended for handles, all kinds of levers having no arrangement for lockout.

MODEL	PRODUCT DESCRIPTION
ES - EPHL	Electrical Panel Handle Lockout



MUSHROOM : NORMAL PUSH BUTTON LOCKOUT



ES - MUSHROOM*

* Patented Product

- Safe & effective method of locking out emergency stop type Mushroom buttons of normal sizes.
- Made from special grade whitish Polyvinylchloride substance.
- Supplied with a red beak padlock installer.
- Lockout labels are provided to specify the name of installer.

MODEL	PRODUCT DESCRIPTION
ES - MUSHROOM	Normal push button Lockout for electrical panels



COCOON : OVERSIZE PUSH BUTTON LOCKOUT


- Most appreciated lockout solution for the Oversize Electrical Push Buttons on the electrical panels or on control stations. Also finds its application on the Special crane / heavy machinery.
- This lockout device can be easily installed in seconds - by just placing it on the Push buttons thus concealing them in a cocoon - hence protecting them from being accidentally energized.
- The two parts are plugged and then locked out with the help of our lockout padlock.
- Inner size of 70 mm x 85 mm height with 30 mm dia hole in center.

MODEL	PRODUCT DESCRIPTION
ES - Cocoon	Oversize Push Button Lockout

* Patented Product



ES - Cocoon*



LOCKOUT PADLOCKS

Our Lockout Padlock range gives you the physical tools to help you implement and maintain an effective Safety Lockout program as per your own OH&S Policies & Procedures / Energy Control Programs, to prevent accidents and protect your employees.

Safety Lockout Padlocks are available in range of colors to increase visibility and allow workers to readily see if a device is isolated. Padlock numbering / Metal Tagging, Etching on Shackle, Logo and Department Labels, photographs of employee or employee code etc. on the personalized locks are also made available on request and at an extra cost.

Key Different means that the key for one lock should not open another.




KEYING OPTIONS

Key Alike means all locks in a set can be opened with the same key.



Master Key can be used to open multiple locks that are keyed differently.



LOCKOUT PADLOCKS



ES-PRS-KD



ES-PLS-KD

Top-Quality Padlocks Offer Enhanced Security Features

Maximum security laminated padlocks are made for tough lockout situations. Shackle is made of a special metal alloy for increased durability against cutting, prying and twisting. They have 5-pin tumbler cylinders for additional keying options. They are available in **Red / Yellow / Blue / Green / Black / Orange**, colors. **Other colors are available on request - (minimum quantity order applicable)**. Each lock is supplied with 2 keys.

Key Alike locks means for the set of 100 locks - there will be only 2 keys - that will open all the locks.



ES-PRS-KA



ES-PLS-KA

Key Different locks with master key means that all the locks will be supplied with the individual keys for the specific lock and at the same time - there will be a master key that will open all the 200 locks. Double locking padlock with an innovative laminated construction to achieve exceptional level of impact resistance.



ES-PLS-KD+M



MODEL	PRODUCT DESCRIPTION
ES-PRS-KD	Padlock with REGULAR Shackle - Key Different
ES-PRS-KA	Padlock with REGULAR Shackle - Key Alike
ES-PLS-KD	Padlock with LONG Shackle - Key Different
ES-PLS-KA	Padlock with LONG Shackle - Key Alike
ES-PLS-KD+M	Padlock with LONG Shackle - Key Different + Master Key

COLORED LABELS FOR LOCKOUT PADLOCKS

Here's an easy way to identify locks by employee or department. Great for use on padlocks used to lock out equipments.

Specifications: Employees just sign the label and attach it to a padlock. Six colors available for coding by employee or department. **Pack of 24 pieces**



ES-PD-Label

Available Colors : B (blue), BL (black), G (green), R (red), W (white), Y (yellow)

MODEL	PRODUCT DESCRIPTION
ES-PD-Labels	Padlock Labels in 6 colors - 24 Nos. in each pack

JACKET PADLOCKS - REGULAR & LONG SHACKLE

- A set of three padlocks supplied with injection molded De electric Blue / Red & Yellow JACKETS.
- Specifically drafted instruction Label for each lock is provided.
- Separate locks are also available in different colors (Red / Yellow / Blue / Green / Orange / Black) in any quantity.
- Each lock is supplied with 3 keys.
- Available in Small / Regular & Long steel shackles.



ES - JPRS - KD

MODEL	PRODUCT DESCRIPTION
ES - JPRS 3	Jacket Padlock with REGULAR Shackle - Set of 3 Nos.
ES - JPRS - KD	Jacket Padlock with REGULAR Shackle - Key Different



ES - JPLS 3



ES - JPLS - KD



ES - JPLS - KA



ES - JPLS-KD+M

MODEL	PRODUCT DESCRIPTION
ES - JPLS 3	Jacket Padlock with LONG Shackle - Set of 3 Nos.
ES - JPLS - KD	Jacket Padlock with LONG Shackle - Key Different
ES - JPLS - KA	Jacket Padlock with LONG Shackle - Key Alike..... (Set till 400 locks)
ES - JPLS-KD+M	Jacket Padlock with LONG Shackle - Key Different + Master Key (Set till 200 locks)

JACKET PADLOCKS - SMALL



ES - JP - Small


- These locks are supplied with injection molded De electric JACKETS.
- They are also available in different colors (Red / Yellow / Blue / Green / Orange / Black) in any quantity in Key different version.
- Specifically drafted instruction Label for each lock is provided.
- Specify the color while ordering.
- Shackle thickness size : 5.15 mm, supplied with 3 keys.

MODEL	PRODUCT DESCRIPTION
ES - JP - Small	Jacket Padlock - Small size - available in 6 colors.

PADLOCK LABELS FOR JACKET PADLOCKS

- Padlock labels as per international standards - duly made to suit / fit on Lockout Padlock.
- 12 Nos. (01 Dozen) Labels supplied in each pack.

MODEL	PRODUCT DESCRIPTION
ES-JPL-1	WARNING - Do not remove this lock - Yellow
ES-JPL-2	DANGER - A life is on the line
ES-JPL-3	DANGER - This Lock is to be removed by person....
ES-JPL-4	DANGER - This Lock is to be removed by person - Photo



PREMIER LOCKOUT SAFETY PADLOCKS (METALLIC SHACKLE)

PREMIER LOCKOUT SAFETY PADLOCKS




PLSP with 25 mm shackle clearance

PLSP with 40 mm shackle clearance



ES-PLSP-KD 3C

ES-PLSP-KA




ES-PLSP-KD + M

Compact high security PREMIER LOCKOUT SAFETY PADLOCKS are designed with the different type of users in mind. The nylon body is carved / designed with ribs for easy gripping and handling. Supplied with an individual unique coded brass key and cylinder to differ 6-pin locking combinations. The Jack locking key mechanism does not allow the release of key, until the shackle is closed and the padlock is locked.

- 6-pin precision-machined cylinder for extra security.
- Re-inforced Nylon body is non-conductive, non-sparking and resistant to chemicals and corrosion.
- Colour coded for easy identification with **photo luminescent labels that glows in the dark.**
- Supplied with individually coded keys for optimum security
- Each padlock is supplied in a box with 1 key.
- Available in hardened steel shackle of 3 sizes.
- Stainless steel shackle locks (with 40 mm shackle) are also available against order for corrosive industrial / offshore environments.
- Most popular combination of Master Key locks is of 5 Key Different locks with 2 master keys. Where as the Master Keys are available upto the set of 250 Nos. Locks of any size / combination / colour or shackle types can be made & supplied on request.
- Locks with longer size body..... And with extra large size shackles are also available in all the combinations & colours.

MODEL	PRODUCT DESCRIPTION
ES-PLSP-KD	PLSPadlock with Steel Shackle - Key Different
ES-PLSP-KD 3C	PLSPadlock with Steel Shackle - Key Different - SET OF 3 COLORS
ES-PLSP-KA	PLSPadlock with Steel Shackle - Key Alike
ES-PLSP-KD + M	PLSPadlock with Steel Shackle - Key Different + Master Key

- Key Different combination is available in all colors / shackle sizes till the set of 250 locks - all key different locks open with their own key and at the same time open with one single MASTER Key.
- Key Alike locks are also available in all the colors / shackle sizes till the set of 100 locks.




Personalised Padlocks

These personalised padlocks are ideal for identifying key personnel. Great for companies with a large staff or when using contractors.



Please ask for further details.

Each padlock is supplied in a box with 1 key



Dimensions

S.No.	Shackle height (A)	Body height (B)	Body width (C)	Shackle dia. (D)	Body depth (E)	Shackle type
1	25 mm	45 mm	43 mm	6 mm	20 mm	Steel
2	36 mm	45 mm	43 mm	6 mm	20 mm	NYLON
3	40 mm	45 mm	43 mm	6 mm	20 mm	Steel / S.S
4	75 mm	45 mm	43 mm	6 mm	20 mm	Steel
5	46 mm	80 mm	43 mm	6 mm	20 mm	Steel / S.S
6	75 mm	80 mm	43 mm	6 mm	20 mm	Steel

All the above locks are available in **Key Alike / Key Different / Steel Shackle / Nylon Shackle / Stainless Steel Shackle** and above that in all the 6 colours. Customization like the Name of the Person / Plant Name / Dept. Name / Logo of the Company etc. can be done against the order at an extra cost.

PREMIER LOCKOUT SAFETY PADLOCKS (De - ELECTRIC)



Photoluminescent labels are visible in total darkness too.



ES-DEL-KD



ES-DEL-KA



ES-DEL-KD + M

Our De - Electric version of PLSP Locks have hardened reinforced Nylon Shackles which are completely non-conductive and best for their USE ON ELECTRICAL PANELS.

WHILE ORDERING THE LOCKS - PLEASE TAKE CARE IN **SELECTING THE**

- SHACKLE TYPE
- SHACKLE SIZE
- PADLOCK BODY COLOR
- KEY ALIKE (Means all the supplied locks have one common key)
- KEY DIFFERENT (Means that all the supplied locks can be opened with their own key only)
- KEY DIFFERENT + MASTER KEYS (Means that all the supplied locks can be opened with their own key + with one master key).
- Number of extra keys required. They can be supplied against the confirmed order and at an extra cost : ask for quote.

MODEL	PRODUCT DESCRIPTION
ES-DEL-KD	PLSP De - ELECTRIC Padlock with NYLON Shackle - Key Different
ES-DEL-KA	PLSP De - ELECTRIC Padlock with NYLON Shackle - Key Alike
ES-DEL-KD + M	PLSP De - ELECTRIC Padlock with NYLON Shackle - Key Different + Master Key

CUSTOMIZATION REQUIREMENT :

- LOCK NUMBER PUNCHING ON KEY, LOCK NUMBER LABEL ON LOCKS.
- KEY CHAINS WITH COMPANY LOGO, DEPT. NAME, LOCK NO. ETC.
- METAL TAGGING ON LOCK SHACKLE.
- COMPANY LOGO, LOCK NUMBER & DEPT. NAME LABELS FOR INDIVIDUAL LOCKS.
- PERSONALIZED LOCKS WITH PHOTOGRAPH AND OTHER DETAILS.
- DUPLICATE KEYS CAN BE SUPPLIED ON REQUEST AT AN EXTRA COST.

THESE SERVICES ARE AVAILABLE AT AN EXTRA COST DEPENDING ON THE WORK AND THE TIME INVOLVED.



LOCK NUMBER PUNCHING ON KEY



KEY CHAINS WITH COMPANY LOGO, DEPT. NAME, LOCK NO. etc.



METAL TAGGING ON SHACKLE



COMPANY LOGO, DEPT NAME, LOCK NUMBER LABEL



LOCK NUMBER LABEL FOR DIFFERENT DEPARTMENT - COLORED LOCKS.



PERSONALIZED LOCKS

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

MINI PADLOCK STATIONS

- Metallic powder coated Padlock stands for wall mounting are supplied with screws.
- Available for 6 / 12 & 18 locks.
- Available in red colour as standard lockout practice.

MODEL	PRODUCT DESCRIPTION
ES - M P S 6	MINI PADLOCK STATION - WALL MOUNTED FOR 6 LOCKS
ES - M P S 12	MINI PADLOCK STATION - WALL MOUNTED FOR 12 LOCKS
ES - M P S 18	MINI PADLOCK STATION - WALL MOUNTED FOR 18 LOCKS



PADLOCK ACCESSORIES



METAL I.D. TAGS AND COLLARS



ES - METAL TAG LONG



ES - METAL TAGS CIRCULAR

Metal I.D. Tags and Collars are available for their use on Locks and other lockout devices. Manual Indenter Marking Press is used for punching numbers.

Heavy duty zinc plated / SS chain with mounting brackets is available to hang the lockout gadgets / shackle of the padlock near to the pre-designated locations. These products are generally sold in the pack of 6 or 12 Nos..

MODEL	PRODUCT DESCRIPTION
ES - METAL TAGS LONG	METAL Padlock TAGS - LONG - Set of 6
ES - METAL TAGS CIRCULAR	CIRCULAR METAL Padlock TAGS - Set of 6
ES - CUS TAGS	CUSTOMIZED SHEET TAGS for Lockout Padlocks / keys with rings
ES - MB + SSC	Metallic Mounting Bracket and 9" SS Chain.



ES - CUS TAGS



ES - MB + SSC

Any shape or design can be accommodated with ultra-fine detail achieved using our state of the art machines. The sheets are hard wearing, resistant to oils and temperature extremes. Charged extra : as per the quantities.

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

SAFETY PADLOCK HANDY



Ideal for employees who need to carry out multiple isolations. It helps in improving efficiency by keeping hands free. It holds up to 12 Safety Padlocks.

The Padlock handy is designed to be worn on the belt or can be hung on the wall / in the special cabinets, when not in use.

MODEL	PRODUCT DESCRIPTION
ES - Handy	Safety Padlock HANDY



ES - Handy

PADLOCK EYES

These Padlock Eyes help you to comply with OSHA standards, which require that equipment / electrical panels need to be modified to accept locks and lockout devices.

Surface mounted padlock eyes help you to install the lockout gadgets or lockout padlocks easily on the electrical panels or other areas where the isolation points are hidden in the cabinets, with steel or clear doors - which are just provided with simple twister knobs or latches which can not be locked.

MODEL	PRODUCT DESCRIPTION
ES-FPE-S	Flat Padlock Eye - Small
ES-RPE-S	Right Angled Padlock Eye - Small
ES-FPE-M	Flat Padlock Eye - Medium
ES-RPE-M	Right Angled Padlock Eye - Medium
ES-FPE-L	Flat Padlock Eye - Large
ES-RPE-L	Right Angled Padlock Eye - Large
ES-PE-Combo	Padlock Eye - COMBO PACK
ES-FPE-J	Flat Padlock Eye - Jumbo
ES-RPE-J	Right Angled Padlock Eye - Jumbo
ES-BUFFERS	Metallic Buffers for Padlock Eye
ES-RIVETS	Metallic Rivets for installing Padlock Eye
ES-RM	Riveting Machine



ES-FLAT PADLOCK EYE



ES-RIGHT ANGLE PADLOCK EYE



- Made from solid stainless steel constant thickness sheet.
- Die cut to hold most of the internationally available padlocks.
- They can be screwed / bolted or riveted to steel or wooden sections.
- Each set contain - 10 Nos. of padlock eyes.
- Combo pack contains 2 Nos. of each type - Total 12 Nos.

OPEN LOCKOUT STATIONS / CENTRES - LOCK BOARDS



Safety Lockout Centres and Stations are designed to hold Lockout Equipments in a central location making access to isolating equipments easy. The stations / centres come with bold headings and act as a constant reminder to all the personnel to lockout before commencing work. Built for the toughest conditions, they are made of double moulded polystyrene and come complete with metal or plastic hanging hooks for Padlocks and Lockout Hasps. Lockout centres / stations can be supplied with or without contents.

Hooks and rods in transparent material are used for aesthetics.

We are flexible in designing these boards as per the customer requirements to any size / any quantities / presentation type i.e. the front or the side pattern hooks, language / logos / markings, etc.

LOCKOUT STATIONS

Holes and the sleeves with screws are supplied with every board as standard features. Popular designs are for 5 / 10 / 20 / 36 Lockout Padlocks for their easy installation .



ES - 5L - 2P - Y



ES - 10L - 1P - Y



ES - 20L - 2P - Y



ES - 36L - 4P - Y



HOOK TYPE

MODEL	PRODUCT DESCRIPTION
ES - 5L - 2P - Y	5 LOCK LOCKOUT STATION
ES - 10L - 1P - Y	10 LOCK LOCKOUT STATION
ES - 20L - 2P - Y	20 LOCK LOCKOUT STATION
ES - 36L - 4P - Y	36 LOCK LOCKOUT STATION
ES - HASP HANGER	

 CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

CUSTOMIZED DESIGNS can be made and supplied as per customer's requirements on request.

ASK FOR MORE DESIGNS / TYPES / PATTERNS / QUOTES.

NEW RANGE

EMAIL YOUR QUERIES FOR NEW RANGE OF PHOTO LOCKOUT STATIONS.

COMPACT LOCKOUT / TAGOUT STATIONS



ES - 610 - Y

These compact stations are generally installed next to the equipments which require small lockouts on regular basis. They are very helpful in keeping the LOTO gadgets handy and easily accessible to the users.


Provision for hanging the lockout padlocks and lockout hasp is an inbuilt feature of these compact panels.

Please feel free to design / name / customize your own stations with or without the goods and ask for the separate quote for the same by sending a request by e-mail mentioned at the bottom of this page.

*Minimum quantities condition applicable.

MODEL	PRODUCT DESCRIPTION
ES - 610 - Y	COMPACT LOCKOUT STATION 6" x 10"
ES - 810 - Y	COMPACT LOCKOUT STATION 8" x 10"

 CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY



ES - 810 - Y

GROUP LOCK BOX / LOCKOUT TAGOUT STATIONS

GROUP LOCK BOX



ES - GLB - R 13



ES - GLB - Y 13



CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

Simplifies lockout of large equipments and helps ensure maximum security for complex work team situations. After machine or process is locked out, the key or keys of the machines are placed in a lock box. Each authorised work team member places a personal lock on the group lock box.

Ensures that no single employee has access to the box unless all employees have removed their locks.

- Box of size 154 mm x 255 mm x 105 mm. Made of special grade Metallic Sheet.
- Red Powder Coated and supplied with 12 Nos. rectangular round slots in the box body and its flap for holding lockout padlocks. Accommodates up to 13 workers, and even more with the use of lockout hasps.
- 13th No. padlock can be installed on the locking buckle.
- For easy handling and carrying - an easy-to-grip, ergonomic Stainless Steel handle is provided on the top side.
- Each box is powder coated Red - other colors like Yellow / Blue / Green etc. can be supplied as per customer's requirement. *Minimum Quantity Required.
- Lockout message is normally printed in English, other Regional Language / Company Logo / Dept. Name can also be incorporated on request.
- Each piece is individually packed in white corrugated box.
- Master carton contains 10 pieces.

MODEL	PRODUCT DESCRIPTION
ES - GLB - R 13	Group Lock Box - Red 13
ES - GLB - Y 13	Group Lock Box - Yellow 13
ES - GLB - R 7	Group Lock Box - Red 7



ES - GLB - R 7

LOCKOUT TAGOUT STATIONS

- Lockout Station of 16" x 14" x 6", Made of special grade Metallic Sheet.
- Yellow Powder Coated Station supplied with 2 Nos. inter changeable shelves & slotted side panels in the box body. Provision for the hangers for locks / keys / can also be made / supplied on request.
- Available in plain or with clear fascia lockable shutters.
- Normally supplied in yellow color. On receipt of order more than 10 Nos. - Customized Printing / Logo / Dept. Name etc. is done free of charge.
- For easy handling and carrying of these boxes - ergonomic Stainless steel easy-to-grip handle is always provided on the top side for easy transportation.
- 4 die cut holes are available for wall mounting. Lockout safety tips are printed inside cabinet door or incase of clear fascia - it is on the front side.



ES - LTS 6

MODEL	PRODUCT DESCRIPTION
ES - LTS 6	LOCKOUT STATION - 16" x 14" x 6"
ES - LTS 6 C	LOCKOUT STATION - 16" x 14" x 6" with Clear Fascia
ES - LTS 6 + GB	LOCKOUT STATION - 21" x 14" x 6" with Group Lock Box
ES - LTS 9	LOCKOUT STATION - 30" x 15" x 9"
ES - LTS 9 C	LOCKOUT STATION - 30" x 15" x 9" with Clear Fascia
ES - LTS 10 C	LOCKOUT STATION - 24" x 22" x 10" with Clear Fascia



ES - LTS 6 C



ES - LTS 6 + GB



ES - LTS 10 / 10 C



ES - LTS 9 C

ES - LTS 9



CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

Note : color & dimensions may change

KEY CABINETS



This quality range of key cabinets offer a simple and affordable solution to your key storage requirement. To manage the Keys of Lockout Padlocks systematically, it is very important to use Key Cabinets for an easy access at the time of requirement and to make the LOTO system functional. It is made of special grade of metallic sheet with locking arrangement. For easy opening an ergonomic SS finish Brass handle is provided on the front side. Dimension of box is 18.25" x 15.5" x 2".

- Sturdy steel cabinets, with tough powder coated, Yellow finish.
- Thick steel cabinet with flush closing rim to resist forced entry.
- Supplied with security lock and 2 keys.
- Clear front allows quick visual check of 'keys out' without unlocking.
- Easy to access in an emergency as the perspex sheet can be broken.
- Wall mounting holes are pre punched at the base plate of the panel for an easy installation.

MODEL	PRODUCT DESCRIPTION
ES - KC	Key Cabinet for 60 Keys
ES-KC - CF	Key Cabinet with Clear Fascia - 60 Keys
ES-KCL - 120	Key Cabinet Large size - 120 Keys
ES-KCJ - 200	Key Cabinet Jumbo size - 200 Keys



Mail us for our New Compact Range of Key Stations.

PADLOCK CABINETS

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

Made of special grade Metallic Sheet. Dimension of box is 18.25" x 15.5" x 2". It has a locking arrangement. For easy opening - an easy-to-grip, ergonomic SS handle is provided on the front side. Each box is powder coated red in colour. Clear Fascia Padlock Cabinet gives a clear view of the padlocks kept inside.

- Designed to store Lockout padlocks.
- Deep cabinet with staggered hooks allows extra space for padlocks to hang.
- Strongly made steel cabinet with flush closing rim to resist forced entry.
- Supplied with 4 number chrome finish steel hangers.
- ES-PC can accommodate 28 lockout padlocks.
- 42 nos (21 x 2 lines) Long shackle Padlocks can be stored in it.
- Supplied with security lock and 2 keys.
- Wall mounting holes are pre punched at the base plate of the panel for an easy installation.

MODEL	PRODUCT DESCRIPTION
ES - PC	Padlock Cabinet for 42 Locks
ES- PC - CF	Padlock Cabinet with Clear Fascia - 42 Locks
ES- PC - 100	Padlock Cabinet Large size - 100 Locks



ES - PC



ES- PC - CF

ES- PC - 100

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

HASPS & TAGS CABINETS



ES - H+T C 50

- Designed to store Lockout Hasps & Tags.
- Deep cabinet with staggered hooks allows extra space for hasps to hang.
- Strongly made steel cabinet with flush closing rim to resist forced entry.
- Supplied with chrome finish steel hangers.
- ES - H + T C are available in 36" x 22".
- 50 Nos. Hasps+ 50 Nos. Tags can be stored in ES - H+T C 50.
- Supplied with security lock and 2 keys.
- Wall mounting holes are pre punched at the base plate of the panel for an easy installation.

MODEL	PRODUCT DESCRIPTION
ES - H+T C 50	Hasp & Tag Cabinet (50 + 50)

LOCKOUT TAGS

STANDARD SAFETY LOCKOUT TAGS



- These highly visible safety tags aid the safe running and maintenance of site machinery. Each Tag is manufactured from high impact styrene / flexible polyester - resistant to water, oil and extreme temperatures, ensuring it will withstand a multitude of weather and factory conditions / harshest environments. Safety Tags - Solve all your valve, equipment and accident prevention marking needs.
- Their surface allows you to write on them easily with a marker pen.
- Semi-rigid plastic Tags of 0.5 / 0.7 mm thickness.
- All the Tags can be attached with a Saf-T-Lock devices directly or they can be attached with the help of a Nylon Tie.
- Individual workers use the DANGER TAG while working on the equipments.
- Accident Prevention Tags are used to inform people of probable danger around particular machine or an area or to provide the safety instructions.
- Our quality Tags with nylon cable ties always pass OSHA's 50-Lb. strength requirement. They are tear proof.
- **CUSTOMIZED TAGS** : All kind of Tags can be made as per client's requirement in any Color, Text, Graphic, Company Logo, Dept. Name etc.
- Minimum Quantity : 200 Nos. (Each Graphic).

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

MODEL	PRODUCT DESCRIPTION	1 Set (10 Nos. each)
ES-TAGS	Tags Made of 0.5 / 0.7 mm White special grade PVC Sheet	
ES-TAG+L	Tags with Protective Liner	
ES-TAG + 1	Numbered Tags with perforation - specially made as per order.	
ES-TIES	Nylon Ties for Tags	





CUSTOMIZED TAGS

All kinds of TAGS can be made as per client's requirement in any Color, Text, Graphic, Company Logo, Department Name, Language etc. Minimum Quantity : 200 Nos. (Each Graphic).

ES-CT 01 ES-CT 02 ES-CT 03 ES-CT 04 ES-CT 05 ES-CT 06 ES-CT 07 ES-CT 08 ES-CT 09 ES-CT 10 ES-CT 11 ES-CT 12 ES-CT 13 ES-CT 14 ES-CT 15 ES-CT 16 ES-CT 17 ES-CT 18 ES-CT 19

Protective Liner Tag

Protective Liner Tag for easy identification of individuals working on equipment. These tags are made of 0.7 mm white special grade PVC sheet with polyester over laminate to protect the photo and other written data.

ES-TAG+L

ES-CT 22 ES-CT 23

ES-CT 20 ES-CT 21

ECONOMY TAGS



Other Tags

ES-CT 24

Size : 82.5 X 172.5 mm



Design your own tag & We will make the same for You

CUSTOMIZATION ACCEPTED * CONDITIONS APPLY



LOCKOUT TAGS / TAG HOLDER / STATION

DISPOSABLE LOCKOUT TAGS



These disposable lockout tags measure 143 mm x 80 mm and are manufactured from hard paper. Ideal for indoor or outdoor isolations. Printed on both sides, each tag carries a standard "Danger this equipment has been locked out, Do not operate" message with a choice of 7 different reverse messages or blanks to suit various applications. Supplied in packs of 100 with ties.

Customized Tags can be made as per your requirement. Min. order 1000 Nos.

MODEL	PRODUCT DESCRIPTION
ES - DL TAGS	DISPOSABLE LOCKOUT TAGS

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

COMMON FRONT SIDE FOR (ES - DL TAGS 1 to 7)



PHOTO ID LOCKOUT TAGS



Clearly identifies who is in charge of the lockout procedures. Self-laminating tags allow employees to fill in vital information, add a passport sized personal photo and seal it under the attached clear self-adhesive overlay. Will resist chemicals, abrasion, grease and solvents. Supplied in packs of 10 complete with cable ties.



MODEL	PRODUCT DESCRIPTION
ES - PI TAGS	PHOTO ID LOCKOUT TAGS - YELLOW

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

MAGNETIC SIGNS



Magnetic signs, 200 mm x 100 mm are ideal for quick and easy attachment next to lockout points giving a clear caution message that equipment has been locked out.

Customized Signs can be made as per your requirement.

MODEL	PRODUCT DESCRIPTION
ES - MCS	MAGNETIC CAUTION SIGNS (Pack of 10)

REINFORCED TAGS

These 0.7 mm PVC tags measure 100 mm x 75 mm gives a clear caution message. Ideal for use through lock shackles, they have a reinforced brass eyelet preventing the tag from tearing.


Customized Tags can be made as per your requirement.



MODEL	PRODUCT DESCRIPTION
ES - RCT	REINFORCED CAUTION TAGS (Pack of 10)

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

PERSONALISED TAGS



ES - PD TAGS

These personalised laminated ID tags are printed both sides with our standard notice. Your employee name and photograph are added which clearly shows who is working on the isolated equipment.

MODEL	PRODUCT DESCRIPTION
ES - PD TAGS	PERSONALISED TAGS



ES - TH 20

ES - TS designed to hold maximum size of 143 mm x 80 mm tag, our tag station has 8 clear acrylic pockets for holding tags.

MODEL	PRODUCT DESCRIPTION
ES - TS	LOCKOUT TAGS STATION
ES - TH 20	LOCKOUT TAGS HOLDER - 20 Nos.

TAG HOLDER / STATION

Keep your lockout / tagout tags clean and organized with our Tag Holder / Station. Store your tags right where they are needed.

ES - TH 20 is designed to hold 20 Nos. Tags. Tag holder comes with screws & sleeves for mounting.



ES - TS

LOCKOUT SIGNS



ES-LS-01



ES-LS-02



ES-LS-03



ES-LS-04



ES-LS-05



ES-LS-06

ASK FOR DETAILS AT LOTO@VSNL.NET.

Keep your workers and visitors safe in your facility with Lockout Signs. Identify energy control points that require lockout and send a clear warning that will help keep workers aware of any potential hazards near equipment, machinery and electricity. Lockout Signs are not only a great way to keep your workplace safe, but a great means of keeping productivity up through the visual identification of lockout areas. Lockout Signs are available in a wide range with Caution and Warning formats, sign sizes and styles also differ from each other - more than 200 signs to choose from..



ES-LS-07



ES-LS-08



ES-LS-09



ES-LS-10



ES-LS-11



ES-LS-12

MODEL	PRODUCT DESCRIPTION
ES-LS	Lockout Safety Signs (mention code no. here)

CUSTOMIZATION ACCEPTED * CONDITIONS APPLY

LARGE LOCKOUT WALL SIGNS



ES - LWS 1



ES - LWS 2



ES - LWS 3



ES - LWS 4



ES - LWS 5



ES - LWS 6



ES - LWS 7

These large safety lockout wall signs can be supplied in either self adhesive vinyl or semi-rigid PVC, and act as a constant reminder to lockout before commencing service or maintenance. Size : 600 mm x 450 mm

MODEL	PRODUCT DESCRIPTION
ES - LWS	LARGE LOCKOUT WALL SIGNS



ES - LWS 8



ES - LWS 9



ES - LWS 10



ES - LWS 11



ES - LWS 12

CUSTOMIZATION ACCEPTED * CONDITIONS APPLY

SAFETY LOCKOUT LABELS



ES - S LABEL 1



ES - S LABEL 2



ES - S LABEL 3



ES - S LABEL 4



ES - S LABEL 5



ES - S LABEL 6



ES - S LABEL 7



ES - S LABEL 8



ES - S LABEL 9



ES - S LABEL 10



ES - S LABEL 11



ES - S LABEL 12

This range of labels is ideal for use on electrical equipment where a safety message needs to be conveyed. Manufactured from self adhesive vinyl. Sold in packs of 10. Size : 55 mm x 75 mm

MODEL	PRODUCT DESCRIPTION
ES - S LABEL	SAFETY LOCKOUT LABEL

CUSTOMIZATION ACCEPTED * CONDITIONS APPLY

HANGING LOCKOUT SIGNS

Use the soft nylon cord to hang these signs from machinery during lockout procedures. Material: 1mm / 3 mm PVC.

MODEL	PRODUCT DESCRIPTION
ES - HLS	HANGING LOCKOUT SIGNS



ES - HLS 1



ES - HLS 3



ES - HLS 4



ES - HLS 7



ES - HLS 2



ES - HLS 5



ES - HLS 6



ES - HLS 8

Contact us for more signs in Different Sizes / Languages / Material (Rigid / Flexible / Self stick / Photoluminescent / reflective etc.).



LOCKOUT KITS / POUCHES

We offer a wide range of portable lockout kits tailored for specific applications and requirements. One can choose from small pouch kits for locking out circuit breakers, valves, etc. or select our larger Tough LOTO Bag Kits (with handle / shoulder carrier) which cover a broad range of mechanical and electrical lockout applications. All the Kits can be customized as per your individual requirements and if ordered in volumes* - Name of the Company / Logo / Department Name etc. can also be printed on these kits. These well equipped Lockout Kits are ideal for individuals or departments. We offer a wide range of stations and customized PHOTO LOCKOUT STATIONS which cover various applications found in today's industry. (Request for more information on them)

LOTO PERSONAL POUCH



Portable Kit with Padlocks / Tags / Hasps.

- | | |
|--|----------|
| 1. Vinyl Coated Hasp - Small | - 1 no. |
| 2. Vinyl Coated Hasp - Premier | - 1 no. |
| 3. Jacket Padlock with Regular Shackle | - 1 no. |
| 4. Jacket Padlock with Long Shackle | - 1 no. |
| 5. Saf-T-Lockout Tags | - 2 no.s |
| 6. Saf-T-Lockout Ties | - 2 no.s |
| 7. Writing Pen | - 1 no. |
| 8. Lockout PERSONAL POUCH | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-LPP	LOTO PERSONAL POUCH

CYLINDER & PNEUMATIC LOCKOUT KIT



Provide all the basic Cylinder & Pneumatic Lockouts.

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 2 no.s |
| 2. Vinyl Coated Hasp - Premier | - 2 no.s |
| 3. Scorpio Two way Hasp | - 1 no. |
| 4. Plug Lockout - Small | - 1 no. |
| 5. Plug Lockout - Large | - 1 no. |
| 6. PML with 2 mtr. Vinyl coated steel cable | - 1 set |
| 7. Gate Valve Cylinder Lockout | - 1 no. |
| 8. Large Size Plug Cover | - 1 no. |
| 9. Cylinder Lockout | - 2 no.s |
| 10. Pneumatic Lockout - Straight | - 1 no. |
| 11. Jacket Padlock with Regular Shackle | - 1 set |
| 12. Jacket Padlock with Long Shackle | - 1 set |
| 13. Saf-T-Lockout Tags | - 10 no.s |
| 14. Saf-T-Lockout Ties | - 10 no.s |
| 15. Writing Pen | - 1 no. |
| 16. Lockout Booklet | - 1 no. |
| 17. Screw Driver | - 1 no. |
| 18. Cylinder & Pneumatic Kit Lockout Bag | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-CYP 01	CYLINDER & PNEUMATIC LOCKOUT KIT

LOTO STARTER KIT



Provides all the basic Lockouts for valves and electrical panels.

- | | |
|--|----------|
| 1. Gate Valve Lockout (02) | - 1 no. |
| 2. Gate Valve Lockout (04) | - 1 no. |
| 3. Ball Valve Lockout - Small | - 1 no. |
| 4. Vinyl Coated Hasp - Small | - 1 no. |
| 5. Vinyl Coated Hasp - Premier | - 1 no. |
| 6. Scorpio Two way Hasp | - 1 no. |
| 7. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 9. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 10. Combo Miniature Circuit Breaker Lockout / Fuse Lockout | - 1 set |
| 11. PIN type Circuit Breaker lockout Combo pack | - 1 set |
| 12. Large Circuit Breaker Lockout (Round) | - 1 no. |
| 13. Mini Universal Circuit Breaker Lockout | - 2 no.s |
| 14. Plug Lockout - Small | - 1 no. |
| 15. TOP Multipurpose CABLE Lockout with 2 meter cable | - 1 set |
| 16. DE Electric Padlocks, Red | - 2 no.s |
| 17. SQUEEZER Multipurpose Cable Lockout-LUE CABLE | - 1 no. |
| 18. Long Shackle Padlocks | - 1 set |
| 19. Cylinder Lockout | - 1 no. |
| 20. Saf-T-Lockout Tags | - 5 no.s |
| 21. Saf-T-Lockout Ties | - 5 no.s |
| 22. Writing Pen | - 1 no. |
| 23. Lockout Booklet | - 1 no. |
| 24. Screw Driver | - 1 no. |
| 25. Electrical Kit Lockout Bag | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-SK - 01	LOTO STARTER KIT

PERSONAL LOTO WAIST POUCH



Contains Padlocks / Tags / Hasps.

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 2 no.s |
| 2. Vinyl Coated Hasp - Premier | - 2 no.s |
| 3. Scorpio Two way Hasp | - 1 no. |
| 4. Padlock with Regular Shackle, with separate keys | - 2 no.s |
| 5. Padlock with Long Shackle, with same key | - 2 no.s |
| 6. Saf-T-Lockout Tags | - 10 no.s |
| 7. Saf-T-Lockout Ties | - 10 no.s |
| 8. Writing Pen | - 1 no. |
| 9. WAIST Pouch / 3 POCKETS | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-PLWP 2	PERSONAL LOTO WAIST POUCH

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

VALVE LOCKOUT KIT



Every thing you need to lockout Gate / Ball / Butterfly & other valves.

- | | |
|---|-----------|
| 1. Gate Valve Lockout (02) | - 1 no. |
| 2. Gate Valve Lockout (04) | - 1 no. |
| 3. Gate Valve Lockout (06) | - 1 no. |
| 4. Ball Valve Lockout - Small | - 1 no. |
| 5. Ball Valve Lockout with Extended Lever | - 1 no. |
| 6. Small Size Settable Ball Valve Lockout - Set | - 1 set |
| 7. Additional Arm - Small | - 1 no. |
| 8. Universal Butterfly Valve Lockout | - 1 no. |
| 9. Vinyl Coated Hasp - Small | - 1 no. |
| 10. Vinyl Coated Hasp - Premier | - 2 no.s |
| 11. Scorpio Two way Hasp | - 1 no. |
| 12. Stainless Steel Hasp | - 1 no. |
| 13. Premier MCL with 2 mtrs STEEL CABLE. | - 1 no. |
| 14. Long Shackle Padlock | - 2 sets |
| 15. Saf-T-Lockout Tags | - 10 no.s |
| 16. Saf-T-Lockout Ties | - 10 no.s |
| 17. Writing Pen | - 1 no. |
| 18. Lockout Booklet | - 1 no. |
| 19. Valve Kit Lockout Bag - 02 | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-VLV LOTO KIT	VALVE LOCKOUT KIT

BIG VALVE LOCKOUT KIT



Every thing you need to lockout Gate / Ball / Butterfly & other bigger size valves.

- | | |
|---|-----------|
| 1. Gate Valve Lockout (08) | - 1 no. |
| 2. Gate Valve Lockout (10) | - 1 no. |
| 3. Adjustable Gate Valve Lockout | - 1 no. |
| 4. Ball Valve Lockout with Extended Lever | - 1 no. |
| 5. Ball Valve Lockout - Large Size | - 1 no. |
| 6. Universal Butterfly Valve Lockout | - 1 no. |
| 7. Small Size Settable Ball Valve Lockout - Set | - 1 set |
| 8. Additional Arm - Small | - 1 no. |
| 9. Large Size Settable Ball Valve Lockout - Set | - 1 set |
| 10. Additional Arm - Large | - 1 no. |
| 11. UVL with 2 meter Galvanized Steel Cable with loop | - 1 set |
| 12. MMCL with 2.5 mtr. Stainless Steel Cable | - 2 sets |
| 13. Vinyl Coated Hasp - Small | - 1 no. |
| 14. Vinyl Coated Hasp - Premier | - 2 no.s |
| 15. Scorpio Two way Hasp | - 1 no. |
| 16. Stainless Steel Hasp | - 1 no. |
| 17. Large Size Plug Cover | - 1 no. |
| 18. Long Shackle Padlock | - 2 sets |
| 19. Saf-T-Lockout Tags | - 20 no.s |
| 20. Saf-T-Lockout Ties | - 20 no.s |
| 21. Writing Pen | - 1 no. |
| 22. Lockout Booklet | - 1 no. |
| 23. Valve Kit Lockout Bag - 03 | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-VLV LOTO KIT 02	BIG VALVE LOCKOUT KIT

LOTO ELECTRICIAN WAIST POUCH



For the individual electrician to lockout a variety of electrical sources.

- | | |
|--|----------|
| 1. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 2. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 3. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 4. Combo MCB Lockout / Fuse Lockout | - 1 set |
| 5. PIN type Circuit Breaker lockout Combo pack | - 1 set |
| 6. Large Circuit Breaker Lockout (Round) | - 1 no. |
| 7. Mini Universal Circuit Breaker Lockout | - 2 no.s |
| 8. DE Electric Padlocks, Red | - 1 no. |
| 9. DE Electric Padlocks, Yellow | - 1 no. |
| 10. SMC Lockout BLUE CABLE | - 1 no. |
| 11. ELECTRICAL CORD LOCKOUT | - 1 no. |
| 12. Saf-T-Lockout Tags | - 5 no.s |
| 13. Saf-T-Lockout Ties | - 5 no.s |
| 14. Writing Pen | - 1 no. |
| 15. Lockout Booklet | - 1 no. |
| 16. Screw Driver | - 1 no. |
| 17. Electrician's WAIST Pouch / 3 POCKETS | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-EP - 02 W	LOTO ELECTRICIAN WAIST POUCH

LOTO ELECTRICIAN POUCH



For the individual electrician to lockout a variety of electrical sources.

- | | |
|--|----------|
| 1. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 2. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 3. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 4. Combo MCB Lockout /Fuse Lockout | - 1 set |
| 5. PIN type Circuit Breaker lockout Combo pack | - 1 set |
| 6. Large Circuit Breaker Lockout (Round) | - 1 no. |
| 7. Mini Universal Circuit Breaker Lockout | - 2 no.s |
| 8. DE Electric Padlocks, Red | - 1 no. |
| 9. DE Electric Padlocks, Yellow | - 1 no. |
| 10. SMC Lockout - BLUE CABLE | - 1 no. |
| 11. ELECTRICAL CORD LOCKOUT | - 1 no. |
| 12. Saf-T-Lockout Tags | - 5 no.s |
| 13. Saf-T-Lockout Ties | - 5 no.s |
| 14. Writing Pen | - 1 no. |
| 15. Lockout Booklet | - 1 no. |
| 16. Screw Driver | - 1 no. |
| 17. Electrician's Pouch | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-EP - 01	LOTO ELECTRICIAN POUCH

LOCKOUT KITS

ELECTRICAL DEPT. LOCKOUT KIT



CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

All the basic Lockouts for locking out Breakers, Electrical Plugs, Wall Switches, MCB's, Fuses, etc.

- | | |
|---|-----------|
| 1. Combo MCB Lockout/Fuse Lockout | - 1 set |
| 2. PIN type Circuit Breaker lockout Combo pack | - 1 set |
| 3. Mini Universal Circuit Breaker Lockout | - 2 no.s |
| 4. Large Circuit Breaker Lockout (Round) | - 1 no. |
| 5. Plug Lockout - Small | - 1 no. |
| 6. Plug Lockout - Large | - 1 no. |
| 7. Electrical Lockout - Yellow | - 1 no. |
| 8. TOP MCL with 2 meter cable | - 1 set |
| 9. De Electric Hasp 3 holes / 3 mm shackle | - 2 no.s |
| 10. De Electric Hasp 3 holes / 6 mm shackle | - 2 no.s |
| 11. De Electric Hasp 6 holes / 6 mm shackle | - 2 no.s |
| 12. Electrical Panel Lockout - Round 45 | - 1 no. |
| 13. Electrical Panel Lockout - Round 55 | - 1 no. |
| 14. Electrical Panel Lockout - Small square | - 1 no. |
| 15. Electrical Panel Lockout - Big square 45 Degree | - 1 no. |
| 16. Electrical Panel Lockout - Big square 90 Degree | - 1 no. |
| 17. Electrical Cord Lockout | - 2 no.s |
| 18. De-Electric Hasps | - 1 set |
| 19. DE Electric Padlocks, Red - Key Different | - 3 no.s |
| 20. DE Electric Padlocks, Yellow - Key Alike | - 2 no.s |
| 21. Electrical Panel Handle Lockout | - 1 no. |
| 22. SQUEEZER MCL - BLUE CABLE- 1 no. | |
| 23. Saf-T-Lockout Tags | - 20 no.s |
| 24. Saf-T-Lockout Ties | - 20 no.s |
| 25. Writing Pen | - 1 no. |
| 26. Lockout Booklet | - 1 no. |
| 27. Screw Driver | - 1 no. |
| 28. Electrical Lockout Bag - 02 | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-ED LOTO KIT	ELECTRICAL DEPT. - LOCKOUT KIT

CIRCUIT BREAKER KIT



Portable kit contains all the basic Circuit Breaker Lockouts.

- | | |
|--|-----------|
| 1. Combo MCB Lockout /Fuse Lockout | - 1 set |
| 2. PIN type Circuit Breaker lockout Combo pack | - 1 set |
| 3. Mini Universal Circuit Breaker Lockout | - 2 no.s |
| 4. De-Electric Hasps | - 1 set |
| 5. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 6. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 7. SQUEEZER MCL - Cable Lockout -BLUE CABLE | - 1 no. |
| 8. DE Electric Padlocks, Yellow - Key Alike | - 2 no.s |
| 9. Saf-T-Lockout Tags | - 10 no.s |
| 10. Saf-T-Lockout Ties | - 10 no.s |
| 11. Writing Pen | - 1 no. |
| 12. Screw Driver | - 1 no. |
| 13. Circuit Breaker Kit Lockout Bag | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-CBK 01	CIRCUIT BREAKER KIT

COMBO KIT (ELECTRICAL + VALVE)



Provide every thing you need to lockout Breakers, Plugs, MCB's, Valves, Switches of various types & shapes.

- | | |
|---|-----------|
| 1. Adjustable Gate Valve Lockout | - 1 no. |
| 2. Ball Valve Lockout with Extended Lever | - 1 no. |
| 3. Universal Butterfly Valve Lockout | - 1 no. |
| 4. Small Size Settable Ball Valve Lockout - Set | - 1 set |
| 5. Additional Arm - Small | - 1 no. |
| 6. Large Size Settable Ball Valve Lockout - Set | - 1 set |
| 7. Additional Arm - Large | - 1 no. |
| 8. Large Size Plug Cover | - 1 no. |
| 9. MMCL+2.5 mtr. Stainless Steel Cable | - 1 set |
| 10. Vinyl Coated Hasp - Small | - 1 no. |
| 11. Vinyl Coated Hasp - Premier | - 1 no. |
| 12. Scorpio Two way Hasp | - 2 no.s |
| 13. Stainless Steel Hasp | - 1 no. |
| 14. PMCL with 2 mtrs. Vinyl coated Steel Cable | - 1 set |
| 15. Combo M C B Lockout / Fuse Lockout | - 1 set |
| 16. PIN type Circuit Breaker lockout Combo pack | - 1 set |
| 17. Mini Universal Circuit Breaker Lockout | - 2 no.s |
| 18. Large Circuit Breaker Lockout (Round) | - 1 no. |
| 19. Plug Lockout - Small | - 1 no. |
| 20. Plug Lockout - Large | - 1 no. |
| 21. Electrical Lockout - Yellow | - 1 no. |
| 22. Squeezer Multipurpose Cable Lockout | - 1 no. |
| 23. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 24. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 25. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 26. Electrical Cord Lockout | - 1 no. |
| 27. DE Electric Padlocks, Red | - 3 no.s |
| 28. Regular Shackle Padlock | - 1 set |
| 29. Long Shackle Padlock | - 1 set |
| 30. Saf-T-Lockout Tags | - 20 no.s |
| 31. Saf-T-Lockout Ties | - 20 no.s |
| 32. Writing Pen | - 1 no. |
| 33. Lockout Booklet | - 1 no. |
| 34. Combo Electrical and Valve Kit Bag | - 1 no. |

MODEL	PRODUCT DESCRIPTION
ES-EV COMBO KIT	COMBO KIT (Electrical + Valve)

Customised kits are made as per the customer's requirements in different forms carrying the products as per their requirement.


Estimate for the same can be requested by e-mail : loto@vsnl.net

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

LOCKOUT POSTERS

These informative Lockout Posters are a valuable asset to every company, especially when used in conjunction with training and lockout policies. The information will help employees understand lockout and help prevent injuries, and save lives by communicating safe lockout/tagout procedures.

Lockout Posters include specific instructions and illustrations to communicate the critical steps of an effective lockout procedure.



ES-LP-01




ES-LP-02




ES-LP-03



ES-LP-04



ES-LP-05



ES-LP-06



ES-LP-07



ES-LP-08



All the Lockout Posters (shown above and more) can be made and supplied in all the languages on request with your company logo/ address / special quotes etc. at an additional nominal cost. Contact for more information : loto@vsnl.net

* Customized Poster also available .

MODEL	PRODUCT DESCRIPTION
ES-LP	Lockout Safety Posters

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

BOOKLET

PERMIT HOLDER



ES - L T BOOKLET

Lockout Booklet is a straight forward simple booklet explaining OSHA's workplace guidelines for safety, inspection, training and more. Used in conjunction with the OSHA regulations, this manual should serve as an effective guide to implement LOTO safety and health requirements in every workplace. A personal copy is must for every employee - where the LOTO is to be implemented.

MODEL	PRODUCT DESCRIPTION
ES - L T BOOKLET	LOCKOUT TRAINING BOOKLET

Permit Holder is a specially designed and made document Holder in clear flexible sheeting to safe guard the permits issued for Lockout / Tagout and other purposes to always make them available to the person concerned. This 13.5 x 10.5 inch zipper pouch is convenient to use and easy to hang on the walls near the machines.



ES-PH

MODEL	PRODUCT DESCRIPTION
ES-PH	PERMIT HOLDER

LOCKOUT ACCESSORIES

REGISTERS

Lockout Registers are the crucial part of the LOCKOUT TAGOUT system for every department. They are used by each and every department separately for keeping a full record of the LOCKOUT / TAGOUT procedures followed in the department and also used for keeping the record of what all products are used by whom, for which period, for which specific purpose and which specific machine / location etc.

These registers ensure that the whole Lockout / Tagout process has been followed and implemented in a perfect way and the same has been understood and recorded as per the company Lockout Policies.



ES - LR*

MODEL	PRODUCT DESCRIPTION
ES - LR	Lockout Registers (A+B)

* Patented Product.



PEN FOR TAGS



Pens for Tags : These special Waterproof, Lightfast, Multimark Pens are supplied for writing on the Tags. They contain eraser on the other end of the pen. Available in Black / Blue / Green & Red colours.



ES - PEN

MODEL	PRODUCT DESCRIPTION
ES - PEN	Lockout Pen for Tags

PADLOCK TAGS

Padlock Tags : Slips easily over padlock shackles, padlock tags hang flat on padlock for quick identification ensuring that the status is noticed at a glance.



ES - PD TAGS

MODEL	PRODUCT DESCRIPTION
ES - PD TAGS	LOCKOUT PADLOCK TAGS (Set of 10 Nos.)

SUGGESTION BOX

Suggestion Box : This suggestion box, also known as a comment box, is perfect for collecting comments or suggestions from your employees, customers, or visitors.

It's made of solid steel sheets and powder coated / printed as per the requirements of the customers. The lock & key feature allows its contents to be securely contained.



ES - SG BOX

MODEL	PRODUCT DESCRIPTION
ES - SG BOX	LOCKOUT SUGGESTION BOX



METALLIC CUSTOMIZED RECTANGULAR BOXES



ES - SPMLB

These specially designed Lockable / Reopenable, Self stick / Rivetable metallic boxes are made from the special solid steel sheets and powder coated to withstand harsh industrial environments. Generally installed on the electrical panels for locking the electrical switches /Buttons, MCB's etc. and are made as per the requirements of the customers / panels in different sizes.



MODEL	PRODUCT DESCRIPTION
ES - SPMLB	SPECIAL METALLIC LOCKOUT BOX (185 x 120 x 25 mm)

KEY & DOCUMENT STATION



ES-KDS C

Frame made of solid powder coated steel sheet for holding 12 / 16 / 24 Nos. etc. powder coated customized lockout key / document holder boxes made of steel with clear fascia and padlock / padlock eyes for holding LOTO hasp and locks as per the customer's requirement.

Multiple locking up to 5 locks can be provided.



MODEL	PRODUCT DESCRIPTION
ES-KDS C	KEY & DOCUMENT STATION - Customized

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

CUSTOMIZED MINI BOXES



ES - MB 1

Powder Coated Customized Lockout Key / Document Holder Box made of steel with clear fascia and padlock eye for Holding LOTO Hasp and Locks. Available size : 150 X 150 X 50 mm.

Other sizes are made on request with or without the clear fascia in Red, Yellow or other colour powder coating.

MODEL	PRODUCT DESCRIPTION
ES - MB 1	MINI BOXES : Key / Document Holder 1 Lock Hole
ES - MB 4	MINI BOXES : Key / Document Holder 4 Lock Holes



ES - MB 4

SAFETY LOCKOUT BOXES

Safety lockout boxes are ideal for group lockout situations. After the equipment to be worked on has been locked off, all lockout keys / fuses etc. are placed inside the lockout box and locked by the responsible person. Each worker then put his own lock and retains its key ensuring access cannot be gained to the keys / fuses etc. kept inside the box - until the work is completed and every one come and open their installed locks. Only when all locks are opened the lockout Keys and Fuses can be accessed. One lock is supplied with each box that has the master key - which can open all the locks.

- Control keys can be "key alike" for multiple boxes under the control of the responsible person.
- All secondary keys are "key different".
- All keys are provided with identification tags.



ES-SLB 5L



ES-SLB 8L



ES-SLB 5K

MODEL	PRODUCT DESCRIPTION
ES-SLB 5L	Safety Lockout Box with 5 Locks
ES-SLB 8L	Safety Lockout Box with 8 Locks
ES-SLB 5K	Safety Lockout Box with 5 Keys

CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

SAFETY LOCKOUT MARKING

Self adhesive printed yellow arrow markings for pointing out the location of lockout. They are normally stuck on the electrical panels / machines / pipe lines, etc. to highlight the location of the switches / valves / sockets, etc. where the lockout gadgets are to be installed.



ES-SLM 2



MODEL	PRODUCT DESCRIPTION
ES-SLM	Safety Lockout Marking (Set of 40)



LOCKOUT ACCESSORIES

Create your own customised Lockout Kits by picking one of the strong / carrying cases shown below and fill them with the lockout devices of your choice / requirements.

LOTO POUCH



ES - ILP POUCH

These pouches are specially made from waterproof heavy duty Nylon cloth in various colors to suit the requirements of our customers and are supplied with their own logo / text and graphics in their own language. Depending on the usage the hanging / belting / velcro arrangements are being given. All possible customization are accepted depending on the minimum order quantities.



ES - 3P - BP



ES - RP - 2



ES - RWP - 1



ES - RSB - 3



ES - LEP

ES - HVYB

MODEL	PRODUCT DESCRIPTION
ES - LEP	LOTO ELECTRICIAN POUCH
ES - ILP POUCH	SMALL INDIVIDUAL LOTO POUCH
ES - 3P - BP	LOCKOUT 3 POCKET BELT POUCH
ES - RWP - 1	RED WHITE POUCH
ES - RP - 2	LOTO RED POUCH
ES - RSB - 3	RED SHOULDER BAG
ES - HVYB	HIGH VISIBLE YELLOW BAG

LOTO BLUE BAG

An excellent solution for storing and transporting your lockout/tagout equipments.

- Unique, high-quality nylon lockout/tagout storage bag with wire framing around top edges to keep bag open when in use.
- This lockout storage bag includes multiple internal and external pouches to keep you organized.
- Blue and black bag is fitted with a shoulder strap and 2 carry handles.
- Available in 3 sizes with 12" / 16" / 18" base.
- Durable multi-ply construction.

MODEL	PRODUCT DESCRIPTION
ES - LOTO BBS	LOTO BLUE BAG - SMALL
ES - LOTO BBM	LOTO BLUE BAG - MEDIUM
ES - LOTO BBL	LOTO BLUE BAG - LARGE



ES - LOTO BBS



ES - LOTO BBL



ES - LOTO BBM



LOCKOUT INFORMATION STANDS

ES - LS : Effective visual solution to use as part of your lockout program. Lightweight and durable, polypropylene stand resists most chemicals. Our Lockout Information stands help you send a clear message right where it is needed. Same message is printed on both sides of stand for better visibility.

Size : 623 mm x 311 mm , Easy to carry comes with built in handle.

ES - LBS : PVC Based post with 300 mm dia base. Chain posts are the ideal low cost solution for cordoning off LOCKOUT areas. They can be Quickly & easily deployed. **Highly visible post are available in Red / White or Black / Yellow combinations.**

Overall Height : 43" Post height with the top cap & 49" with the display sign. Black Base is of 14" Diameter, PVC Chain with one reflector is supplied in standard pack.

LOCKOUT BARRICADING SYSTEM



ES - LBS - 3P




ES - LS - 1



ES - LS - 2

MODEL	PRODUCT DESCRIPTION
ES - LS - 1	LOCKOUT INFORMATION STAND - 1
ES - LS - 2	LOCKOUT INFORMATION STAND - 2
ES - LBS - 2P	LOCKOUT BARRICADING SYSTEM - 2 POLE
ES - LBS - 3P	LOCKOUT BARRICADING SYSTEM - 3 POLE



ES - LBS - 2P

STEERING WHEEL COVERS



- Available in 3 sizes, 40 cm, 50 cm or 60 cm diameter to fit a wide range of vehicles.
- Bilingual warning message notifies employees not to move or start the vehicle.
- Provides a visual deterrent when carrying out vehicle maintenance or whilst loading goods to prevent drive-aways.
- Brass reinforced padlock hole can be locked with a padlock or lockout hasp.

MODEL	PRODUCT DESCRIPTION
ES - SWC 40	STEERING WHEEL COVER - 40 cm.
ES - SWC 50	STEERING WHEEL COVER - 50 cm.
ES - SWC 60	STEERING WHEEL COVER - 60 cm.

ES - SWC 60



ES - SWC 40

ES - SWC 50

SCAFFOLDING TAG


The scaffold must be inspected prior to being used for the first time, following exposure to weather conditions likely to have affected its strength or stability, after substantial addition, dismantling or other alteration and at intervals not exceeding 7 days from the date of last inspection.

- This specially designed holder and insert system ensures that all the concerned people are well aware of the current status of the structure. A scaffold should be fitted at all ladder access points from the first build stage and is to remain on the structure until dismantled thereby communicating a safety message to all.
- By adopting the scaffold, you are demonstrating your duty of care to your workers and that you have done everything reasonably practical to ensure safe access and egress from the place of work as well as giving them as much information required to work safely.
- Economy Scaffolding Tags are made on 0.7 mm white milky imported sheets. As per the site requirements.

ES - SCF - T



ES - SCF - TH



MODEL	PRODUCT DESCRIPTION
ES - SCF - TH	SCAFFOLDING TAG HOLDER (Set of 10)
ES - SCF - T	SCAFFOLDING TAGS (Set of 10)
ES - SCF - ET	SCAFFOLDING ECONOMY TAGS (Set of 10)

YELLOW TAG HOLDER

The Yellow Tag Holders are specially designed as per the requirements of the site / process / machines etc. and can be ordered in multiple of 100's.



ES - YTH - 1

MODEL	PRODUCT DESCRIPTION
ES - YTH	YELLOW TAG HOLDER (Set of 10)
ES - YTH - T	Y T H TAGS (Set of 10)

CUSTOMIZATION ACCEPTED * CONDITIONS APPLY



YOU CAN AVOID SUCH ACCIDENTS



Call 098110 76259 before it is too late

..... for the expert and professional guidance on our LOTO products & services. You can select (from our more than 400 products) and order the goods as per your requirement. We also make & supply customized products to suit your individual requirements.

NOTES



CUSTOMIZATION ACCEPTED
* CONDITIONS APPLY

We happily accept your additions / customization.



We think smarter
to simplify your life at work
www.safetylock.net
smart devices for safer world



Visit : www.esquare.info

We are also known for our Professional Surveys & Installation of Internal and External safety signs, Plant & Site Management Reflective Signs / Glow in the dark signs / Road safety Products / Convex mirrors, etc. that are being used in most of the big plants throughout India.

Organizations, that are being benefitted and are already using E-Square LOTO products & have installed our Quality Safety Signs / visual markers in the last 10 years -



We are an ISO 9001:2008 Company.



E-mail : loto@vsnl.net

Website : www.safetylock.net

Help line no.: 0 98110 76259

.....We look forward to serve you too, soon.



Lockout Tagout Solutions

OUR RANGE INCLUDES :

- LOCKOUT HASPS
- MULTIPURPOSE CABLE LOCKOUTS
- CYLINDER LOCKOUTS
- PNEUMATIC LOCKOUTS
- PLUG LOCKOUTS
- CIRCUIT BREAKER LOCKOUTS
- VALVE LOCKOUTS VARIOUS TYPES
- ELECTRICAL PANEL LOCKOUTS
- LOCKOUT PADLOCKS VARIOUS TYPES
- De-ELECTRIC PADLOCKS / PADLOCK EYES
- PREMIER LOCKOUT SAFETY PADLOCKS
- PADLOCK ACCESSORIES
- OPEN LOCKOUT STATIONS / CENTRES - LOCK BOARDS

- GROUP LOCK BOX
- LOCKOUT TAGOUT STATIONS KEY / LOCK / HASP / TAGS CABINETS
- LOCKOUT TAGS
- LOCKOUT KITS / POUCHS / BAGS
- LOCKOUT SIGNS / POSTERS
- LOCKOUT ACCESSORIES / BOOKLETS
- LOCKOUT BARRIERS
- LOCKOUT INFORMATION STANDS
- LOCKOUT MOVIES & PPT's ... & NO. OF OTHER LOCKOUT DEVICES



OUR OTHER PRODUCTS, EXTERNAL / INTERNAL SIGNS AS PER INTERNATIONAL STANDARDS



INDUSTRIAL SAFETY SIGNS IN ALL LANGUAGES



www.esquare.info



E-SQUARE Alliance Pvt. Ltd.

512, New Delhi House,
Barakhamba Road, New Delhi- 110001. India
Tel. : 011 - 6632 2665, 3222 2335
2371 7868, 2332 7868
Fax : 00 91 11 - 2373 1160
Help Line No.: 0 98110 76259

Authorized Resellers: