



2018 Liya open deck RIB aluminum hull

2.7meter-8.3meter/8.9feet-27feet

China professional factory

RIB Boat, Inflatable boat, Fiberglass boat

CE approved with ISO6185 &ISO12217



Liya RIB aluminum hull 2.7 -8.3M 8.9 -27Feet



www.lianya-industry.com

- you can use open floor rib boat directly
- you also can choose small consoles and seats
- PVC or hypalon tube for choice
- Tube customer design is available

CE Certificate



Liya RIB aluminum hull Basic Boat



Liya RIB aluminum hull , different optional console and seat arrangement



Liya Open Floor RIB (aluminum hull) 2.7 -4.8M 8.9 -15.8 Feet




Basic boat



Console o



Seat L



The seat backrest can be put down

Liya standard size specification:

Model	Total length (cm)	Inside width (cm)	Inside length (cm)	Tube diameter	Recommend Hp	Max Loading	Max Passengers
HYP270	270	76	180	40cm	15hp	414KG	3
HYP300	300	76	210	42cm	20hp	410KG	4
HYP330	330	76	240	42cm	25hp	495KG	5
LY360	360	76	270	45cm	30hp	580KG	6
LY380	380	88	290	45cm	30hp	655KG	6
LY430	430	105	310	48cm	50hp	720KG	7
HYP480	480	105	380	48cm	70hp	1200KG	8

Liya Open Floor RIB (aluminum hull) 2.7 -4.8M 8.9 -15.8 Feet



without bow seat storage box



with bow seat storage box


Console F



Console B



Console C



Console I



Seat G



Seat B



Seat F



Seat D



2.7 meter to 4.8 meter price base on 0.9mm PVC or hypalon,

Liya standard size specification:

Model	Total length (cm)	Inside width (cm)	Inside length (cm)	Tube diameter	Recommend Hp	Max Loading	Max Passengers
HYP270	270	76	180	40cm	15hp	414KG	3
HYP300	300	76	210	42cm	20hp	410KG	4
HYP330	330	76	240	42cm	25hp	495KG	5
LY360	360	76	270	45cm	30hp	580KG	6
LY380	380	88	290	45cm	30hp	655KG	6
LY430	430	105	310	48cm	50hp	720KG	7
HYP480	480	105	380	48cm	70hp	1200KG	8

Liya Open Floor RIB (aluminum hull) 5M-8.3M 16.5 -27 Feet



Console F



Console B



Console J



Seat B



Seat F



Seat N



Liya standard size specification:

5m meter to 8.3 meter price base on 0.9-1.2mm PVC or hypalon,
The thickness of aluminum hull for 5m-8.3m: 4mm

Model	Total length (cm)	Inside width (cm)	Inside length (cm)	Tube diameter	Transom height	Recommend/max Hp	Max Loading	Max Passengers
LY500	500	118	390	51cm	52cm	70/90hp	1200KG	9
HYP520	520	118	460	51cm	52cm	70/90hp	1345 KG	10
HYP620	620	135	545	52cm	64cm	115/150hp	1345KG	12
HYP660	660	135	585	52cm	64cm	150/200hp	1664KG	12
HYP750	750	135	660	63cm	64cm	250/300hp	1800KG	16
HYP830	830	188	810	55-60cm	64cm	250/300hp	1700KG	12

Liya Open Floor RIB (aluminum hull) 5M -8.3M 16.5 -27 Feet



Keel



Aluminum Hull

Liya 5.2m aluminum boats 17Feet



Liya 5.2m aluminum boats specification:

The thickness of aluminum hull: 3mm


Model	Total length (cm)	Total width (cm)	Total height (cm)	Transom height	Recommend/max Hp	Max Loading	Max Passengers
HYP520	520-540	210-220	70-75	53cm	70/90hp	1200-1300KG	7-9

Design:

Experienced technicians and engineer that create unique and custom designs




Reasonable , scientific tube seam



Top quality PVC from Germany

MEHGIES® in detail



➤ We weave fabrics from high-tenacity polyester yarn before coating it on one of the four state-of-the-art PVC coating lines...

Hull Structure:



Hypalon imported from Europe and Taiwan





Liya Quality

1. Reasonable design with good performance is our quality target
2. All the boats made base on international standard ISO6185,ISO12217
3. With CE certificate
4. Raw material check, with good quality supplier
5. Quality control card for each boat during in produce process
6. Each boat is tested for 48 hours followed by pressure check
7. Finally before packing all the boats are inspected
8. Good feedback from different customer's driving pictures
9. Long-Term partnerships with strategic suppliers
10. PVC tube 3 years guarantee
11. Hypalon and fiberglass hull 5 years guarantee
12. Small accessories 1 year guarantee.

Qingdao Lian Ya Boat Co.,Ltd

<http://www.lianya-industry.com>

Tel: 0086-532 8908 0480/532 8908 0420

Fax: 0086-532 8908 0480/532 8908 0420

Mobile:0086-159 5322 0048

Office Address:

RM402, 1st Lobby, Building 7, Tianan Cyber Park, No.88,
Chun Yang Road, Cheng Yang District, Qingdao City, China.

Factory Address:

QingTe Industry Park, East of the RD204 crossing, Qianwangtuan, Chengyang
district ,Qingdao city, China.

