




2018 Inflatable Boat

World's top quality PVC from Germany with 3 years guarantee

China professional factory

RIB Boat, Inflatable boat, Fiberglass boat


CE approved with ISO6185 & ISO12217



Liya inflatable boat 2-6.5m feed back from market




Liya inflatable rescue boats for different government



Liya different type boats base different angles

Liya

A type



A ,V,U
3 Types
boat for
choice

A type



V type



U type



Liya Inflatable boat 2.0-6.5M 6.6-21 feet



2 meter/6.6 feet -3.6meter/12 feet Specification with price

Model	UB200	UB230	UB250	UB270	UB300	UB330	UB360
Over Length (CM)	200	230	250	270	300	330	360
Over Width (CM)	126	126	126	150	150	151	170
Inside Width(CM)	61	61	61	68	68	68	80
Tube Diam. (CM)	34	36	36	40	40	40	45
Air Chamber	3+1	3+1	3+1	3+1	3+1	3+1	3+1
Max engine (HP)	3	4	5	8	10	15	20
Transom Height(cm)	37±1	37±1	37±1	38±1	38±1	38±1	38±1
Max People	2	2	3	3	4	5	5+1
Max Loading (KG)	200	200	280	355	465	525	620
N.W (KG)	24	26	32	50	54	65	66
G. W (KG)	26	29	35	52	57	68	70
Packing size (cm)	113*60*35			115*65*45			123*75*45

Standard equipment:

1. Two pieces aluminum oars
2. Foot pump
3. Carrying bag
4. One piece aluminum bench seat
5. Repairing kits (glue and material)

Liya Inflatable boat 2.0-6.5M 6.6-21 feet



3.8meter/12.5 feet -6.5meter/21 feet Specification with price

Model	UB380	UB430	UB470	UB500	UB550	UB600	UB650
Over Length (CM)	380	430	470	500	550	600	650
Over Width (CM)	170	190	190	220	220	230	230
Inside Width(CM)	80	90	90	110	110	110	110
Tube Diam. (CM)	45	50	50	55	55	60	60
Air Chamber	3+1	4+1	4+1	5+1	5+1	7+1	7+1
Max engine (HP)	25	30	40	70	80	90	90
Transom Height	38±1	40±1	40±1	51±1	51±1	51±1	51±1
Max People	6	8	10	12	13	14	16
Max Loading (KG)	700	900	1050	1350	1450	1700	1800
N.W (KG)	78	95	124	146	149	190	195
G. W (KG)	83	105	130	152	155	200	225
Packing size	123*75*45cm	Boat package size: 140*75*45cm Aluminum .floor:113*75*15cm		Boat package size :160*80*60cm Aluminum. Floor: 140*85*35cm			

Standard equipments:

1. Two pieces aluminum oars
2. Foot pump

3. Carrying bag(under 5meter boat)

4. One piece aluminum bench seat for less than UB360,
two pieces aluminum bench seat for up UB360
5. Repairing kits (glue and material)

From 5m to 7m boat features:

1. Fiberglass transom
2. The first and secondary floor is fiberglass too
3. Aluminum floor thickness is 24mm
4. Inside width : 1100mm - 1200mm
5. Tube diameter :550-600mm
6. Two stainless steel U ring for lifting

Liya Inflatable boat 2.0-6.5M 6.6-21 feet Ex-work price

Optional accessories:

**Note: Price is subject to change without prior notice
The price can be adjusted on basis of the quantity.**



Boat cover

UB200-250, USD28.00
UB270, USD30.00
UB300, USD33.00
UB330, USD35.00
UB360, USD37.00
UB380, USD39.00
UB430-470, USD43.00
UB500-650, USD54.00



Extra oars A

132cm USD10.00
152cm USD10.00
162cm USD11.00



Carrying bag

200-330, USD10.00
360-470, USD13.00
500-650, USD17.00



Life jacket

USD13.00



Front bag

200-330, USD7.00
360-470, USD9.00
500-650, USD13.00



Repair kits

USD1.00



Under seat bag

USD7.00



Extra bench seat

Alu. bench seat USD14.00
Plywood bench seat USD5.00



Extra foot pump

Large size: USD12.0



PVC Handle

USD2.00

Hypalon Handle

USD9.00



Safety valve

USD9.00

PVC Air valve

USD1.00

Hypalon Air valve

USD7.00

Valves

- One manual inflation valve in each compartment plus keel: Safety valve is for choice to protect tube.

Handing Towing& Lifting


- 2 lateral carrying handles for boats which are smaller than UB330
- 4 lateral carrying handles for boats which are bigger than UB360
- 3 towing D rings patches fitted

Liya Inflatable boat 2.0-6.5M 6.6-21 feet


Note: Price is subject to change without prior notice
The price can be adjusted on basis of the quantity.



PVC tube 3 year guarantee tube



Safety seam join method, avoid air leaking




From 5m to 7.0 m boat features


1. Fiberglass transom
2. The first and secondary floor is fiberglass too
3. Aluminum floor thickness is 24mm
4. Inside width : 1100mm - 1200mm
5. Tube diameter : 550-600mm
6. Two stainless steel U ring for lifting

ORCA/Taiwan Hypalon for different market

3-5 year guarantee tube



Very strong transom work process



Small accessories 1 year guarantee

- 24mm thickness plywood (15 layers) for boats which are smaller than UB330
- 36mm thickness plywood (21 layers) for boats which are bigger than UB360

Liya Inflatable boat 2.0-6.5M 6.6-21feet


Four types optional floor:

1. Aluminum floor


Because the alu. Material is not easy to cutting, this front part is plywood.




2. Air mat floor



3. Plywood floor




4. Slat floor




Note: Price is subject to change without prior notice
The price can be adjusted on basis of the quantity.



A ,V ,U 3 types for choice



A type



V type



U type

Notice our standard:

1. Wood floor: UB200-250 is slat floor, up 250 is plywood floor
2. Air mat floor: from UB200-UB300
3. Plywood floor : from UB200-UB380
4. Aluminum floor: from UB270-UB700

Aluminum floor is more heavy ,but very strong so normally boat more than 3.3 meter we strong recommend .

From UB430-UB700 ,due to weight, will have two packages

,one is for boat, another is for floor.





Liya Quality

1. Reasonable design with good performance is our quality target
2. All the boats made base on international standard ISO6185,ISO12217
3. With CE certificate
4. Raw material check, with good quality supplier
5. Quality control card for each boat during in produce process
6. Each boat is tested for 48 hours followed by pressure check
7. Finally before packing all the boats are inspected
8. Good feedback from different customer`s driving pictures
9. Long-Term partnerships with strategic suppliers
10. PVC tube 3 years guarantee
11. Hypalon and fiberglass hull 5 years guarantee
12. Small accessories 1 year guarantee.

Qingdao Lian Ya Boat Co.,Ltd

<http://www.lianya-industry.com>

Tel: 0086-532 8908 0480/532 8908 0420

Fax: 0086-532 8908 0480/532 8908 0420

Mobile:0086-159 5322 0048

Office Address:

RM402, 1st Lobby, Building 7, Tianan Cyber Park, No.88,
Chun Yang Road, Cheng Yang District, Qingdao City, China.

Factory Address:

QingTe Industry Park, East of the RD204 crossing, Qianwangtuan, Chengyang
district ,Qingdao city, China.

