



2018 Liya open deck RIB

2.4meter-5.2meter/8.0feet-17feet

China professional factory

RIB Boat, Inflatable boat, Fiberglass boat

CE approved with ISO6185 &ISO12217



Liya Open Floor RIB (Fiberglass hull) 2.4 -5.2M 8.0 -17Feet



www.lianya-industry.com

- Double open fiberglass hull
- Vacuum absorption make strong hull
- PVC core replace traditional wood in side deck
- Around V shape 17 °
- you can use open floor rib boat directly
- you also can choose small consoles and seats
- PVC or hypalon tube for choice
- Tube customer design is available

CE Certificate



Liya Open Floor RIB (Fiberglass hull)2.4 -2.7M 8.0 -8.9 Feet




Basic Boat



without bow seat storage box

Bench Seat & Console C option



Liya standard size specification:

Model	Full length	Full Width	Inside length	Inside width	Tube diameter	Transom height	Air chamber	Max Passengers	Max Loading	Recommend /Max HP	Speed	Packing size(cm)	Hull weight	Container QTY
HYP240	240cm	146cm	180cm	70cm	38cm	40cm	3	2+1	300kg	10/15HP	>12kts	250*105*49	35KG	26/65PCS
HYP270	270cm	164cm	215CM	80CM	42CM	40cm	3	3	414KG	10/15HP	>12kts	250*105*49	45KG	26/52PCS

Liya Open Floor RIB (Fiberglass hull) 3.0 -4.2M 9.9 -13.8 Feet



Basic boat



Console o



Seat L



Backrest can be put down



Liya standard size specification:

Model	Full length	Full Width	Inside length	Inside width	Tube diameter	Engine shaft	Air chamber No.	Max Passengers	Max Loading	Recommend /Max HP	Speed	Packing size(cm)	weight	Container QTY
HYP300	300cm	168CM	240CM	80CM	42CM	15"	3	4	410KG	10/25HP	>12kts	305*115*55	55KG	20/44PCS
HYP330	330cm	168CM	260CM	80CM	42CM	15"	3	5	495KG	15/30HP	>12kts	305*115*55	74KG	20/44PCS
LY380	380cm	168CM	290CM	80CM	42CM	15"	3	4	655KG	30/35HP	>15kts	345*115*55	94KG	11/33PCS
HYP420	420CM	186CM	330CM	90CM	48CM	20"	4	6+1	730kg	40/50HP	>17kts	370*140*70	180kg	6/18pcs

Liya Open Floor RIB (Fiberglass hull) 3.0 -4.2M 9.9 -13.8 Feet



without bow seat storage box



with bow seat storage box

Console B



Console C




Console I



Seat D



Seat B



Liya standard size specification:

2.4 meter to 5.0 meter price base on 0.9mm PVC or hypalon,
5.2 meter price base on 1.2mm PVC or hypalon

Model	Full length	Full Width	Inside length	Inside width	Tube diameter	Engine shaft	Air chamber No.	Max Passengers	Max Loading	Recommend /Max HP	Speed	Packing size(cm)	weight	Container QTY
HYP300	300cm	168CM	240CM	80CM	42CM	15"	3	4	410KG	10/25HP	>12kts	305*115*55	51KG	20/44PCS
HYP330	330cm	168CM	260CM	80CM	42CM	15"	3	5	495KG	15/30HP	>12kts	305*115*55	74KG	20/44PCS
LY380	380cm	168CM	290CM	80CM	42CM	15"	3	4	655KG	30/35HP	>15kts	345*115*55	94KG	11/33PCS
HYP420	420CM	186CM	330CM	90CM	48CM	20"	4	6+1	730kg	40/50HP	>17kts	370*140*70	180kg	6/18pcs

Liya Open Floor RIB (Fiberglass hull)4.3-5.2M 14 -17 Feet



Different Consoles & Seats for option


Console F



Console B



Console C



Seat G



Seat B



Seat F



Liya standard size specification:

Model	Full length	Full Width	Inside length	Inside width	Tube Dia.	Engine shaft	Air chamber No.	Max passengers	Max Loading	Recommend /Max HP	Speed	Packing size(cm)	weight	Container QTY
LY430	430cm	196cm	340cm	100cm	48cm	20"	4	7	880kg	40/50HP	>21kts	420*140*70	195kg	6/14PCS
HYP480	480cm	220cm	420cm	120cm	51cm	20"	5	8	1200kg	70/90HP	>25kts	470*170*80	230kg	4/8PCS
LY500	500CM	196CM	390CM	100CM	48CM	20"	5	9	1200KG	70/90HP	>21kts	420*140*70	250KG	4/8PCS
HYP520A	520CM	220CM	445CM	120CM	51CM	20"	5	10	1345KG	70/90HP	>25kts	500*170*80	265KG	4/8PCS

Liya Open Floor RIB (Fiberglass hull) 5.2M (HYP520B) 17 Feet



with bow seat storage box



Different Consoles & Seats for option

Console F



Console B



Console C



Seat B



Seat F



Liya standard size specification:

Model	Full length	Full width	Inside width	Inside length	V degree	Tube diameter	Air chamber	Max Passengers	Engine Shaft	Recommend /Max HP	Speed	Net weight	Qty 20/40
HYP520B	520cm	220cm	120cm	430cm	20°	51cm	5	10	25inch	70/90HP	≥25kts	315kg	3/8pcs

Design:

Experienced technicians and engineer that create unique and custom designs



Hull Structure:

Longitudinal and transverse keel jointed configuration to make stronger



The opened -deck, convenient to repair and maintain fuel tank and electrical system



Fiberglass technology :

Vacuum priming and vacuum absorption to make fiberglass hull high intensity and tenacity




FRP material

Resin and Gel-coat material ASHLAND from America


PVC core replace traditional plywood in hull, make deck stronger, lighter and more water proof



Reasonable , scientific tube seam



Top quality PVC from Germany



Hypalon imported from Europe and Taiwan





Liya Quality

1. Reasonable design with good performance is our quality target
2. All the boats made base on international standard ISO6185,ISO12217
3. With CE certificate
4. Raw material check, with good quality supplier
5. Quality control card for each boat during in produce process
6. Each boat is tested for 48 hours followed by pressure check
7. Finally before packing all the boats are inspected
8. Good feedback from different customer`s driving pictures
9. Long-Term partnerships with strategic suppliers
10. PVC tube 3 years guarantee
11. Hypalon and fiberglass hull 5 years guarantee
12. Small accessories 1 year guarantee.

Qingdao Lian Ya Boat Co.,Ltd

<http://www.lianya-industry.com>

Tel: 0086-532 8908 0480/532 8908 0420

Fax: 0086-532 8908 0480/532 8908 0420

Mobile:0086-159 5322 0048

Office Address:

RM402, 1st Lobby, Building 7, Tianan Cyber Park, No.88,
Chun Yang Road, Cheng Yang District, Qingdao City, China.

Factory Address:

QingTe Industry Park, East of the RD204 crossing, Qianwangtuan, Chengyang
district ,Qingdao city, China.

