



2018 Liya fiberglass fishing boat 4.2meter-7.6meter 13.8feet-25feet

China professional factory

RIB Boat, Inflatable boat, Fiberglass boat

CE approved with ISO6185 &ISO12217



Liya fiberglass fishing boat/panga boat 7.6meter 25 Feet

Dimensions (m-ft)

Length overall.....7.60m – 25'

Width overall.....2.30m – 7.5'

Capacity

Capacity.....10people

Max loading.....1240kg

Net Weight (kg).....950kg

Oil tank(L).....150

Category.....C

40ft container.....2pcs

Outboard engine data

Twin engine shaft.....XL 25'

Single engine shaft.....XL 25'

Recommended power (Hp).....70-90

Max recommend power (Hp).....115

Liya



Liya fiberglass fishing boat/panga boat 7.6meter 25 Feet B type

Dimensions (m-ft)

Length overall.....7.60m – 25'

Width overall.....2.30m – 7.5'

Capacity

Capacity.....10people

Max loading.....1240kg

Net Weight (kg).....950kg

Oil tank(L).....150

Category.....C

40ft container.....2pcs

Outboard engine data

Twin engine shaft.....XL 25'

Single engine shaft.....XL 25'

Recommended power (Hp).....70-90

Max recommend power (Hp).....115





Liya fiberglass fishing boat/panga boat 5.8meter 19 Feet

Dimensions (m-ft)

Length overall.....5.80m – 19'

Width overall.....1.98m – 6.5'

Capacity

Capacity.....8people

Max loading.....989kg

Net Weight (kg).....645kg

Oil tank(L).....150

Category.....C

20/40ft container.....2/4pcs

Outboard engine data

Single engine shaft.....L 20'/XL 25'

Recommended power (Hp).....50

Max recommend power (Hp).....70





Liya fiberglass fishing boat/panga boat 5.8meter 19 Feet B type

Dimensions (m-ft)

Length overall.....5.80m – 19'

Width overall.....1.98m – 6.5'

Capacity

Capacity.....8people

Max loading.....989kg

Net Weight (kg).....645kg

Oil tank(L).....150

Category.....C

20/40ft container.....2/4pcs

Outboard engine data

Single engine shaft.....L 20'/XL 25'

Recommended power (Hp).....50

Max recommend power (Hp).....70





Liya fiberglass fishing boat/panga boat 5.0meter 16.4 Feet

Dimensions (m-ft)

Length overall.....5.00m – 16.4'

Width overall.....1.90m – 6.3'

Capacity

Capacity.....8people

Max loading.....1045kg

Net Weight (kg).....370kg

Oil tank(L).....80

Category.....C

20/40ft container.....2/4pcs

Outboard engine data

Single engine shaft.....L 20'

Max recommend power (Hp).....60





Liya fiberglass fishing boat/panga boat 4.2meter 13.8 Feet

Dimensions (m-ft)

Length overall.....4.20m – 13.8'

Width overall.....1.60m – 5.3'

Net Weight (kg).....260kg

20/40ft container.....3/6pcs

Outboard engine data

Single engine shaft.....L 20'

Transom height.....52cm

Max recommend power (Hp).....20-30



Design:

Experienced technicians and engineer that create unique and custom designs



Hull Structure:

Longitudinal and transverse keel jointed configuration to make stronger



The opened -deck, convenient to repair and maintain fuel tank and electrical system



Fiberglass technology :

Vacuum priming and vacuum absorption to make fiberglass hull high intensity and tenacity



FRP material

Resin and Gel-coat material ASHLAND from America

PVC core replace traditional plywood in hull, make deck stronger, lighter and more water proof





Liya Quality

1. Reasonable design with good performance is our quality target
2. All the boats made base on international standard ISO6185,ISO12217
3. With CE certificate
4. Raw material check, with good quality supplier
5. Quality control card for each boat during in produce process
6. Each boat is tested for 48 hours followed by pressure check
7. Finally before packing all the boats are inspected
8. Good feedback from different customer's driving pictures
9. Long-Term partnerships with strategic suppliers
10. PVC tube 3 years guarantee
11. Hypalon and fiberglass hull 5 years guarantee
12. Small accessories 1 year guarantee.

Qingdao Lian Ya Boat Co.,Ltd

<http://www.lianya-industry.com>

Tel: 0086-532 8908 0480/532 8908 0420

Fax: 0086-532 8908 0480/532 8908 0420

Mobile:0086-159 5322 0048

Office Address:

RM402, 1st Lobby, Building 7, Tianan Cyber Park, No.88,
Chun Yang Road, Cheng Yang District, Qingdao City, China.

Factory Address:

QingTe Industry Park, East of the RD204 crossing, Qianwangtuan, Chengyang district ,Qingdao city, China.

