



MARUTI

Quality is our Strength



Garage Equipments
Product Catalouge



Company Profile Quality is our Strength

MARUTI Auto Equipment India Private Limited.

(A Wholly owned subsidary of Maruti Engineerss)

Quality is our Strength

Maruti Auto Equipment India Private Limited is a leading manufacturer and distributor of Automotive Service Equipment in India.

We have been working closely with all Authorized OEM Workshops and Private Garages

Since 2005.

This has helped us understand the requirements & needs of vehicle service equipments and has made us to be the preferred supplier of our customers.

Our Widespread of Service Networks Streches across India and some foreign countries. It Enables us to provide service & support to our customers at every stage of product's Life cycle.





Our Vison & Misson

·Lesser & Lesser Price, Better & Better Quality

•Maruti tend to achieve highest customer satisfaction with our product quality and better After Sales & Service.

•A Committed team of professional Service Engineers team with adequate spares stock assure you to provide best after sales & Service support.

·Service: best-in-class support with fast local service.

Quality is our Strength Pricing: best value for money.

·Availability: fast and easy delivery through a dedicated production and distribution network.

Quality is our Otrenath



Contents

MARUTI Quality is our Strength

Page No.

I. CI Norms for Equipments

Quality is our Strength

1-3



II. Two Wheeler Service Equipments

3 - 9

III. Air Compressors

10 - 13

IV. Vechicle Washing Systems

(Bike/Car/Bus/Truck) to our Strength

14 - 15

V. Three Wheeler Service Equipments

16

VI. Four Wheeler Service Equipments

17 - 22

(Washing Lifts, Automatic car Washing Machine, Grease Pump Two Post Lift, & Car Wheel Service Equipments)

VII. Petrol Station Equipments

23

ONVIII. Mobile Service Equipments

24

Quality is our Strength

MARUTI
Ouglituis our Strangth





CI Norms Tools & Equipments









CI Norms Tools & Equipments








CI Norms Tools & Equipments







\$SUZUKI CI Norms Tools & Equipments






Quality is our Strength





CI Norms Tools & Equipments







PEDAL OPERATED TWO WHEELER LIFT (MS Top Sheet Powder Coated) Lifting Capacity: Upto 150cc Bikes











PEDAL OPERATED TWO WHEELER LIFT (M8 Top Sheet Rowder Coated) Lifting Capacity: Upto 350cc Bikes





PEDAL OPERATED TWO WHEELER LIFT (SS Top Sheet) Lifting Capacity: Upto 150cc Bikes







PEDAL OPERATED TWO WHEELER LIFT (SS Top Sheet)

Lifting Capacity: Upto 350cc Bikes





2 WHEELER WORKSHOP EQUIPMENTS



POWER PACI **SOLENOID OPERATED**

Oil Tank Capacity - 25 Litres Motor Available - 1 HP / 2 HP Single Phase



POWER PACK WITH HAND OPERATED PUMP -SOLENOID OPERATED

Oil Tank Capacity - 25 Litres Motor Available - 1 HP / 2 HP Single Phase



REAR WHEEL STAND

Suitable for all kind of bikes



PNEUMATIC TWO WHEELER LIFT (MS Top Sheet Powder Coated) Lifting Capacity: Upto 150cc Bikes











PNEUMATIC TWO WHEELER LIFT
(MS Top Sheet Powder Coated) Lifting Capacity: Upto 350cc Bikes





2 WHEELER WORKSHOP EQUIPMENTS







TOOLS TROLLEY 5 DRAWERS

Tools Board



DIGITAL TYRE PRESSURE GAUGE (Non - Preset Type) ality



DIGITAL TYRE PRESSURE GAUGE (Preset Type)



BATTERY CHARGER FLOODED / VRLA Available in 2 Channel & 4 Channel Upto 9ah Battery



BATTERY CHARGER FLOODED / VRLA Available in 2 Channel & 4 Channel Upto 14ah Battery

ALL 2 WHEELER COMMON SPECIAL TOOLS

TWO WHEELER WASHING SYSTEMS





MARUTI

AUTOMATIC **BIKE WASHING SYSTEM**

BIKE WASHING LIFT

TYPES:

- 1. Single Bike Washing Lift
- 2. Two Platform 2 Bike washing Lift
- 3. Four Platform 4 Bike washing Lift.



2 WHEELER WORKSHOP EQUIPMENTS





FORK INNER TUBE BEND REMOVAL EQUIPMENT

Hydraulic Operated Capacity - 15 Ton





VEHICLE LOADING & UNLOADING LIFT

Hydraulic Operated Capacity - 650 KG

Motor Available - 2 HP

Single Phase

AIR COMPRESSOR



1/1.5 HP

Single Cylinder_Air Compressor Available Tank Capacity (110 Ltrs, 135 Ltrs) Max Working Pressure - 6 Bar / 90 PSI Motor Available - 1 Phase / 3 Phase



2 HP or Strength

Single Cylinder Air Compressor our Stren Available Tank Capacity (160 Ltrs, 200 Ltrs, 220 Ltrs) Max Working Pressure - 10 Bar / 150 PSI Motor Available - 1 Phase / 3 Phase





nality is our Strength 2 HP

Double Cylinder_Air Compressor Available Tank Capacity (160 Ltrs, 200 Ltrs, 220 Ltrs, 300 Ltrs) Max Working Pressure - 8 Bar / 120 PSI Motor Available - 1 Phase / 3 Phase

AIR COMPRESSOR



Single Cylinder Air Compressor our Stree Available Tank Capacity (160 Ltrs, 200 Ltrs, 220 Ltrs) Max Working Pressure - 10 Bar / 150 PSI Motor Available - 1 Phase / 3 Phase





3 HP

Double Cylinder Air Compressor Available Tank Capacity (160 Ltrs, 200 Ltrs, 220 Ltrs, 300 Ltrs) Max Working Pressure - 8 Bar / 120 PSI Motor Available - 1 Phase / 3 Phase



3 HP

DOUBLE CYLINDER AIR COMPRESSOR

Available Tank Capacity - 220 L, 300 L Max Working Pressure - 12 Bar / 180 PSI Motor Available - 1 Phase / 3 Phase

AIR COMPRESSOR



Double Cylinder Air Compressor Available Tank Capacity 220 Ltrs, 300 Ltrs, 420 Ltrs Max Working Pressure - 12 Bar / 180 PSI Motor Available - 3 Phase



7.5 HP

DOUBLE CYLINDER AIR COMPRESSOR

Available Tank Capacity -220 Ltrs, 300 Ltrs, 420 Ltrs, 500 Ltrs Max Working Pressure - 12 Bar / 180 PSI Motor Available - 3 Phase





10 / 15 HP

TRIPLE CYLINDER AIR COMPRESSOR

Available Tank Capacity - 420 L, 500 L Max Working Pressure - 12 Bar / 180 PSI Motor Available - 3 Phase

WORKSHOP EQUIPMENTS





SILENT AIR COMPRESSOR

Double Cylinder trength

Available Tank Capacity

our Strength (160 Ltrs to 500Ltrs)

Max Working Pressure - 8 Bar & 12 Bar Motor Available - 2HP, 3HP, 5HP, 7.5HP, 10 HP

1 Phase / 3 Phase





REFRIGERATED AIR DRYER

Capacity - 40 CFM

(230V - Single Phase)







1" PNEUMATIC GUN

Twin Hammer Mechanism

Max. Torque - 2441 Nm

ly is our Streng Free Speed - 4500 RPM

VEHICLE WASHING SYSTEMS





Triple Plunger Model Bike Washer Max Working Pressure - 18 Kg / Cm² No. Of Gun - 1 Hose Pipe Length - 5 Meter Motor Available - 1 Phase / 3 Phase





1.5 HPur Strength

Triple Plunger Model Bike Washer habity is our Max Working Pressure - 20 Kg / Cm² No. Of Gun - 1 Hose Pipe Length - 5 Meter Motor Available - 1 Phase / 3 Phase



2 HPur Strength

Triple Plunger Model Bike Washer Max Working Pressure - 22 Kg / Cm² No. Of Gun - 1 Hose Pipe Length - 5 Meter Motor Available - 1 Phase / 3 Phase

VEHICLE WASHING SYSTEMS



3 HP UTI

Quality is our Strength
Triple Plunger Model Car / Bike Washer Max Working Pressure - 32 Kg / Cm²

No. Of Gun - 1

Hose Pipe Length - 8 Meter

Motor Available - 1 Phase / 3 Phase

(* Double Hose and Gun also avaliable)



MARUTI 3 HP Strength

ality i Triple Plunger Model High Pressure Car Washer

Max Working Pressure - 100 Bar

No. Of Gun - 1 (With Adjustable Gun)

Hose Pipe Length - 10 Meter

Motor Available - 1 Phase / 3 Phase

Quality is our Strength

MARUITI

T3HP / 5 HP

slity is our Single Plunger Model Car Washer Max Working Pressure - 32 Kg / Cm²

No. Of Gun - 2

Hose Pipe Length - 6 Meter

ality is our Strength or Available - 3 Phase





TVS 3 WHEELER trength **HYDRAULIC SCISSOR LIFT**

Power Pack - Solenoid Operated with Hand Pump Capacity - 1 Ton Motor - 2 HP / Single Phase





TWO POST HYDRAULIC LIFT WITH BASE MODEL

Capacity - 4 Ton Motor - 3 HP Single Phase / Three Phase Oil Tank Capacity - 12 Ltrs





TWO TON CAPACITY rength SINGLE PLUNGER WASHING LIFT lity is our WITH Y TYPE PLATFORM

Oil Tank Capacity - 45 Ltrs Air Pressure Required - 9 - 12 Kg/Cm² Recommened Air Compressor -3 HP & 5 HP 220 / 300 L





SS FOAM PUMP

Strength Tank Capacity - 70 Litre No. Of Gun - 1 Input Pressure - 3 Kg/Cm²



4 TON CAPACITY SCISSOR WASHING

LIFT

Motor Available 3 HP 1 Phase / 3 Phase Oil Tank Capacity - 12 Ltrs



4 TON CAPACITY SINGLE PLUNGER WASHING LIFT

Oil Tank Capacity - 150 Litre Air Pressure Required - 9 - 12 Kg/Cm² Recommened Air Compressor Strong (5 HP 220Ltrs / 300 Ltrs)



MARUTI

4 TON CAPACITY SINGLE **PLUNGER WASHING LIFT**

TYREST PLATFORM MARUTI MODEL

Oil Tank Capacity - 150 Litre Air Pressure Required - 9 - 12 Kg/Cm² Recommende Air Compressor 5 HP 220 / 300 L



4 TON CAPACITY SINGLE PLUNGER WASHING LIFT

TYREST PLATFORM TOYOTA MODEL

Oil Tank Capacity - 150 Litre Air Pressure Required - 9 - 12 Kg/Cm² Recommende Air Compressor 5 HP 220 / 300 L



MARUTI

8 TON SINGLE PLUNGER

WASHING LIFT

Oil Tank Capacity - 175 Litre

Air Pressure Required - 9-12 Kg / Cm²

Recommened Air Compressor

7.5 HP 420 Ltrs





AUTOMATIC CAR WASH

7.5 HP Pressure Booster Pump 0.5 HP Gear Motors (3 Nos) 7 No. of Water Jet Nozzles for under Chassis wash.

14 Nos of water jet nozzles for car wash 14 nos of Shampoo spray nozzles

Quafor car wash trength

Water Pressure 22 Kg / Cm² Time Consumption per car for complete wash 3 mins 40 sec

Water consumption 125 Litre per car

Power consumption 0.6 unit / wash



HAND OPERATED GREASE PUMP

Capacity - 3Kgs, 5Kgs, 10Kgs, 20Kgs Output - 3 Gms / Stroke





PNEUMATIC GREASE PUMP

Capacity - 5Kgs, 10Kgs, 15Kgs, 20Kgs, 25Kgs, 50Kgs Output - 300 to 400 Gms / Min



TWO POST HYDRAULIC LIFT **CLEAR FLOOR MODEL**

Capacity - 4 Ton Motor - 3 HP Single Phase / Three Phase Oil Tank Capacity - 12 Ltrs

ty is our Strength



TWO POST HYDRAULIC LIFT WITH BASE MODEL

Capacity - 4 Ton Motor - 3 HP Single Phase / Three Phase Oil Tank Capacity - 12 Ltrs

CAR WHEEL SERVICE EQUIPMENTS





3D WHEEL ALIGNER

Measurement of Caster, Camber, SAI, TOE, Setback, Thrust Angle & Otrength Axis Deviation Rim Diameter - 11" to 24" Power Supply - 1 Ph, 230V, 50Hz



VIDEOGRAPHIC WHEEL BALANCER

Rim Width - 1.5" - 10" Rim Diameter - 10" - 24" Balancing Accuracy - 1 Gram Max. Wheel Weight - 65 Kg

Power Supply - 1 Ph, 230V, 50Hz

CAR WHEEL SERVICE EQUIPMENTS





TYRE CHANGER Strength

External Clamping - 10" - 18"

Internal Clamping - 12" - 21"

Max Tyre Dia. - 38"

Working Pressure - 8 - 10 Bar



NITROGEN (N2)

Quality is our Pressure Range - 5 to 95 PSI

N2 Purity - 95 - 99%

Tank Capacity - 35 Ltrs

Equipped with Double Stage Micro Filters

to attain high purity

TROLLEY JACK 4 TON CAPACITY



PIT JACK 4 TON CAPACITY



PETROL STATION EQUIPMENTS

TWO WHEELER LIFT

5 HP 300 LTRS DOUBLE PEDAL OPERATEDIALity is our StrenCyClinders Air Compressor MAX WORKING PRESSURE - 9 BAR





NITROGEN (N2)

DIGITAL TYRE PRESSURE GAUGE

























MOBILE SERVICE EQUIPMENTS

Quality ROYALength ENFIELD

SERVICE ON WHEELS

y is our Strength









SERVICE ON WHEELS





AUTHORISED VENDOR FOR





































TVS) T V Sundram Iyengar & Sons Private Limited













Notes

		MARUTI
		Quality is our Strength
	MARITTI	J
	Quality is our Strength	
MARUTI		
Quality is our Strength		
	MARITTI	
-	Quality is our Strength	
·		MARUTI
×		Quality is our Strength
	MARITTI	
	MARIOII	
	Quality is our Strength	
· · · · · · · · · · · · · · · · · · ·		
	MADITT	
	MARUTE	
	MARUTE Quality is our Strength	
	0 0 0	MARUTI
	0 0 0	MAKUII
	Quality is our Strength	
	0 0 0	MAKUII
	Quality is our Strength	MAKUII
MARUTI	Quality is our Strength MARUTI	MAKUII
MARUTI Ouglikuis oug Skangth	Quality is our Strength MARUTI	MAKUII
MARUTI Quality is our Strength	Quality is our Strength ARUTI Quality is our Strength	MAKUII
	Quality is our Strength MARUTI	MAKUII
6	Quality is our Strength ARUTI Quality is our Strength	MAKUII



Notes

		MARUTI
_		~
<u> </u>		Quality is our Strength
	MARUTI	
	Quality is our Strength	
MADITAL		
Managa		
Quality is our Strength		
	MARUTI	
-		
-	Quality is our Strength	
		MARUTI
·		Quality is our Strength
	MARITI	
	MARUII	
	Quality is our Strength	
	MARUTA	
	9 . l. v	
_	Quality is our Strength	MADITAL
		MAKUTI
		Quality is our Strength
	MARUTI	
	MANUII	
-	Quality is our Strength	
M ARUTI		
Qual <u>ity is our Strength</u>		
7	MARUTI	
	Quality is our Strength	
	- www.y.v. on one one	MADRITT

Quality is our Strength

MARUTE

The strength of the strength

Quality is our Strength

GLOBAL SERVICE NETWORK

uality is our Strength

MARUTI

Quality is our Strength

www.garageequipments.net

Find us on Facebook Maruti Auto Equipment India Private Limited

MARUTI AUTO EQUIPMENT INDIA PRIVATE LIMITED

(A Wholly owned subsidary of Maruti Engineerss)

Address: No.32-34, MEC nagar. Nallampalayam Road, Ganapathy (Po), Coimbatore - 641006. Tamil Nadu India.

Tel: +91 422 2536723 Mob: +91 94425 22493

Email: marutiautoequipment@gmail.com

Web: www.garageequipments.net



ISO 9001:2015

www.garageequipments.net

