

AS Food Packaging



Top Sealing Machine



We deal in:

Our New Products



- Aluminum Foil Containers
- B.O.P.S Products
- Bakable Container
- Cake Bases/Bottoms
- Carry Bags Bio-degradable
- Designer Tray & Boxes
- Disposable Trays
- Fancy Packing Sheets
- Folding Boxes
- Gift Pack Boxes etc.
- Meal Tray & Packings
- Cling Films
- Garbage Bag
- Moulded Food Container
- P. P Pouches
- P.E.T Products
- P.V.C Trays
- Paper Bags (Machine Made)
- Paper Napkins
- Pastry & Laddo Katori
- Plastic Shopping Bags (Bio-degradable)
- Sealable Containers & Trays
- Shrink Films
- Shrink Machine
- Sweet Boxes, Wrappers
- Top Sealing Machine

Segments of market, We cater to:

- Air Lines • Railways • Hotels • Restaurant
- Bakery • Caters • Hospitals • MNC

P A C K I N G C A N S

Dry fruits are a very healthy and as well as it is used for gifting purpose. Packaging is very important for Dry fruits as it enhances the value.

PET cans are 100% Food Grade and provides Airtight packing.

PET Cans provide the extra edge in packing where the Cans are Transparent and dry fruits are visible.

We make PET cans for packing various dry fruits like cashews, almonds, raisins, pista, walnuts, apricots etc.

PET cans are also suitable for packing dry fruits with honey.



Lids are Easy to Open and provides Good Shelf Life. We provide plastic lids so that once the seal is broken the customer can Reuse the cans.

PET Cans are Light weight therefore it reduces the cost of packaging in cartons and transportation.


PET Cans are 100% Recycleable.

Sizes available in grams: 50, 75, 100, 125, 150, 175, 200, 250, 350, 400, 500, 800, 1000grams.

TABLE-TOP TRAY & CUP SEALER

FEATURES:

- ▶ Table-top, simple and maintenance free machine.
- ▶ Quickly one time sealing & cutting packaging.
- ▶ Special gas shock absorbers for convenient up and down soft easy.
- ▶ No spills, no dripping, maintains product freshness for long time.
- ▶ Sealable many materials PP, PE, paper, foil container etc. (Easy Open).
- ▶ One year warranty against all manufacturing defects under proper usage.



BEST USED FOR :

- Prepared meal, foods and drinks for take-away.
 - Microwaveable meals, moisture resistant.
 - Pre-packing of traditional sweets like Rasgulla, Gulab Jamun, Sohan Papri, Burfi, Kalakand, Petha, Rewri, Gazak etc.
 - Frozen foods : Chicken, Meats, Kababs, Curry and Cocktail Snacks etc.
 - Display packing for Cookies, Namkeen, Confectionaries and Dry fruits.
 - Useful for Restaurants, Caters sweet shops supermarkets & factories
 - Drinks : Water, Juices, Beverages, Milk Shakes, Lassi, etc.
- We make machines in any size or design.
 - All trays, cups & sealing film are Microwave Safe.
 - All trays, cups & sealing film are food grade.
 - Printed & plain packaging material
 - Cling film & Aluminum Foil available.





CONTAINER SEALER

- CONTAINER SIZE 123 MM(Round)
- CAST HEATING MOULD
- ALL SIDE CUTTING WITH
PEEL-OFF EDGE / NOTCH
- CUSHIONED SUPPORT SILICONE
RUBBER IN BASE MOULD FOR SEALING EDGE
- CAPACITY 150-200 PACKS/HR.

IDEAL FOR:

Restaurant / Gravi Items Like Dal, Vegetables,
Sweet Shop / Rasgulla, Halwa, Rajkachori, Dahi Bhalla Etc.

CONTAINER SIZE-DIA 123 MM

| Volume | | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|--------|--------|---------|-----------|-------------|----------|
| 180 ml | 300 ml | 500 ml | 1000 ml | 160 mm | 550 Pcs Apx | 250-300 |
| 200 ml | 400 ml | 750 ml | 1200 ml | | | |



AS 123

CUP SEALER

IDEAL FOR:

Curd, Sambar, Chole, Golguppa etc.

CONTAINER SIZE-DIA 95 MM

| Volume | | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|--------|--------|--------|-----------|--------------|----------|
| 110 ml | 200 ml | 400 ml | 500 ml | 140 mm | 1100 Pcs Apx | 250-300 |



AS 95



GLASS / CUP SEALER

- CONTAINER SIZE 80 MM(Round)
- CAST HEATING MOULD
- ALL SIDE CUTTING WITH PEEL-OFF EDGE / NOTCH
- CUSHIONED SUPPORT SILICONE RUBBER IN BASE MOULD FOR SEALING EDGE
- CAPACITY 300-400 PACKS/HR.

IDEAL FOR:

Lassi, Chhach, Juices, Drinking Water Rasmalai, Ice Cream, Kheer, Soan Cake.

CONTAINER SIZE-DIA 80 MM

| Volume | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|--------|--------|-----------|--------------|----------|
| 80 ml | 200 ml | 250 ml | 240 mm | 1300 Pcs Apx | 200x2 |
| 100 ml | 300 ml | 350 ml | | | |

AS 80-2



CHATNI CUP SEALER

IDEAL FOR:

All Kind Of Chatni & Pickles

CONTAINER SIZE-DIA 69 / 58 MM

| Volume | | | | Film Size | Pkd in 1 Kg | Power(W) |
|----------|-------|----------|-------|-----------|-------------|----------|
| Dia 58mm | | Dia 68mm | | | | |
| 20 ml | 30 ml | 40 ml | 60 ml | | | |
| 40 ml | | 80 ml | | | | |

AS 69-58





RECTANGULAR TRAY SEALER

- CONTAINER SIZE 142x190 MM
- CAST HEATING MOULD
- SINGLE SIDE CUTTING WITH PEEL OF EDGE
- CUSHIONED SUPPORT SILICONE RUBBER IN BASE MOULD FOR SEALING EDGE.
- CAPACITY 150-200 PACKS/HR.


IDEAL FOR:

Soan Papdi, Sweets, Dhokla, Namkeen Bakery Items, Biscuit, Pasta, Salad, Biryani, Frozen Food, Etc.

CONTAINER SIZE -142X190 MM TRAY

| Volume | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|---------|---------|-----------|-------------|----------|
| 400 ml | 750 ml | 1250 ml | 200 mm | 380 Pcs Apx | 400-500 |
| 500 ml | 1000 ml | 1500 ml | | | |

AS 1419



RECTANGULAR SMALL TRAY SEALER

IDEAL FOR:

Soan Papdi, Sweets, Ladoo, Namkeen Bakery Items, Dry Fruits Etc.

CONTAINER SIZE -100x135 MM TRAY

| Volume | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|--------|--------|-----------|-------------|----------|
| 250 ml | 350 ml | 450 ml | 140 mm | 650 Pcs Apx | 250-300 |
| | | | | | |

AS 1013





TWO PORTION SEALER(2 in 1)

- CONTAINER SIZE 142x190 MM
- CAST HEATING MOULD
- SINGLE SIDE CUTTING WITH PEEL OF EDGE
- CUSHIONED SUPPORT SILICONE RUBBER IN BASE MOULD FOR SEALING EDGE.
- CAPACITY 150-200 PACKS/HR.

IDEAL FOR:

Chinese Food, Chole Bhature,
Rajma Chawal, Idly Sambar& Mini Meal

CONTAINER SIZE -142X190 MM 2P TRAY

| Volume | Film Size | Pkd in 1 Kg | Power(W) |
|--------|-----------|-------------|----------|
| 500 ML | 200 mm | 380 Pcs Apx | 400-500 |

RECTANGULAR & ROUND CONTAINER SEALER

IDEAL FOR:

rectangular & Round Container in One Machine

CONTAINER SIZE -142X190 MM TRAY


| Volume | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|---------|---------|-----------|-------------|----------|
| 400 ml | 750 ml | 1250 ml | 200 mm | 380 Pcs Apx | 400-500 |
| 500 ml | 1000 ml | 1500 ml | | | |

CONTAINER SIZE-DIA 123 MM


| Volume | | | | Film Size | Pkd in 1 Kg | Power(W) |
|--------|--------|--------|---------|-----------|-------------|----------|
| 180 ml | 300 ml | 500 ml | 1000 ml | 160 mm | 550 Pcs Apx | 250-300 |
| 200 ml | 400 ml | 750 ml | 1200 ml | | | |



AS 1419-2



AS 1419-123





FIVE PORTION MEAL TRAY SEALER

- CONTAINER SIZE 305x230 MM
- CAST HEATING MOULD / CARTAGE HEATER
- SINGLE SIDE CUTTING WITH PEEL OF EDGE
- CUSHIONED SUPPORT SILICONE RUBBER IN BASE MOULD FOR SEALING EDGE.
- CAPACITY 200 -250 PACKS/HR.

IDEAL FOR:

Ready Meals (Thali)

CONTAINER SIZE -305X230 MM

| Volume | Film Size | Pkd in 1 Kg | Power(W) |
|-------------------------------|-----------|-------------|----------|
| Five Portion Meal tray sealer | 300 mm | 200 Pcs Apx | 400x2 |

AS 5-05



EIGHT PORTION MEAL TRAY SEALER

IDEAL FOR:

Ready Meals (Thali)

CONTAINER SIZE -305X230 MM

| Volume | Film Size | Pkd in 1 Kg | Power(W) |
|--------------------------------|-----------|-------------|----------|
| Eight Portion Meal tray sealer | 300 mm | 200 Pcs Apx | 400x2 |

AS 5-08



AS Food Packaging



FIVE & EIGHT PORTION MEAL TRAY SEALER

- CONTAINER SIZE 305x230 MM
- CAST HEATING MOULD / CARTAGE HEATER
- SINGLE SIDE CUTTING WITH PEEL OF EDGE
- CUSHIONED SUPPORT SILICONE RUBBER IN BASE
- MOULD FOR SEALING EDGE.
- CAPACITY 200 -250 PACKS/HR.

IDEAL FOR:

Easy Change Mould Five & Eight Portion Tray Sealer

CONTAINER SIZE -305X230 MM

| Volume | Film Size | Pkd in-1 Kg | Power(W) |
|---------------------------------------|-----------|-------------|----------|
| Five & Eight Portion Meal tray sealer | 300 mm | 200 Pcs Apx | 400x2 |

THREE PORTION MEAL TRAY SEALER

IDEAL FOR:

Chinese Food, South Indian Food,


Rajma Chawal, Idly Sambar, Dosa & Mini Meal

CONTAINER SIZE -THREE PORTION

| Volume | Film Size | Pkd in-1 Kg | Power(W) |
|---------------|-----------|-------------|----------|
| Three Portion | 225 mm | 380 Pcs Apx | 400-500 |



AS 5-05 08



AS 1419-3



AS Food Packaging

SEMI AUTOMATIC TRAY / CUP SEALER

The model RE-TD4 series table automatic cover-sealing machine is mainly used for sealing dinner-boxes, Ready made microwave-food, fast food outlets, nylon ,PP, PE, OPS, PVC, PSS materials. It is also used for cup-sealing. This machine is controlled by IC and easy to operate. Only the sealed container has to be removed by hand. The body is made of stainless steel, it complies with the requirement of food sanitation. The product packed can be made more presentable by printing pictures or your companies name and logo on the sealing film. (Extra Cost) This machine is ideal for large and fast production line. This Machine provides high speed production.

PNEUMATIC MODAL (Air Mechanism)

Power 220v / 50hz
Power 600(W)
Digital Counter
Digital Temperature Controllers
Sealing Timer
Air Pressure / 6kgf
Production 300-400 Pce per hour

RE-TD4



AUTOMATIC TRAY / CUP SEALER

CAPACITY 700-1000 PACKS/HR.

IDEAL FOR

Sweets, Soan Papdi, Biscuit, Frozen Food Etc.

SIZE AS PER REQUIREMENT



SHRINK PACKAGER



SEALING FILM - TRANSPARENT



SEALING FILM - PRINTED



MULTI PURPOSE DISPENSER

A Must Have For All Home Kitchens, Hotels, Restaurant, Catering
Retail Shops, Bakeries, Sweet-shops...

- Easy to use
- Food Hygiene
- Food Preservation
- Food Protection
- Preserves Freshness
- Smell Free Food
- Microwave Safe
- Refrigerator Friendly
- Easy Warp & Cutting Prevents Tangles
- Safe Structure
- No Electricity Required
- Maintenance Free
- Strong & Durable
- Suitable For Wall Mount & Table Top

**KEEP YOUR FOOD FRESH, HYGIENIC, PRESENTABLE, TASTY
AND EASIER TO STORE WITH OUR SPECIALLY
DESIGNED CLING FILM WARP DISPENSER**



Polypropylene (PP) meets the requirement stipulated in **IS 10910**. On "specification for polypropylene and its copolymers for safe use in contact with foodstuff, pharmaceuticals and drinking water". Additive incorporated in this grade confirms to the positive list of constituents as prescribed in **IS 10910**. The grade and additives incorporated in it also comply with the **fda:cfr Title 21,177.1520**.

- 100% Food Grade Material
- Melts At 230 Degree Celcius
- Heat Sealable.
- Min.temp At Which It Can Work Properly Is -8 Degree Celcius

| | |
|----------------------|---------------------------------|
| Density | : 0.905 g/cm ³ |
| Tensile Strength | : 0.95 - 1.30 N/mm ² |
| Heat Distortion Temp | : 105 Degree Celcius |
| Oxygen Index | : 17 |
| Colour | : Transparent |



5 CP Meal Tray




8 CP Meal Tray



PP Glasses
80 mm



Hexa Round Container
123 mm



Round Container
With Lid



Sandwich Container



Rectangular Container
142x190 mm



Small Cups



Glasses With Lid
95 mm



Round Container
123 mm



Rectangular Tray
100x135 mm



2 CP Tray



Pasta Tray



Curd Cups

मशीन का ध्यानपूर्वक आरंभ

मशीन को अपने बक्से से निकालें और उसे एक साफ, सुखे और समतल सतह पर रखें। यह सुनिश्चित कर लें कि जिस स्थान पर मशीन रखी है वह इतनी बड़ी हो कि मशीन के सारे पैर उस पर पूरी तरह आ जायें।

इस बात पर ध्यान दें कि मशीन को सतह से चिपकाये रखने के लिये सारे रबर के पैर दबे होने चाहिये। इस स्थिति में मशीन को सीधे ऊपर उठाना या हिलाना मुश्किल हो सकता है। मशीन को उठाने के लिये मशीन को सरकाएं और पैरों को एक करके सतह से छुड़ाएं।

मशीन को लगाना

इस मशीन में 2 SHOCK ABSORBER (शोकर) लगे हैं जो भेजते समय ऊपरी सिरे से खोल कर भेजे जाते हैं। मशीन के ऊपरी हिस्से को उठाएं और SHOCK ABSORBER के खुले सिरे को घुमा कर मशीन के उपरी हिस्से में लगे ball आकार के कनेक्शन के पास ले आएं। SHOCK ABSORBER के सिरे को locking pin निकालें और सिरे को ball पर दबा कर उसे ढक्कन से जोड़ दें। Locking pin को फिर वापस डाल दें।



इस प्रक्रिया को दूसरी तरफ के लिये दोहराएं।

अब मशीन का ऊपरी हिस्सा ऊपर उठा रहेगा। इसे कई बार धीरे से निचे दबायें और छोड़े ताकि वह अपने आप SHOCK ABSORBER की मदद से हर बार ऊपर उठ सके।

फ़िल्म roll को मशीन के पीछे से, दिखाये गये स्थान पर रखें फ़िल्म के सिरे को खोलें और उससे base mould के ऊपर तक खींच कर छोड़ दें।



याद रखें कि गलत तरह से खींची गयी फ़िल्म जिससे फ़िल्म कि चिपकने वाली सतह उपर sealing mould की तरफ हो जाती है और चलाते ही उससे चिपक जाती है, नये ग्राहकों द्वारा बतायी गयी मुश्किलों में सबसे अधिक यही मुश्किल होती है।

मशीन को बिजली से जोड़ना

मशीन में लगे बिजली के ३ पिन वाले को किसी भी सही बिजली के socket पर लगाएं (9) फ़ेस, २२० वोल्ट)।

यह सुनिश्चित कर लें कि बिजली के socket में सही Earth कनेक्शन मौजूद है। मशीन को बिना सही Earthing के चलाना सख्त वर्जित है और यह खतरनाक हो सकता है।


मशीन को इस्तेमाल के लिये तैयार करे

मशीन को दिये गये स्विच की मदद से चालू करे। चालू हाने पर स्विच कि बत्ती जल उठेगी अब मशीन के sealing तापमान को तापमान नियंत्रक से सेट करें जो 150° है।



मशीन को इस्तेमाल sealing के लिये करे

जैसे ही मशीन निश्चित गये तापमान पर पहुँच जाये, आप इस का प्रयोग करना शुरू कर सकते हैं। एक सामान से भरे, सही आकार और मात्रा के प्लास्टिक के डिब्बों को मशीन में रखें। फ़िल्म को उस पर से इस प्रकार खींचें कि वह डिब्बों व मशीन पर उसके आसपास लगी रबड़ को पूरी तरह से ढक दें।



बन्द किया हुआ container को एक हाथ की उँगलियों की मदद से, नीचे से धीरे से धकेले और दूसरे हाथ से मशीन से उठा ले।

अगले भरे हुए डिब्बे को मशीन में रखें। जिन मशीनों में चारों तरफ़ से फ़िल्म काटी जाती है। उनमें नये डिब्बों के ऊपर से खींचें और ऊपर बतायी प्रक्रिया को दोहरायें।

काम की समाप्ति तथा मशीन को रखना

काम समाप्त होने पर मशीन को बनी बत्ती वाले बटन से बन्द कर दें। बिजली के socket को भी बंद कर दें और प्लग को निकाल लें। मशीन को ठण्डा होने दें।

ध्यान दें

१. मशीन का sealing mould बहुत गर्म होता है। इस पर व इसके आस पास कार्य करते समय सावधानी बरतें।

२. ध्यान रखें कि शरीर को कोई भी हिस्सा गलती से sealing mould के नीचे ना दब जायें गर्म mould या तेज़ cutter से चोट लग सकती है।

३. मशीन के ऊपरी हिस्से पर कोई भी तरल पदार्थ न गिरायें क्योंकि इसमें बिजली का सामान लगा हुआ है। तरल पदार्थ गिरने पर मशीन को तुरन्त बन्द कर दें तथा पुनः सूखने पर ही शुरू करें।

४. अगर डिब्बे सीधे गरम sealing mould से छू जाये तो वह पिघल कर उसमें चिपक सकता है तथा छुड़ाने पर mould की सतह पर पिघला प्लास्टिक छोड़ सकता है। ऐसी स्थिति में मशीन को फिर प्रयोग करने से पहले mould की सतह को पीतल तारों की ब्रुश से अच्छी तरह साफ़ कर लें।

५. गरम mould की सतह को हर दिन कम से कम एक बार, इस्तेमाल के पश्चात् बिजली बन्द कर, पीतल तारों की ब्रुश से अच्छी तरह साफ़ करें।

६. बिजली के हल्के झटके भी अगर महसूस हों तो मशीन को तुरन्त बन्द कर दें। पुनः इस्तेमाल के पहले earthing को अच्छी तरह जाचें लें।

७. मशीन को बिजली से अलग करने के पश्चात् ही साफ़ या ठीक करें। सफ़ाई के लिये करें। मशीन के ऊपर गिरे सारे पदार्थों को पूरी तरह से हटा दें।

TROUBLESHOOTING

• POWER switch not illuminated when ON

- NO MAINS supply : *Switch ON*
- Bulb fused : *Replace switch*

• SWITCH ON but Temp.contr. OFF

- Glass fuse blown : *Replace*
- Temp. Contr. defect: *Check/Replace*

• EVERYTHING ON but no mould heating

- Temp. contr. defect: *Check/Replace*
- Thermocouple defect: *Check/Replace*
- Heating element blown : *Replace*

• IMPROPER sealing

- Wrong sealing temperature : *Correct*
- Insufficient sealing time : *Correct*
- Mould springs weak : *Replace*

• IMPROPER film cutting

- Insufficient pressing of lid : *Correct*
- Cutter not sharp : *Replace*
- Film not covering sil. rubber : *Correct*

• Lid not lifting automatically

- Hinger hard : *Lubricate with m/c oil*
- Gas-lift(s) weak : *Replace*

समस्या की स्थिति में

- मशीन चालू होने पर भी स्विच की बत्ती नहीं जली।
 - बिजली नहीं है: बिजली चालू करें
 - स्विच का बल्ब खराब है: स्विच बदलें

- बटन की बत्ती जली है पर तापमान नियंत्रक बन्द है
 - फ्यूज खराब है: बदलें
 - तापमान नियंत्रक खराब है: दिखावायें / बदलें

- मशीन चालू है पर mould गर्म नहीं हो रहा है।
 - तापमान नियंत्रक खराब है : दिखाये / बदलें
 - Thermcouple खराब है : दिखाये / बदलें
 - Element खराब है : दिखाये / बदलें

• Sealing ठीक नहीं है।

- तापमान गलत है : ठीक करें
- दबा कर रखने का समय कम है : बढ़ायें
- Mould spring कमजोर हैं : बदलें


• फिल्म का कटना सही नहीं है।

- उपरी हिस्सा पूरी तरह नहीं दबा : पूरा दबायें
- कटर तेज़ नहीं है : बदलें
- फिल्म बाहरी रबर को नहीं ढक रही है : ढकें

• उपरी हिस्सा स्वयं नहीं उठता है।

- जोड़ सख्त है : जोड़ में तेल डालें
- SHOCK ABSORBER कमजोर हैं : बदलें

WIRING DIAGRAM



AS Food Packaging



WARRANTY CARD for SEALING MACHINE

CUSTOMER NAME

ADDRESS

PRODUCT DETAIL

PRODUCT SERIAL NUMBER

DATE OF PURCHASE

PHONE NO

STAMP

About us

A well known name, associated with quality, works, services, innovation & timely deliveries has marked its consistent presence in the circle of printing & packaging industry for a very longtime.

- ♦ *Esteemed & Prestigious client-end.*
- ♦ *Experience of our top level management*
- ♦ *Sincere efforts of our ground level staff.*

We have been able to spread our business from regional to national and national to international level.

The products that we offer are utilised in various segments of market.

Today, the Hospitality industry is developing at a very rapid pace & so is the food packaging industry.

We, ensure that we are updated with the latest trends of the market & keep innovating accordingly...

AS Food Packaging

Off. : Building no. 30, GF, Rani Jhansi Road, Opp. Jhandewalan Mandir
Motia Khan, New Delhi - 110055, Ph. : 9999890190, 9811704804
Customer Care No. 011 23634875

Email : asfoodpackaging@gmail.com, Website : www.asfoodpackaging.com